Package 'DaparToolshed'

November 12, 2026

Type Package

Title Tools for the Differential Analysis of Proteins Abundance with R

Version 0.99.42

Date 2026-10-29

Description The package DaparToolshed is a Bioconductor distributed R package which provides all the necessary functions to analyze quantitative data from label-free proteomics experiments. It is an update of our previous package DAPAR and contains more functions to analyze the data and uses MultAssayExperiment and SummarizedExperiment data structures. Contrarily to most other similar R packages, it is endowed with rich and user-friendly graphical interfaces, so that no programming skill is required (see `Prostar` package).

URL https://github.com/edyp-lab/DaparToolshed, https://edyp-lab.github.io/DaparToolshed/

BugReports https://github.com/edyp-lab/DaparToolshed/issues

License Artistic-2.0

Depends R (>= 4.6.0)

Imports BiocGenerics, matrixStats, S4Vectors, SummarizedExperiment, openxlsx, QFeatures (>= 1.16), methods, MsCoreUtils, AnnotationFilter, RColorBrewer, plotly, stats, utils, tibble, Matrix, stringr, graph, igraph (>= 2.0), preprocessCore, dplyr, cp4p, imp4p (>= 0.9)

biocViews Proteomics, Normalization, Preprocessing, MassSpectrometry, QualityControl, DataImport

Suggests BiocManager, visNetwork, htmlwidgets, rhandsontable, shinyalert, shinyjs, sos, knitr, shinyBS, MultiAssayExperiment, PSMatch, lme4, DT, shinyWidgets, vsn, limma, impute, apcluster, diptest, cluster, rmarkdown, BiocStyle, testthat, FactoMineR, factoextra, colourpicker, readxl, grDevices, forcats, multcomp, purrr, gplots, tidyr, Pirat, shinyjqui

NeedsCompilation no

Collate history_utils.R plots_volcano.R DiffAnalysis.R adjacencyMatrix.R plots_compare_assays.R missingValuesImputation_ProteinLevel.R

missingValuesImputation_PeptideLevel.R hypothesisTest_plot.R
anova_analysis.R compute.t.tests.R limmaAnalysis.R
plots_normalization.R funcs_FunctionFiltering.R plot_metacell.R
funcs_normalize.R doc-data.R QFeatures_utils.R output2Excel.R
DaparToolshed_Params_Addons.R metacell.R
DaparToolshed_filter_Adjmat.R DaparToolshed_QFeatures_Addons.R
DaparToolshed_filter_qMetadata.R
DaparToolshed-filterFeaturesOneSE.R export_qfeatures.R
import_2_qfeatures.R utils.R pepa.R global.R palette.R
shinyValue.R get_pep_prot_cc.R aggregation.R heatmap.R
initialization.R

Encoding UTF-8

Roxygen list(markdown = TRUE)

VignetteBuilder knitr

Config/roxygen2/version 8.0.0

git_url https://git.bioconductor.org/packages/DaparToolshed

git_branch devel

git_last_commit 9974d52

git_last_commit_date 2026-10-29

Repository Bioconductor 3.24

Date/Publication 2026-11-12

Author Samuel Wieczorek [cre, aut] (ORCID:
<https://orcid.org/0000-0002-5016-1203>),
Thomas Burger [aut],
Enora Fremy [ctb],
Manon Gaudin [ctb]

Maintainer Samuel Wieczorek <samuel.wieczorek@cea.fr>

Contents

Add2History 5
Add_Item_to_Dataset 5
adjacency-matrix-filter 6
aggQmetacell 8
applyAnovasOnProteins 11
BuildAdjacencyMatrix 12
buildGraph 13
BuildMetacell 13
checkConditions 14
checkDesign 15
Children 15
classic1wayAnova 16
CleanRowData 17
compareNormalizationD_HC 17
compute_t_tests 18
ConvertListToHtml 20
CountPep 20
createQFeatures 21

DaparToolshed-aggregate . . . 23
DaparToolshed-aggregateRedistribution . . . 24
diffAnaComputeAdjustedPValues . . . 26
diffAnaComputeFDR . . . 27
diffAnaVolcanoplot_rCharts . . . 28
displayCCvisNet . . . 29
ExtendPalette . . . 30
ExtractUniquePeptides . . . 31
formatHSDResults . . . 31
formatLimmaResult . . . 32
formatPHResults . . . 33
formatPHTResults . . . 34
fudge2LRT . . . 34
GetColorsForConditions . . . 36
getDesignLevel . . . 36
GetDetailedNbPeptides . . . 37
GetDetailedNbPeptidesUsed . . . 38
GetHistory . . . 38
GetIndices_BasedOnConditions . . . 39
GetIndices_FunFiltering . . . 40
GetIndices_WholeLine . . . 41
GetIndices_WholeMatrix . . . 42
getListNbValuesInLines . . . 42
GetNbPeptidesUsed . . . 43
GetNbTags . . . 44
getNumberOfEmptyLines . . . 44
getPepProtCC . . . 45
getProteinsStats . . . 46
GetSoftAvailables . . . 46
globalAdjPval . . . 47
GraphPepProt . . . 47
hc_logFC_DensityPlot . . . 48
heatmapForMissingValues . . . 49
histPValue_HC . . . 50
imputePA2 . . . 50
InitializeHistory . . . 52
isDifferential . . . 52
isOfType . . . 53
isSubset . . . 54
Keep_Items_from_Dataset . . . 54
LH0 . . . 55
LH0_lm . . . 55
LH1 . . . 56
LH1_lm . . . 57
limmaCompleteTest . . . 57
makeContrast . . . 58
makeDesign . . . 59
makeDesign1 . . . 59
makeDesign2 . . . 60
makeDesign3 . . . 61
matchMetacell . . . 61
metacell-plots . . . 62

MetacellFilteringScope . . . 64
Metacell_DIA_NN . . . 65
Metacell_maxquant . . . 66
Metacell_proline . . . 66
mv_imputation_protein . . . 67
NAIsZero . . . 69
nEmptyLines . . . 70
nonzero . . . 70
normalization_methods . . . 71
normalizeFunction . . . 73
output_2_Excel . . . 74
OWAnova . . . 75
paramshistory . . . 76
Parent . . . 80
pepaTest . . . 81
Pipelines . . . 82
pkgsRequire . . . 82
plotCompareAssays . . . 83
plotJitter . . . 84
plotJitter_rCharts . . . 84
postHocTest . . . 85
pushpvalue . . . 86
QFeatures-excel . . . 88
QFeatures-filtering-oneSE . . . 89
QFeatures-utils . . . 91
q_metacell . . . 92
ReplaceSpecialChars . . . 95
RunAggregation . . . 96
samLRT . . . 98
separateAdjPval . . . 99
SetHistory . . . 100
splitAdjacencyMat . . . 100
subR25pept . . . 101
subR25prot . . . 102
SymFilteringOperators . . . 103
testAnovaModels . . . 104
testDesign . . . 105
thresholdpval4fdr . . . 106
translatedRandomBeta . . . 106
wrapperCalibrationPlot . . . 107
wrapperClassic1wayAnova . . . 108
wrapperDaparImputeMI . . . 109
wrapperImputeMLE . . . 110
wrapperImputePA2 . . . 111
wrapperPirat . . . 112

Index **114**

Add2History *Add row to history*

Description

This function adds a row to the history.

Usage

```
Add2History(history, step, substep, param.name, value)
```

Arguments

history	A data.frame corresponding to the current history.
step	A character(1) corresponding to the step name.
substep	A character(1) corresponding to the substep name.
param.name	A character(1) corresponding to the parameter name.
value	The value of the corresponding parameter.

Value

A data.frame with one added row

Examples

```
history <- InitializeHistory()
Add2History(history, "Example step", "First sub-step", "my param", "THE value")
```

Add_Item_to_Dataset *Adds an instance of* SummarizedExperiment *to a* QFeatures *object*

Description

Adds one or more items to the dataset. This function is specific of the type of dataset.

Usage

```
Add_Item_to_Dataset(dataset, name)
```

Arguments

dataset	An instance of SummarizedExperiment class
name	A character() for the new assay

Value

The dataset minus some items

`adjacency-matrix-filter`

Filter a peptide assay on the basis of its adjacency matrix.

Description

These functions filters (delete) peptides of an assay, applying a function on peptides and proteins. They can be used alone but the usual usage is to create an instance of a class FunctionFilter and to pass it to the function filterFeaturesOneSE in order to create a new assay, embedded into the QFeatures object.

Usage

```
AdjMatFilters()

allPeptides(object, ...)

specPeptides(object, ...)

subAdjMat_specificPeptides(X)

sharedPeptides(object, ...)

subAdjMat_sharedPeptides(X)

topnFunctions()

topnPeptides(object, fun, top)

subAdjMat_topnPeptides(X, qData, fun, top)
```

Arguments

`object`	An object of class `SummarizedExperiment`
`...`	Additional arguments
`X`	A `Matrix()`
`fun`	A `list()` of additional parameters
`top`	A `integer(1)` which is the number of entities to use
`qData`	A `data.frame()` for the quantitative data

Details

This function builds an intermediate matrix with scores for each peptide based on 'fun' parameter. Once this matrix is built, one select the 'n' peptides which have the higher score

The list of filter functions is given by `adjMatFilters()`:

- `specPeptides()`: returns a new assay of class `SummazizedExperiment` with only specific peptides;
- `sharedpeptides()`: returns a new assay of class `SummazizedExperiment` with only shared peptides;

- `opnPeptides()`: returns a new assay of class `SummazizedExperiment` with only the 'n' peptides which best satisfies the condition. The condition is represented by functions which calculates a score for each peptide among all samples. The list of these functions is given by `topnFunctions()`:
- `rowMedians()`: returns the median of the entities in each selected row;
- `rowMeans()`: returns the median of the entities in each selected row;
- `rowSums()`: returns the sum of the entities in each selected row;

Value

NA

Author(s)

Samuel Wieczorek

See Also

The QFeatures-filtering-oneSE man page for the class `FunctionFilter`.

Examples

```
library(Matrix)
library(QFeatures)
#-----------------------------------------------
# This function will keep only specific peptides
#-----------------------------------------------

f1 <- FunctionFilter("specPeptides", list())

#-----------------------------------------------
# This function will keep only shared peptides
#-----------------------------------------------

f2 <- FunctionFilter("sharedPeptides", list())

#-----------------------------------------------
# This function will keep only the 'n' best peptides
# w.r.t the quantitative sum of each peptides among
# all samples
#-----------------------------------------------

f3 <- FunctionFilter("topnPeptides", fun = "rowSums", top = 2)

#-------------------------------------------------------
# IF several filters must be used, store them in a list
#-------------------------------------------------------

data(subR25pept)
lst.filters <- list()
lst.filters <- append(lst.filters, f1)
lst.filters <- append(lst.filters, f3)

subR25prot <- filterFeaturesOneSE(
    object = subR25pept,
```

```
    i = 1,
    name = "filtered",
    filters = lst.filters
)
```

---

aggQmetacell *Aggregate metacell*

Description

Aggregate the quantitative metadata tag.

This function creates a column for the protein dataset after aggregation by using the previous peptide dataset.

Aggregation of rowData of a `QFeatures` assay.

Aggregate the metadata

This function aggregate quantitative data using a method of redistribution of shared peptides. Intensity of shared peptides are redistributed proportionally to each protein. Note that the function assumes that the intensities are not log-transformed.

Aggregation using sum method.

Aggregation using mean method.

Aggregation using median method.

Aggregation using medianPolish method. Note that this method is parallelized to be more efficient.

Aggregation using robustSummary method.

Usage

```
aggQmetacell(qMeta, X, level, conds)

aggregateMethods()

BuildColumnToProteinDataset(peptideData, matAdj, columnName, proteinNames)

Add_Aggregated_rowData(obj, col, i.agg)

metacell_agg(aggregatedSE, originalSE, adj_mat, conds, protname_order)

select_topn(pepData, X, n = 10, funpept = "Mean")

innerAggregateIter(
  pepData,
  X,
  init.method = "Mean",
  method = "Mean",
  n = NULL,
  uniqueiter = FALSE,
  topn_fun = "Mean",
  max_iter = 500
```

```
)

innerSum(pepData, X)

innerMean(pepData, X)

innerMedian(pepData, X)

innerMedianpolish(pepData, X)

innerRobustsummary(pepData, X)
```

Arguments

qMeta	A matrix with quantitative metadata tag.
X	A matrix acting as an adjacency matrix.
level	A character(1) which is the type of dataset
conds	A character() vector which is the names of conditions for each sample in the dataset.
peptideData	A data.frame of meta data of peptides. It is the rowData of the SummarizedExperiment object.
matAdj	The adjacency matrix used to aggregate the peptides data.
columnName	The name(s) of the column in SummarizedExperiment::rowData(peptides_MSnset) that the user wants to keep in the new protein data.frame.
proteinNames	The names of the protein in the new dataset (i.e. rownames)
obj	An instance of class QFeatures.
col	A character() of column names from rowdata to be aggregated.
i.agg	A numeric(1) indicating the index of the assay to which add the aggregated rowData, using the previous assay's rowData.
aggregatedSE	An instance of class SummarizedExperiment containing the aggregated data.
originalSE	An instance of class SummarizedExperiment containing the non-aggregated data.
adj_mat	An adjacency matrix.
protname_order	A character() vector with the protein name in order.
pepData	A matrix containing the peptide intensities. Note that the function assume that data is already log-transformed.
n	A numeric(1) specifying the number of peptides to use for each protein. If NULL, all peptides are considered.
funpept	A function used for determining a peptide's value. Available functions are Sum, Mean or Median.
init.method	A function used for initializing the aggregation. Available functions are Sum, Mean, Median, medianPolish or robustSummary. See below for details.
method	A function used for the aggregation. Available functions are Sum, Mean, Median, medianPolish or robustSummary. See below for details.
uniqueiter	A bole
topn_fun	A function used to determine how to choose the top n peptides. Available functions are Sum, Mean or Median. See below for details.
max_iter	A numeric(1) setting the maximum number of iteration.

Details

Available functions are :

- `Sum` : base::rowSums()
- `Mean` : base::rowMeans()
- `Median` : matrixStats::rowMedians()
- `medianPolish` : MsCoreUtils::medianPolish(), not available for `topn_fun`. Note that this method takes significantly more time than the others, and is parallelized to be more efficient.
- `robustSummary` : MsCoreUtils::robustSummary(), not available for `topn_fun`. Note that this method takes significantly more time than the others, and is parallelized to be more efficient.

Value

NA

A vector

An instance of `QFeatures` class with aggregated rowData in specified assay.

A `SummarizedExperiment` containing the aggregated data.

An adjacency matrix with only the top n peptides selected.

A `matrix` containing the aggregated values.

A `matrix` containing the aggregated values.

A `matrix` containing the aggregated values.

A `matrix` containing the aggregated values.

A `matrix` containing the aggregated values.

A `matrix` containing the aggregated values.

Author(s)

Samuel Wieczorek

Samuel Wieczorek, Manon Gaudin

Manon Gaudin

Examples

```
data(subR25pept)
qMeta <- qMetacell(subR25pept, 1)
X <- QFeatures::adjacencyMatrix(subR25pept[[1]])
level <- typeDataset(subR25pept[[1]])
conds <- SummarizedExperiment::colData(subR25pept)$Condition
aggQmeta <- aggQmetacell(qMeta, X, level, conds)

library(QFeatures)

data(subR25pept)
protID <- parentProtId(subR25pept[[1]])
X <- QFeatures::adjacencyMatrix(subR25pept[[1]])

X.split <- DaparToolshed::splitAdjacencyMat(X)
X.shared <- X.split$Xshared
X.unique <- X.split$Xspec
```

```
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
X.topn <- select_topn(SummarizedExperiment::assay(subR25pept[[1]]), X, n = 3)

data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
qdata.agg <- innerAggregateIter(SummarizedExperiment::assay(subR25pept[[1]]), X)

library(QFeatures)
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
i.sum <- innerSum(SummarizedExperiment::assay(subR25pept[[1]]), X)


library(QFeatures)
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
i.mean <- innerMean(SummarizedExperiment::assay(subR25pept), X)



library(QFeatures)
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
i.mean <- innerMedian(SummarizedExperiment::assay(subR25pept[[1]]), X)



data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
i.mean <- innerMedianpolish(SummarizedExperiment::assay(subR25pept[[1]]), X)



data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
i.mean <- innerRobustsummary(SummarizedExperiment::assay(subR25pept[[1]]), X)
```

`applyAnovasOnProteins` *iteratively applies OWAnova() on the features of an MSnSet object*

Description

iteratively applies OWAnova() on the features of an MSnSet object

Usage

```
applyAnovasOnProteins(obj, i)
```

Arguments

`obj`	a QFreatures object
`i`	An integer which is the index of the assay in the QFeatures object '

Value

a list of linear models

Author(s)

Thomas Burger

Examples

```
data(subR25prot)
applyAnovasOnProteins(subR25prot[seq_len(5),], 1)
```

`BuildAdjacencyMatrix` *Function matrix of appartenance group*

Description

Method to create a binary matrix with proteins in columns and peptides in lines on a `SummarizedExperiment` object (peptides)

Usage

```
BuildAdjacencyMatrix(obj.pep)
```

Arguments

`obj.pep`	An object (peptides) of class `SummarizedExperiment`.

Value

A binary matrix

Author(s)

Florence Combes, Samuel Wieczorek, Alexia Dorffer

Examples

```
data(subR25pept)
BuildAdjacencyMatrix(subR25pept[[1]])
```

buildGraph *Display a CC*

Description

Display a CC

Usage

```
buildGraph(The.CC)
```

Arguments

The.CC	A cc (a list)

Value

A plot

Author(s)

Thomas Burger, Samuel Wieczorek

Examples

```
data(subR25pept)
X <- QFeatures::adjacencyMatrix(subR25pept[[1]])
ll <- getPepProtCC(X)
g <- buildGraph(ll[[1]])
```

BuildMetacell *Metacell function*

Description

Create metacell

Usage

```
BuildMetacell(from = NULL, level, qdata = NULL, conds = NULL, df = NULL)
```

Arguments

from	A string designing the software used, either "maxquant", "proline" or "DIA-NN"
level	A string designing the type of entity/pipeline. Available values are: peptide, protein
qdata	A matrix of quantitative data
conds	A 1-col dataframe with the condition associated to each sample.
df	A data.frame which contains the type of identification of the entities. It must have the same dimensions as qData.

Value

NA

Author(s)

Samuel Wieczorek

Examples

```
data(subR25pept)
conds <- design_qf(subR25pept)$Condition
qdata <- SummarizedExperiment::assay(subR25pept[[1]])
metacell1 <- BuildMetacell('maxquant', 'peptide', qdata, conds)
metacell2 <- BuildMetacell('proline', 'peptide', qdata, conds)
```

---

checkConditions *Check if the design is valid*

Description

Check if the design is valid

Usage

```
checkConditions(conds)
```

Arguments

conds	A vector containing the conditions.

Value

A list including : "valid" : Wether the conditions are valid or not. "warn" : A message describing the issue if the conditions ar not valid.

Author(s)

Samuel Wieczorek

Examples

```
data(subR25pept)
checkConditions(design_qf(subR25pept)$Condition)
```

checkDesign *Check if the design is valid*

Description

Check if the design is valid

Usage

```
checkDesign(sTab)
```

Arguments

sTab	The data.frame which correspond to the pData() function of package MSnbase.

Value

A boolean

Author(s)

Thomas Burger, Samuel Wieczorek

Examples

```
data(subR25pept)
checkDesign(SummarizedExperiment::colData(subR25pept)[, -1])
```

Children *Names of all children of a node*

Description

Names of all children of a node

Usage

```
Children(level, parent = NULL)
```

Arguments

level	A string designing the type of entity/pipeline. Available values are: peptide, protein
parent	A vector of character()

Value

A vector

Examples

```
Children('protein', 'Missing')
Children('protein', 'Missing POV')
Children('protein', c('Missing POV', 'Missing MEC'))
Children('protein', c('Missing', 'Missing POV', 'Missing MEC'))
```

`classic1wayAnova` *Function to perform a One-way Anova statistical test on a MsnBase dataset*

Description

Function to perform a One-way Anova statistical test on a MsnBase dataset

Usage

```
classic1wayAnova(current_line, conditions)
```

Arguments

`current_line`	The line currently treated from the quantitative data to perform the ANOVA
`conditions`	The conditions represent the different classes of the studied factor

Value

A named vector containing all the different values of the aov model

Author(s)

Hélène Borges

Examples

```
library(SummarizedExperiment)
data(subR25prot)
obj <- subR25prot
filter <- FunctionFilter('qMetacellOnConditions',
  cmd = 'delete',
  mode = 'AtLeastOneCond',
  pattern = c("Missing POV", "Missing MEC"),
  conds = design_qf(obj)$Condition,
  percent = TRUE,
  th = 0.65,
  operator = '>')
obj <- filterFeaturesOneSE(obj, name = "Filtered", filters = list(filter))

qdata <- SummarizedExperiment::assay(obj[[2]])
conds <- design_qf(obj)$Condition
anova_tests <- apply(qdata, 1, classic1wayAnova, conditions = as.factor(conds))
anova_tests <- t(anova_tests)
```

CleanRowData *Clean row data*

Description

Clean row data

Usage

```
CleanRowData(obj, i)
```

Arguments

obj	An instance of the class QFeatures
i	An integer which is the index of the assay in the QFeatures object

Value

An instance of the SummarizedExperiment structure

Author(s)

Samuel Wieczorek

Examples

```
NULL
```

compareNormalizationD_HC *Builds a plot from a dataframe. Same as compareNormalizationD but uses the library* plotly

Description

Plot to compare the quantitative proteomics data before and after normalization using the package plotly

Usage

```
compareNormalizationD_HC(
  qDataBefore,
  qDataAfter,
  keyId = NULL,
  conds = NULL,
  pal = NULL,
  subset.view = NULL,
  n = 100,
  type = "scatter"
)
```

Arguments

qDataBefore	A dataframe that contains quantitative data before normalization.
qDataAfter	A dataframe that contains quantitative data after normalization.
keyId	A `character()`
conds	A vector of the conditions (one condition per sample).
pal	A `vector()` of HEX color codes
subset.view	A `vector()` of `integers`
n	An integer that is equal to the maximum number of displayed points. This number must be less or equal to the size of the dataset. If it is less than it, it is a random selection
type	scatter or line

Value

A plot

Author(s)

Samuel Wieczorek

Examples

```
library(SummarizedExperiment)
data(subR25prot)
qDataBefore <- SummarizedExperiment::assay(subR25prot[[1]])
conds <- design_qf(subR25prot)$Condition
id <- rowData(subR25prot[[1]])[, idcol(subR25prot[[1]])]
# pal <- ExtendPalette(2)
qDataAfter <- LOESS(qDataBefore, conds, type = "overall")

n <- 1
compareNormalizationD_HC(
qDataBefore = qDataBefore,
qDataAfter = qDataAfter,
keyId = id,
pal = NULL,
n = n,
subset.view = seq_len(n),
conds = conds)
```

---

compute_t_tests *Compute a t-test*

Description

Compute a t-test

Usage

```
compute_t_tests(
  obj,
  i = 1,
  contrast = c("OnevsOne", "OnevsAll"),
  type = c("Student", "Welch")
)
```

Arguments

obj	A matrix of quantitative data, without any missing values.
i	An integer which is the index of the assay in the QFeatures object
contrast	Indicates if the test consists of the comparison of each biological condition versus each of the other ones (contrast=1; for example H0:"C1=C2" vs H1:"C1!=C2", etc.) or each condition versus all others (contrast=2; e.g. H0:"C1=(C2+C3)/2" vs H1:"C1!=(C2+C3)/2", etc. if there are three conditions).
type	Either "Student" or "Welch"

Value

A list of two items : logFC and P_Value; both are dataframe. The first one contains the logFC values of all the comparisons (one column for one comparison), the second one contains the pvalue of all the comparisons (one column for one comparison). The names of the columns for those two dataframes are identical and correspond to the description of the comparison.

Author(s)

Florence Combes, Samuel Wieczorek

Examples

```
library(SummarizedExperiment)
data(subR25prot)
obj <- subR25prot
filter <- FunctionFilter('qMetacellOnConditions',
  cmd = 'delete',
  mode = 'AtLeastOneCond',
  pattern = c("Missing POV", "Missing MEC"),
  conds = design_qf(obj)$Condition,
  percent = TRUE,
  th = 0.65,
  operator = '>')
obj <- filterFeaturesOneSE(obj, name = "Filtered", filters = list(filter))
ttest <- compute_t_tests(obj, 2)
```

ConvertListToHtml *Convert a list to unnumbered HTML list*

Description

Convert a list to unnumbered HTML list

Usage

```
ConvertListToHtml(ll)
```

Arguments

ll	A list() of character()

Value

HTML

Examples

```
ConvertListToHtml(list('foo1', 'foo2', 'foo3'))
```

CountPep *Compute the number of peptides used to aggregate proteins*

Description

This function computes the number of peptides used to aggregate proteins.

Usage

```
CountPep(X)
```

Arguments

X	A "valued" adjacency matrix in which lines and columns correspond respectively to peptides and proteins.

Value

A vector of boolean which is the adjacency matrix but with NA values if they exist in the intensity matrix.

Author(s)

Alexia Dorffer

Examples

```
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
CountPep(X)
```

`createQFeatures` *Creates an object of class* `QFeatures` *from text file.*

Description

Creates an object of class `QFeatures` from a single tabulated-like file for quantitative and meta-data and a dataframe for the samples description.

Creates a data.frame for sample information.

Usage

```
createQFeatures(
  data = NULL,
  file = "myDataset",
  sample,
  indQData,
  keyId = "AutoID",
  indexForMetacell = NULL,
  logData = FALSE,
  force.na = TRUE,
  typeDataset,
  parentProtId = NULL,
  analysis = "foo",
  description = NULL,
  processes = NULL,
  typePipeline = NULL,
  name.pipeline = NULL,
  software = NULL,
  name = "original"
)

createSampleinfo(samplename, conds, order = TRUE)
```

Arguments

`data`	The name of a tab-separated file that contains the data.
`file`	A `character()`.
`sample`	A dataframe describing the samples (in lines).
`indQData`	A vector of string where each element is the name of a column in designTable that have to be integrated in the `rowData()` table of the `QFeatures` object.
`keyId`	A `character(1)` or `numeric(1)` which is the indice of the column containing the ID of entities (peptides or proteins)
`indexForMetacell`	They must be in the same order as the samples in the experimental design

logData	A boolean that indicates whether the data should be logged or not.
force.na	A boolean that indicates if the '0' and 'NaN' values of quantitative values must be replaced by 'NA' (Default is FALSE)
typeDataset	A string that indicates whether the dataset is about
parentProtId	A character(1) For peptide entities, a string which is the name of a column in rowData. It contains the id of parent proteins and is used to generate adjacency matrix and process to aggregation.
analysis	A character() which is the name of the MS study.
description	A text which describes the study.
processes	A vector of A character() which contains the name of processes which has already been run on the data. Default is 'original'.
typePipeline	A character(1) The type of pipeline used with this dataset. The list of predefined pipelines in DaparToolshed can be obtained with the function pipelines(). Default value is NULL
name.pipeline	A string
software	A character()
name	A character() which is the name of the assay in the QFeatures object. Default is 'original'
samplename	A vector of string containing the names of the samples.
conds	A vector of string containing the names of the conditions associated to each sample. Must be the same length as samplename.
order	Whether or not to order samples according to conditions.

Value

An instance of class QFeatures.

A data.frame.

Author(s)

Samuel Wieczorek, Manon Gaudin

Manon Gaudin

Examples

```
NULL
```

```
NULL
```

DaparToolshed-aggregate

Aggregate an assay's quantitative features

Description

This function aggregates the quantitative features of an assay, applying a summarization function (fun) to sets of features. The fcol variable name points to a rowData column that defines how to group the features during aggregate. This variable has to be an adjacency matrix. This function uses QFeatures::aggregateFeatures() to aggregate quantitative data.

The list of agregation methods can be obtained with the function aggregateMethods(). This function compiles both methods from the packages DaparToolshed and QFeatures.

Usage

```
aggregateFeatures4Prostar(object, ...)

## S4 method for signature 'QFeatures'
aggregateFeatures4Prostar(
  object,
  i,
  fcol,
  name = "newAssay",
  fun = MsCoreUtils::robustSummary,
  shared = TRUE,
  n = NULL,
  ...
)

## S4 method for signature 'SummarizedExperiment'
aggregateFeatures4Prostar(
  object,
  fcol,
  fun = MsCoreUtils::robustSummary,
  conds,
  shared = TRUE,
  n = NULL,
  ...
)
```

Arguments

object	An instance of class QFeatures or SummarizedExperiment
...	Additional parameters passed the fun.
i	The index or name of the assay which features will be aggregated the create the new assay.
fcol	A character(1) naming a rowdata variable (of assay i in case of a QFeatures) defining how to aggregate the features of the assay. This variable is a (possibly sparse) matrix. See below for details.

name	A character(1) naming the new assay. Default is newAssay. Note that the function will fail if there's already an assay with name.
fun	A function used for quantitative feature aggregation. See details for examples.
shared	A boolean indication if shared peptides should be considered. If TRUE, shared peptides
n	A numeric(1) specifying the number of peptides to use for each protein. If NULL, all peptides are considered.
conds	A character() vector which is the names of conditions.

Details

This function uses QFeatures::aggregateFeatures() to aggregate quantitative data.

Value

A QFeatures object with an additional assay or a SummarizedExperiment object (or subclass thereof).

An instance of the QFeatures class

Quantitative metadata aggregation

The function to aggregate the quantitative metadata is aggQmetadat().

See Also

The *QFeatures* vignette provides an extended example and the *Aggregation* vignette, for a complete quantitative proteomics data processing pipeline.

Examples

```
NULL
```

DaparToolshed-aggregateRedistribution

Aggregate an assay's quantitative features with shared peptide redistribution

---

Description

This function aggregates the quantitative features of an assay, applying a summarization function (fun) to sets of features. The fcol variable name points to a rowData column that defines how to group the features during aggregate. This variable has to be an adjacency matrix. This function uses DaparToolshed::innerAggregateIter() to aggregate quantitative data.

The list of agregation methods can be obtained with the function aggregateMethods(). This function compiles both methods from the packages DaparToolshed and QFeatures.

Usage

```
aggregateRedistribution(object, ...)

## S4 method for signature 'QFeatures'
aggregateRedistribution(
  object,
  i,
  name = "newAssay",
  fcol,
  init.method = "Mean",
  method = "Mean",
  ponderation = "Global",
  n = NULL,
  uniqueiter = FALSE,
  max_iter = 500
)

## S4 method for signature 'SummarizedExperiment'
aggregateRedistribution(
  object,
  fcol,
  init.method = "Mean",
  method = "Mean",
  ponderation = "Global",
  n = NULL,
  uniqueiter = FALSE,
  conds,
  max_iter = 500
)
```

Arguments

object	An instance of class QFeatures or SummarizedExperiment
...	Additional parameters.
i	The index or name of the assay which features will be aggregated the create the new assay.
name	A character(1) naming the new assay. Default is newAssay. Note that the function will fail if there's already an assay with name.
fcol	A character(1) naming a rowdata variable (of assay i in case of a QFeatures) defining how to aggregate the features of the assay. This variable is a (possibly sparse) matrix. See below for details.
init.method	A function used for initializing the aggregation. Available functions are Sum, Mean, Median, medianPolish or robustSummary. See DaparToolshed::innerAggregateIter() for details.
method	A function used for the aggregation. Available functions are Sum, Mean, Median or medianPolish. See DaparToolshed::innerAggregateIter() for details.
ponderation	A character(1) defining what to consider to create the coefficient for redistribution of shared peptides. Available values are Global (default), Condition or Sample.

n	A numeric(1) specifying the number of peptides to use for each protein. If NULL, all peptides are considered.
uniqueiter	A boolean indication if there should be only 1 iteration or not.
max_iter	A numeric(1) setting the maximum number of iteration.
conds	A character() vector which is the names of conditions.

Details

This function uses DaparToolshed::innerAggregateIter() to aggregate quantitative data.

Value

A QFeatures object with an additional assay or a SummarizedExperiment object (or subclass thereof).

Quantitative metadata aggregation

The function to aggregate the quantitative metadata is aggQmetadat()

See Also

The *QFeatures* vignette provides an extended example and the *Aggregation* vignette, for a complete quantitative proteomics data processing pipeline.

Examples

```
NULL
```

---

diffAnaComputeAdjustedPValues

Computes the adjusted p-values

Description

This function is a wrapper to the function adjust.p from the cp4p package. It returns the adjusted p-values corresponding to the p-values of the differential analysis. The adjusted p-values is computed with the function p.adjust{stats}.

Usage

```
diffAnaComputeAdjustedPValues(pval, pi0Method = 1)
```

Arguments

pval	The result (p-values) of the differential analysis
pi0Method	The parameter pi0.method of the method adjust.p in the package cp4p

Value

The computed adjusted p-values

Author(s)

Samuel Wieczorek

Examples

```
data(subR25prot)
obj <- subR25prot
# Simulate imputation
obj <- NAIsZero(obj, 1)
allComp <- limmaCompleteTest(
SummarizedExperiment::assay(obj[[length(obj)]]), design_qf(obj),
comp.type="OnevsOne")
diffAnaComputeAdjustedPValues(pval = allComp$P_Value[, 1])
```

---

diffAnaComputeFDR *Computes the FDR corresponding to the p-values of the differential analysis*

Description

This function returns the FDR corresponding to the p-values of the differential analysis.

Usage

```
diffAnaComputeFDR(adj.pvals)
```

Arguments

adj.pvals	The adjusted p-values of the differential analysis

Value

The computed FDR value (floating number)

Author(s)

Samuel Wieczorek

Examples

```
NULL
```

`diffAnaVolcanoplot_rCharts` *Volcanoplot of the differential analysis*

Description

#' Plots an interactive volcanoplot after the differential analysis. Typically, the log of Fold Change is represented on the X-axis and the log10 of the p-value is drawn on the Y-axis. When the `th_pval` and the `th_logfc` are set, two lines are drawn respectively on the y-axis and the X-axis to visually distinguish between differential and non differential data. With the use of the package plotly, a customizable tooltip appears when the user put the mouse's pointer over a point of the scatter plot.

Usage

```
diffAnaVolcanoplot_rCharts(
  df,
  th_pval = 1e-60,
  th_logfc = 0,
  conditions = NULL,
  pal = NULL
)
```

Arguments

`df`	A dataframe which contains the following slots : x : a vector of the log(fold change) values of the differential analysis, y : a vector of the p-value values returned by the differential analysis. index : a vector of the rowanmes of the data. This dataframe must has been built with the option stringsAsFactors set to FALSE. There may be additional slots which will be used to show informations in the tooltip. The name of these slots must begin with the prefix "tooltip_". It will be automatically removed in the plot.
`th_pval`	A floating number which represents the p-value that separates differential and non-differential data.
`th_logfc`	A floating number which represents the log of the Fold Change that separates differential and non-differential data.
`conditions`	A list of the names of condition 1 and 2 used for the differential analysis.
`pal`	A `list` containing 2 color to use for the plot

Value

An interactive volcanoplot

Author(s)

Samuel Wieczorek

Examples

```
data(subR25prot)
obj <- subR25prot
# Simulate imputation
obj <- NAIsZero(obj, 1)
allComp <- limmaCompleteTest(
SummarizedExperiment::assay(obj[[length(obj)]]),
design_qf(obj),
comp.type="OnevsOne")
df <- data.frame(
x = allComp$logFC[[1]],
y = -log10(allComp$P_Value[[1]]),
index = as.character(rownames(obj[[1]]))
)
tooltipSlot <- c("Fasta_headers", "Sequence_length")
df <- cbind(df, SummarizedExperiment::rowData(obj[[1]])[, tooltipSlot])
colnames(df) <- gsub(".", "_", colnames(df), fixed = TRUE)
if (ncol(df) > 3) {
  colnames(df)[4:ncol(df)] <- paste0("tooltip_",
                                     colnames(df)[4:ncol(df)])
}
cond <- c("25fmol", "10fmol")
diffAnaVolcanoplot_rCharts(
  df,
  th_pval = 2.5,
  th_logfc = 1,
  conditions = cond
)
```

---

displayCCvisNet *Display a CC*

Description

Display a CC

Usage

```
displayCCvisNet(g)
```

Arguments

g	A cc (a list)

Value

A plot

Author(s)

Thomas Burger, Samuel Wieczorek

Examples

```
data(subR25pept)
X <- QFeatures::adjacencyMatrix(subR25pept[[1]])
ll <- getPepProtCC(X)
g <- buildGraph(ll[[1]])
displayCCvisNet(g)
```

`ExtendPalette` *Extends a base-palette of the package RColorBrewer to n colors.*

Description

The colors in the returned palette are always in the same order

Usage

```
ExtendPalette(n = 0, base = "Set1")
```

Arguments

`n`	The number of desired colors in the palette
`base`	The name of the palette of the package RColorBrewer from which the extended palette is built. Default value is 'Set1'.

Value

A vector composed of n color code.

Author(s)

Samuel Wieczorek

Examples

```
ExtendPalette(12)
nPalette <- 10
par(mfrow = c(nPalette, 1))
par(mar = c(0.5, 4.5, 0.5, 0.5))
for (i in seq_len(nPalette)) {
    pal <- ExtendPalette(n = i, base = "Dark2")
    barplot(seq_len(length(pal)), col = pal)
    print(pal)
}
```

ExtractUniquePeptides *Get unique peptide*

Description

Get unique peptide

Usage

```
ExtractUniquePeptides(X)
```

Arguments

X	A matrix acting as an adjacency matrix.

Value

A matrix acting as an adjacency matrix with only the unique peptides.

Examples

```
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
ExtractUniquePeptides(X)
```

formatHSDResults *Extracts the FC and the FWER ajusted p-values and format them in a data.frame*

Description

Extracts the FC and the FWER ajusted p-values and format them in a data.frame

Usage

```
formatHSDResults(post_hoc_models_summaries)
```

Arguments

post_hoc_models_summaries	resulting from applying lapply(summary((.)) to a multicomp function.

Value

A data.frame()

Author(s)

Thomas Burger

Examples

```
NULL
```

`formatLimmaResult` *Format Limma results*

Description

Format Limma results

Usage

```
formatLimmaResult(fit, conds, contrast, design.level)
```

Arguments

`fit`	An object of class `MArrayLM`.
`conds`	A `character()` vector which is the names of conditions.
`contrast`	An `integer(1)` defining the type of contrast (1 for OnevsOne, or 2 for OnvsAll).
`design.level`	An `integer(1)` specifying the design level.

Value

A list of two dataframes : logFC and P_Value. The first one contains the logFC values of all the comparisons (one column for one comparison), the second one contains the pvalue of all the comparisons (one column for one comparison). The names of the columns for those two dataframes are identical and correspond to the description of the comparison.

Author(s)

Samuel Wieczorek

Examples

```
library(SummarizedExperiment)
data(subR25prot)
level <- 'protein'
metacell.mask <- matchMetacell(qMetacell(subR25prot[[1]]),
c("Missing POV", "Missing MEC"), level)
# Simulate imputation
assay(subR25prot[[1]])[which(is.na(assay(subR25prot[[1]])))] <- 0
qData <- as.matrix(SummarizedExperiment::assay(subR25prot[[1]]))
sTab <- SummarizedExperiment::colData(subR25prot)
limma <- limmaCompleteTest(qData, sTab)
```

`formatPHResults` *Extract logFC and raw pvalues from multiple post-hoc models summaries*

Description

Extract logFC and raw pvalues from multiple post-hoc models summaries

Usage

```
formatPHResults(post_hoc_models_summaries)
```

Arguments

`post_hoc_models_summaries`	a list of summaries of post-hoc models.

Value

a list of 2 dataframes containing the logFC values and pvalues for each comparison.

Author(s)

Helene Borges

Examples

```
library(SummarizedExperiment)
data(subR25prot)
obj <- subR25prot
filter <- FunctionFilter('qMetacellOnConditions',
  cmd = 'delete',
  mode = 'AtLeastOneCond',
  pattern = c("Missing POV", "Missing MEC"),
  conds = design_qf(obj)$Condition,
  percent = TRUE,
  th = 0.65,
  operator = '>')
obj <- filterFeaturesOneSE(obj, name = "Filtered", filters = list(filter))
qdata <- SummarizedExperiment::assay(obj[[2]])
conds <- design_qf(obj)$Condition
anova_tests <- apply(qdata, 1, classic1wayAnova, conditions = as.factor(conds))
anova_tests <- t(anova_tests)

names(anova_tests) <- rownames(qdata)
tms <- lapply(
  anova_tests,
  function(x) {
    summary(multcomp::glht(x,
      linfct = multcomp::mcp(conditions = "Tukey")
    ),
      test = multcomp::adjusted("none")
    )
   }
```

```
)
res <- formatPHResults(tms)
```

`formatPHTResults` *Extracts the FC and the raw p-values and format them in a data.frame*

Description

Extracts the FC and the raw p-values and format them in a data.frame

Usage

```
formatPHTResults(post_hoc_models_summaries)
```

Arguments

`post_hoc_models_summaries`
: resulting from applying lapply(summary((.)) to a multicomp function.

Value

A `data.frame()`

Author(s)

Thomas Burger

Examples

```
NULL
```

`fudge2LRT` *Heuristic to choose the value of the hyperparameter (fudge factor) used to regularize the variance estimator in the likelihood ratio statistic*

Description

#' fudge2LRT: heuristic to choose the value of the hyperparameter (fudge factor) used to regularize the variance estimator in the likelihood ratio statistic (as implemented in samLRT). We follow the heuristic described in [1] and adapt the code of the fudge2 function in the siggene R package. [1] Tusher, Tibshirani and Chu, Significance analysis of microarrays applied to the ionizing radiation response, PNAS 2001 98: 5116-5121, (Apr 24).

Usage

```
fudge2LRT(
  lmm.res.h0,
  lmm.res.h1,
  cc,
  n,
  p,
  s,
  alpha = seq(0, 1, 0.05),
  include.zero = TRUE
)
```

Arguments

lmm.res.h0	a vector of object containing the estimates (used to compute the statistic) under H0 for each connected component. If the fast version of the estimator was used (as implemented in this package), lmm.res.h0 is a vector containing averages of squared residuals. If a fixed effect model was used, it is a vector of lm objects and if a mixed effect model was used it is a vector or lmer object.
lmm.res.h1	similar to lmm.res.h0, a vector of object containing the estimates (used to compute the statistic) under H1 for each protein.
cc	a list containing the indices of peptides and proteins belonging to each connected component.
n	the number of samples used in the test
p	the number of proteins in the experiment
s	a vector containing the maximum likelihood estimate of the variance for the chosen model. When using the fast version of the estimator implemented in this package, this is the same thing as the input lmm.res.h1. For other models (e.g. mixed models) it can be obtained from samLRT.
alpha	A vector of proportions used to build candidate values for the regularizer. We use quantiles of s with these proportions. Default to seq(0, 1, 0.05)
include.zero	logical value indicating if 0 should be included in the list of candidates. Default to TRUE.

Value

(same as the fudge2 function of siggene):

- s.zero: the value of the fudge factor s0.
- alpha.hat: the optimal quantile of the 's' values. If s0=0, 'alpha.hat' will not be returned.
- vec.cv: the vector of the coefficients of variations. Following Tusher et al. (2001), the optimal 'alpha' quantile is given by the quantile that leads to the smallest CV of the modified test statistics.
- msg: a character string summarizing the most important information about the fudge factor.

Author(s)

Thomas Burger, Laurent Jacob

Examples

```
NULL
```

`GetColorsForConditions` *Builds a complete color palette for the conditions given in argument*

Description

Builds a complete color palette for the conditions given in argument

Usage

```
GetColorsForConditions(conds, pal = NULL)
```

Arguments

`conds`	The extended vector of samples conditions
`pal`	A vector of HEX color code that form the basis palette from which to build the complete color vector for the conditions.

Value

NA

Author(s)

Samuel Wieczorek

Examples

```
data(subR25pept)
GetColorsForConditions(design_qf(subR25pept)$Condition)
GetColorsForConditions(design_qf(subR25pept)$Condition, ExtendPalette(2))
```

`getDesignLevel` *Get design level*

Description

Get design level

Usage

```
getDesignLevel(sTab)
```

Arguments

`sTab`	A `data.frame()` which contains the sample data

Value

An integer

Examples

```
data(subR25pept)
sTab <- SummarizedExperiment::colData(subR25pept)
getDesignLevel(sTab)
```

`GetDetailedNbPeptides` *Computes the detailed number of peptides for each protein*

Description

Method to compute the detailed number of quantified peptides for each protein

Usage

```
GetDetailedNbPeptides(X)
```

Arguments

`X`	An adjacency matrix

Value

A data.frame

Author(s)

Samuel Wieczorek

Examples

```
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
n <- GetDetailedNbPeptides(X)
```

GetDetailedNbPeptidesUsed

Computes the detailed number of peptides used for aggregating each protein

Description

Method to compute the detailed number of quantified peptides used for aggregating each protein

Usage

```
GetDetailedNbPeptidesUsed(pepData, X)
```

Arguments

pepData	A data.frame of quantitative data
X	An adjacency matrix

Value

A list of two items

Author(s)

Samuel Wieczorek

Examples

```
library(SummarizedExperiment)
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
ll.n <- GetDetailedNbPeptidesUsed(SummarizedExperiment::assay(subR25pept), X)
```

GetHistory

Wrapper for the paramshistory *function.*

Description

Wrapper for the paramshistory function.

Usage

```
GetHistory(obj.se, history)
```

Arguments

obj.se	An instance of the class SummarizedExperiment
history	A data.frame()

Value

A `data.frame()`

Author(s)

Samuel Wieczorek

Examples

```
data(subR25prot)
GetHistory(subR25prot[[1]])
```

`GetIndices_BasedOnConditions`
Search lines which respects request on one or more conditions.

Description

This function looks for the lines that respect the request in either all conditions or at least one condition.

Usage

```
GetIndices_BasedOnConditions(metacell.mask, type, conds, percent, op, th)
```

Arguments

`metacell.mask`	A `data.frame()` of boolean values which indictes the presence (TRUE) or not (FALSE) of given tags in the quantitative cells metadata
`type`	Available values are: • 'AllCond' (the query is valid in all the conditions), • 'AtLeatOneCond' (the query is valid in at leat one condition.
`conds`	A `character()` vector which is the names of conditions.
`percent`	A boolean to indicate whether the threshold represent an absolute value (percent = FALSE) or a percentage (percent=TRUE).
`op`	String for operator to use. List of operators is available with the function 'SymFilteringOperators()'.
`th`	The threshold to apply

Value

A vector of `integer()`

Examples

```
data(subR25pept)
level <- typeDataset(subR25pept[[1]])
pattern <- 'Missing'
metacell.mask <- matchMetacell(
metadata=qMetacell(subR25pept[[1]]), pattern=pattern, level=level)
type <- 'AllCond'
conds <- design_qf(subR25pept)$Condition
op <- '>='
th <- 0.5
percent <- TRUE
ind <- GetIndices_BasedOnConditions(metacell.mask, type, conds, percent, op, th)
```

GetIndices_FunFiltering

Delete the lines in the matrix of intensities and the metadata table given their indices.

Description

Delete the lines in the matrix of intensities and the metadata table given their indices.

Usage

```
GetIndices_FunFiltering(
  obj,
  conds,
  level,
  pattern = NULL,
  type = NULL,
  percent,
  op,
  th
)
```

Arguments

obj	An object of class SummarizedExperiment containing quantitative data.
conds	A vector containing the names of the conditions from the sample.
level	A vector of integers which are the indices of lines to delete.
pattern	A string to be included in the SummarizedExperiment object for log.
type	Available values are: • 'AllCond' (the query is valid in all the conditions), • 'AtLeatOneCond' (the query is valid in at leat one condition.
percent	A boolean to indicate whether the threshold represent an absolute value (percent = FALSE) or a percentage (percent=TRUE).
op	String for operator to use. List of operators is available with 'SymFilteringOperators()'.
th	A floating number which is in the interval [0, 1]

Value

An instance of class `SummarizedExperiment` that have been filtered.

Author(s)

Samuel Wieczorek

Examples

```
NA
```

`GetIndices_WholeLine` *Search lines which respects query on all their elements.*

Description

This function looks for the lines where each element respect the query.

Usage

```
GetIndices_WholeLine(metacell.mask)
```

Arguments

`metacell.mask`	A `data.frame()` of boolean values which indictes the presence (TRUE) or not (FALSE) of given tags in the quantitative cells metadata

Value

A vector of `integer()`

Examples

```
data(subR25pept)
level <- 'peptide'
pattern <- "Missing POV"
metacell.mask <- matchMetacell(metadata = qMetacell(subR25pept[[1]]),
pattern = pattern, level = level)
ind <- GetIndices_WholeLine(metacell.mask)
```

GetIndices_WholeMatrix

Search lines which respects request on one or more conditions.

Description

This function looks for the lines that respect the request in either all conditions or at least one condition.

Usage

```
GetIndices_WholeMatrix(metacell.mask, op = "==", percent = FALSE, th = 0)
```

Arguments

metacell.mask	A data.frame() of boolean values which indictes the presence (TRUE) or not (FALSE) of given tags in the quantitative cells metadata
op	String for operator to use. List of operators is available with 'SymFilteringOperators()'.
percent	A boolean to indicate whether the threshold represent an absolute value (percent = FALSE) or a percentage (percent=TRUE).
th	A floating number which is in the interval [0, 1]

Value

A vector of integer()

Examples

```
data(subR25pept)
level <- 'peptide'
pattern <- "Missing"
metacell.mask <- matchMetacell(
metadata = qMetacell(subR25pept[[1]]), pattern = pattern, level = level)
percent <- FALSE
th <- 3
op <- ">="
ind <- GetIndices_WholeMatrix(metacell.mask, op, percent, th)
```

getListNbValuesInLines

Returns the possible number of values in lines in the data

Description

Returns the possible number of values in lines in the data

Usage

```
getListNbValuesInLines(object, conds, type = "WholeMatrix")
```

Arguments

object	An object of class QFeatures
conds	A character() vector which is the names of conditions.
type	WholeMatrix, AllCond or AtLeastOneCond

Value

An integer

Author(s)

Samuel Wieczorek, Enora Fremy

Examples

```
data(subR25prot)
res <- getListNbValuesInLines(subR25prot[[1]])
```

GetNbPeptidesUsed *Computes the number of peptides used for aggregating each protein*

Description

Method to compute the number of quantified peptides used for aggregating each protein

Usage

```
GetNbPeptidesUsed(pepData, X)
```

Arguments

pepData	A data.frame of quantitative data
X	An adjacency matrix

Value

A data.frame

Author(s)

Samuel Wieczorek

Examples

```
library(QFeatures)
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
GetNbPeptidesUsed(SummarizedExperiment::assay(subR25pept), X)
```

`GetNbTags` *Number of each metacell tags*

Description

Number of each metacell tags

Usage

```
GetNbTags(obj)
```

Arguments

`obj`	A instance of the class `SummarizedExperiment`

Value

An integer

Examples

```
library(DaparToolshed)
data(subR25pept, package = 'DaparToolshed')
GetNbTags(subR25pept[[1]])
```

`getNumberOfEmptyLines` *Returns the number of empty lines in the data*

Description

Returns the number of empty lines in a matrix.

Usage

```
getNumberOfEmptyLines(qData)
```

Arguments

`qData`	A matrix corresponding to the quantitative data.

Value

An integer

Author(s)

Samuel Wieczorek

Examples

```
library(QFeatures)
data(subR25prot)
qData <- SummarizedExperiment::assay(subR25prot[[1]])
getNumberOfEmptyLines(qData)
```

---

getPepProtCC *Build the list of connex composant of the adjacency matrix*

Description

Build the list of connex composant of the adjacency matrix

Usage

```
getPepProtCC(X)
```

Arguments

X	An adjacency matrix

Value

A list of CC

Author(s)

Thomas Burger, Samuel Wieczorek

Examples

```
data(subR25pept)
X <- QFeatures::adjacencyMatrix(subR25pept[[1]])
ll <- getPepProtCC(X)
```

getProteinsStats — *Computes the number of proteins that are only defined by specific peptides, shared peptides or a mixture of two.*

Description

This function computes the number of proteins that are only defined by specific peptides, shared peptides or a mixture of two.

Usage

```
getProteinsStats(X)
```

Arguments

X	The adjacency matrix with both specific and shared peptides.

Value

A list

Author(s)

Samuel Wieczorek, Manon Gaudin

Examples

```
data(subR25pept)
obj.last <- subR25pept[[1]]
X <- BuildAdjacencyMatrix(subR25pept[[1]])
getProteinsStats(X)
```

GetSoftAvailables — *The set of available softwares to convert from*

Description

The set of available softwares to convert from

Usage

```
GetSoftAvailables()
```

Value

A vecotr of charatcer

Examples

```
GetSoftAvailables()
```

`globalAdjPval` *Computes the adjusted p-values on all the stacked contrasts using CP4P*

Description

Computes the adjusted p-values on all the stacked contrasts using CP4P

Usage

```
globalAdjPval(x, pval.threshold = 1.05, method = 1, display = TRUE)
```

Arguments

`x`	a proteins x contrasts dataframe of (raw) p-values
`pval.threshold`	all the p-values above the threshold are not considered. Default is 1.05 (which is equivalent to have no threshold). Applying a threshold nearby 1 can be instrumental to improve the uniformity under the null, notably in case of upstream mutliple contrat correction (for experienced users only)
`method`	method a method to estimate pi_0, see CP4P
`display`	if T, a calibration plot is diplayed using CP4P

Value

a proteins x contrasts table of adjusted p-values

Author(s)

Thomas Burger

Examples

```
data(subR25prot)
obj <- subR25prot[seq_len(5),]
globalAdjPval(testAnovaModels(
applyAnovasOnProteins(obj, 1), "TukeyHSD")$P_Value)
```

`GraphPepProt` *Function to create a histogram that shows the repartition of peptides w.r.t. the proteins*

Description

Method to create a plot with proteins and peptides on a MSnSet object (peptides)

Usage

```
GraphPepProt(mat)
```

Arguments

mat	An adjacency matrix.

Value

A histogram

Author(s)

Alexia Dorffer, Samuel Wieczorek

Examples

```
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
GraphPepProt(X)
```

---

hc_logFC_DensityPlot *Density plots of logFC values*

Description

This function show the density plots of Fold Change (the same as calculated by limma) for a list of the comparisons of conditions in a differential analysis.

Usage

```
hc_logFC_DensityPlot(df_logFC, th_logFC = 0, pal = NULL)
```

Arguments

df_logFC	A dataframe that contains the logFC values
th_logFC	The threshold on log(Fold Change) to distinguish between differential and non-differential data
pal	A vector of HEX codes for colors.

Value

A plotly density plot

Author(s)

Samuel Wieczorek

Examples

```
library(SummarizedExperiment)
data(subR25pept)
# Simulate missing value imputation
SummarizedExperiment::assay(subR25pept[[1]])[which(is.na(assay(subR25pept[[1]])))] <- 0

qData <- as.matrix(SummarizedExperiment::assay(subR25pept[[1]]))
sTab <- SummarizedExperiment::colData(subR25pept)
limma <- limmaCompleteTest(qData, sTab)
pal <- ExtendPalette(2, "Dark2")
hc_logFC_DensityPlot(limma$logFC, th_logFC = 1, pal = pal)
```

---

heatmapForMissingValues

Display a heatmap for data with missing values

Description

Display a heatmap for data with missing values

Usage

```
heatmapForMissingValues(
  x,
  col = NULL,
  srtCol = NULL,
  labCol = NULL,
  labRow = NULL,
  key = TRUE,
  key.title = NULL,
  main = NULL,
  ylab = NULL
)
```

Arguments

x	A numeric matrix
col	See graphics::image()
srtCol	See graphics::text()
labCol	See graphics::text()
labRow	See graphics::axis()
key	See graphics::par()
key.title	See graphics::title()
main	See graphics::title()
ylab	See graphics::image()

Value

A heatmap

histPValue_HC *Plots a histogram of p-values*

Description

Plots a histogram of p-values

Usage

```
histPValue_HC(pval_ll, bins = 80, pi0 = 1)
```

Arguments

pval_ll	A vector of the p-values.
bins	A integer indicating the number of cells for the histogram
pi0	A float between 0 and 1 corresponding to the proportion of true null hypotheses.

Value

A histogram of the p-values with pi0

Author(s)

Samuel Wieczorek

Examples

```
data(subR25prot)
obj <- subR25prot
# Simulate imputation
obj <- NAIsZero(obj, 1)
allComp <- limmaCompleteTest(
SummarizedExperiment::assay(obj[[length(obj)]]),
design_qf(obj),
comp.type="OnevsOne")
histPValue_HC(allComp$P_Value[1])
```

imputePA2 *Missing values imputation from a* MSnSet *object*

Description

This method is a variation to the function impute.pa() from the package imp4p.

Usage

```
imputePA2(
  tab,
  conditions,
  q.min = 0,
  q.norm = 3,
  eps = 0,
  distribution = "unif"
)
```

Arguments

tab	An object of class MSnSet.
conditions	A vector of conditions in the dataset
q.min	A quantile value of the observed values allowing defining the maximal value which can be generated. This maximal value is defined by the quantile q.min of the observed values distribution minus eps. Default is 0 (the maximal value is the minimum of observed values minus eps).
q.norm	A quantile value of a normal distribution allowing defining the minimal value which can be generated. Default is 3 (the minimal value is the maximal value minus qn*median(sd(observed values)) where sd is the standard deviation of a row in a condition).
eps	A value allowing defining the maximal value which can be generated. This maximal value is defined by the quantile q.min of the observed values distribution minus eps. Default is 0.
distribution	The type of distribution used. Values are unif or beta.

Value

The object obj which has been imputed

Author(s)

Thomas Burger, Samuel Wieczorek

Examples

```
library(QFeatures)
utils::data(subR25pept)
qdata <- SummarizedExperiment::assay(subR25pept[[1]])
conds <- design_qf(subR25pept)$Condition
obj.imp <- imputePA2(qdata, conds, distribution = "beta")
```

InitializeHistory *Initialize the history*

Description

This function initializes the history.

Usage

```
InitializeHistory()
```

Value

An empty `data.frame` with 4 columns ('Step', 'Substep', 'Parameter' and 'Value')

Examples

```
InitializeHistory()
```

isDifferential *Identification of differentially abundant peptide/protein*

Description

This function allows to identify differentially abundant peptide/protein

Usage

```
isDifferential(pvalue, logFC, thpvalue, thlogFC)
```

Arguments

`pvalue`	A vector of p-values.
`logFC`	A vector of logFC.
`thpvalue`	A float indicating the p-value threshold.
`thlogFC`	A float indicating the logFC threshold.

Value

A vector indicating which peptide/protein is differentially abundant (1) or not (0).

Author(s)

Manon Gaudin

Examples

```
data(subR25prot)
obj <- subR25prot
# Simulate imputation
obj <- NAIsZero(obj, 1)
allComp <- limmaCompleteTest(
SummarizedExperiment::assay(obj[[length(obj)]]),
design_qf(obj),
comp.type="OnevsOne")
isDifferential(allComp$P_Value[, 1], allComp$logFC[, 1], 0.05, 0.5)
```

`isOfType` *Similar to the function* `is.na()` *but focused on the equality with the paramter 'type'.*

Description

Similar to the function `is.na()` but focused on the equality with the paramter 'type'.

Usage

```
isOfType(data, type)
```

Arguments

`data`	A data.frame
`type`	The value to search in the dataframe

Value

A boolean dataframe

Author(s)

Samuel Wieczorek

Examples

```
library(QFeatures)
data(subR25prot)
obj <- subR25prot[[1]]
data <- qMetacell(obj)
isOfType(as.data.frame(data), "MEC")
```

isSubset *Check is a given set is a subset of another one.*

Description

Check is a given set is a subset of another one.

Usage

```
isSubset(set1, set2)
```

Arguments

set1	A vector of character()
set2	A vector of character()

Value

A boolean

Examples

```
isSubset('a', letters)
isSubset(c('a', 'c', 't'), letters)
isSubset(c('a', 3, 't'), letters)
isSubset(3, letters)
```

Keep_Items_from_Dataset *Removes assay from a* QFeatures *object*

Description

Removes one or more items from the dataset. This function is specific of the type of dataset.

Usage

```
Keep_Items_from_Dataset(dataset, range)
```

Arguments

dataset	An instance of the QFeatures class
range	A vector of integers

Value

The dataset minus some items

LH0 — *Compute the likelihood of the null hypothesis for the global model*

Description

Compute the likelihood of the null hypothesis for the global model

Usage

```
LH0(X, y1, y2)
```

Arguments

X	an n.pep*n.prot indicator matrix.
y1	n.pep*n.samples matrice giving the observed counts for
y2	n.pep*n.samples matrice giving the observed counts for

Value

A list of likelihoods

Author(s)

Thomas Burger, Laurent Jacob

Examples

```
NULL
```

LH0_lm — *Compute the likelihoods of the null hypothesis for the "local" component-wise model*

Description

Compute the likelihoods of the null hypothesis for the "local" component-wise model

Usage

```
LH0_lm(X, y1, y2)
```

Arguments

X	an n.pep*n.prot indicator matrix.
y1	n.pep*n.samples matrice giving the observed counts for each peptide in each sample from the condition 1
y2	n.pep*n.samples matrice giving the observed counts for each peptide in each sample from the condition 2

Value

A list of likelihoods with associated linear models

Author(s)

Thomas Burger, Laurent Jacob

Examples

```
NULL
```

LH1 *Compute the likelihood of the alternative hypothesis for the global model*

Description

Compute the likelihood of the alternative hypothesis for the global model

Usage

```
LH1(X, y1, y2, j)
```

Arguments

X	an n.pep*n.prot indicator matrix.
y1	n.pep*n.samples matrice giving the observed counts for
y2	n.pep*n.samples matrice giving the observed counts for
j	the index of the protein being tested, ie which has different

Value

A list of likelihoods

Author(s)

Thomas Burger, Laurent Jacob

Examples

```
NULL
```

LH1_lm — *Compute the likelihoods of the alternative hypothesis for the "local" component-wise model*

Description

Compute the likelihoods of the alternative hypothesis for the "local" component-wise model

Usage

```
LH1_lm(X, y1, y2, j)
```

Arguments

X	an n.pep*n.prot indicator matrix.
y1	n.pep*n.samples matrix giving the observed counts for
y2	n.pep*n.samples matrix giving the observed counts for
j	the index of the protein being tested, ie which has different

Value

A list of likelihoods with associated linear models

Author(s)

Thomas Burger, Laurent Jacob

Examples

```
NULL
```

limmaCompleteTest — *Computes a hierarchical differential analysis*

Description

Computes a hierarchical differential analysis

Usage

```
limmaCompleteTest(qData, sTab, comp.type = "OnevsOne")
```

Arguments

qData	A matrix of quantitative data, without any missing values.
sTab	A dataframe of experimental design (design_qf()).
comp.type	A string that corresponds to the type of comparison. Values are: 'anova1way', 'OnevsOne' and 'OnevsAll'; default is 'OnevsOne'.

Value

A list of two dataframes : logFC and P_Value. The first one contains the logFC values of all the comparisons (one column for one comparison), the second one contains the pvalue of all the comparisons (one column for one comparison). The names of the columns for those two dataframes are identical and correspond to the description of the comparison.

Author(s)

Hélène Borges, Thomas Burger, Quentin Giai-Gianetto, Samuel Wieczorek

Examples

```
data(subR25pept)
qData <- as.matrix(SummarizedExperiment::assay(subR25pept[[1]]))
sTab <- SummarizedExperiment::colData(subR25pept)
limma <- limmaCompleteTest(qData, sTab, comp.type = "anova1way")
```

---

makeContrast *Builds the contrast matrix*

Description

Builds the contrast matrix

Usage

```
makeContrast(design, condition, contrast = 1, design.level = 1)
```

Arguments

design	The data.frame which correspond to the colData() function of package MultiAssayExperiment.
condition	A vector of conditions of the dataset
contrast	An integer that Indicates if the test consists of the comparison of each biological condition versus each of the other ones (Contrast=1; for example H0:"C1=C2" vs H1:"C1!=C2", etc.) or each condition versus all others (Contrast=2; e.g. H0:"C1=(C2+C3)/2" vs H1:"C1!=(C2+C3)/2", etc. if there are three conditions).
design.level	An integer which specifies the level of the design

Value

A contrast matrix

Author(s)

Thomas Burger, Quentin Giai-Gianetto, Samuel Wieczorek

Examples

```
data(subR25pept)
design <- makeDesign(SummarizedExperiment::colData(subR25pept))
conds <- design_qf(subR25pept)$Condition
makeContrast(design, conds)
```

---

makeDesign *Builds the design matrix*

Description

Builds the design matrix

Usage

```
makeDesign(sTab)
```

Arguments

sTab	The data.frame which correspond to the pData() function of package MSnbase.

Value

A design matrix

Author(s)

Thomas Burger, Quentin Giai-Gianetto, Samuel Wieczorek

Examples

```
data(subR25pept)
makeDesign(SummarizedExperiment::colData(subR25pept))
```

---

makeDesign1 *Builds the design matrix for designs of level 1*

Description

Builds the design matrix for designs of level 1

Usage

```
makeDesign1(sTab)
```

Arguments

sTab	The data.frame which correspond to the pData() function of package MSnbase.

Value

A design matrix

Author(s)

Thomas Burger, Quentin Giai-Gianetto, Samuel Wieczorek

Examples

```
data(subR25pept)
makeDesign1(SummarizedExperiment::colData(subR25pept))
```

`makeDesign2` *Builds the design matrix for designs of level 2*

Description

Builds the design matrix for designs of level 2

Usage

```
makeDesign2(sTab)
```

Arguments

`sTab`	The data.frame which correspond to the `colData()` function of package `MSnbase`.

Value

A design matrix

Author(s)

Thomas Burger, Quentin Giai-Gianetto, Samuel Wieczorek

Examples

```
data(subR25pept)
makeDesign2(SummarizedExperiment::colData(subR25pept))
```

makeDesign3 *Builds the design matrix for designs of level 3*

Description

Builds the design matrix for designs of level 3

Usage

```
makeDesign3(sTab)
```

Arguments

sTab	The data.frame which correspond to the colData() function of package MSnbase.

Value

A design matrix

Author(s)

Thomas Burger, Quentin Giai-Gianetto, Samuel Wieczorek

Examples

```
data(subR25pept)
sTab <- cbind(SummarizedExperiment::colData(subR25pept), Tech.Rep = seq_len(6))
makeDesign3(sTab)
```

matchMetacell *Similar to the function* is.na() *but focused on the equality with the paramter 'type'.*

Description

Similar to the function is.na() but focused on the equality with the paramter 'type'.

Usage

```
matchMetacell(metadata, pattern = NULL, level)
```

Arguments

metadata	A data.frame
pattern	The value to search in the dataframe
level	A string designing the type of entity/pipeline. Available values are: peptide, protein

Value

A boolean dataframe

Author(s)

Samuel Wieczorek

Examples

```
data(subR25pept)
metadata <- qMetacell(subR25pept[[1]])
m <- matchMetacell(metadata, pattern = "Missing", level = "peptide")
m <- matchMetacell(metadata, pattern = 'Missing POV', level = "peptide")
m <- matchMetacell(metadata, pattern = c('Missing', 'Missing POV'), level = "peptide")
```

`metacell-plots` *Bar plot of missing values per lines using plotly*

Description

This method plots a bar plot which represents the distribution of the number of missing values (NA) per lines (ie proteins).

Plots a heatmap of the quantitative data. Each column represent one of the conditions in the object of class `obj` and the color is proportional to the mean of intensity for each line of the dataset. The lines have been sorted in order to vizualize easily the different number of missing values. A white square is plotted for missing values.

#' Plots a heatmap of the quantitative data. Each column represent one of the conditions in the object of class `MsnSet` and the color is proportional to the mean of intensity for each line of the dataset. The lines have been sorted in order to vizualize easily the different number of missing values. A white square is plotted for missing values.

This method shows density plots which represents the repartition of Partial Observed Values for each replicate in the dataset. The colors correspond to the different conditions (slot Condition in in the dataset of class `MsnSet`). The x-axis represent the mean of intensity for one condition and one entity in the dataset (i. e. a protein) whereas the y-axis count the number of observed values for this entity and the considered condition.

Usage

```
metacellPerLinesHisto_HC(
  obj,
  group,
  pattern = NULL,
  detailed = FALSE,
  indLegend = "auto",
  showValues = FALSE
)

metacellPerLinesHistoPerCondition_HC(
  obj,
  group,
```

```
  pattern = NULL,
  indLegend = "auto",
  showValues = FALSE,
  pal = NULL
)

metacellHisto_HC(
  obj,
  group = NULL,
  pattern = NULL,
  indLegend = "auto",
  showValues = FALSE,
  pal = NULL
)

wrapperMVImage(obj, group = NULL, pattern = "Missing MEC")

mvImage(obj, group)

hc_mvTypePlot2(obj, group, pal = NULL, pattern, title = NULL)
```

Arguments

obj	An instance of the class QFeatures
group	A vector
pattern	A character() indicating the tag pattern of interest.
detailed	'value' or 'percent'
indLegend	A vector() of integers
showValues	A logical that indicates whether numeric values should be drawn above the bars.
pal	The different colors for conditions
title	The title of the plot

Value

A bar plot

A heatmap

A heatmap

Density plots

Author(s)

Florence Combes, Samuel Wieczorek

Samuel Wieczorek, Alexia Dorffer

Samuel Wieczorek, Thomas Burger

Samuel Wieczorek

Examples

```
data(subR25prot)
grp <- design_qf(subR25prot)$Condition
metacellPerLinesHisto_HC(subR25prot[[1]], group = grp, pattern = "Missing POV")
metacellPerLinesHisto_HC(subR25prot[[1]])
metacellPerLinesHisto_HC(subR25prot[[1]], group = grp, pattern = "Quantified")
metacellPerLinesHisto_HC(subR25prot[[1]], group = grp, pattern = "Quant. by direct id")
metacellPerLinesHisto_HC(subR25prot[[1]], group = grp, pattern = "Quant. by recovery")
pattern <- c("Quantified", "Quant. by direct id", "Quant. by recovery")
metacellPerLinesHisto_HC(subR25prot[[1]], group = grp, pattern = pattern)


metacellPerLinesHistoPerCondition_HC(subR25prot[[1]], group = grp, pattern = "Missing POV")
metacellPerLinesHistoPerCondition_HC(subR25prot[[1]])
metacellPerLinesHistoPerCondition_HC(subR25prot[[1]], group = grp, pattern = "Quantified")
metacellPerLinesHistoPerCondition_HC(subR25prot[[1]], group = grp, pattern = "Quant. by direct id")
metacellPerLinesHistoPerCondition_HC(subR25prot[[1]], group = grp, pattern = "Quant. by recovery")
pattern <- c("Quantified", "Quant. by direct id", "Quant. by recovery")
metacellPerLinesHistoPerCondition_HC(subR25prot[[1]], group = grp, pattern = pattern)


metacellHisto_HC(subR25prot[[1]], group = grp, pattern = "Missing POV")
metacellHisto_HC(subR25prot[[1]])
metacellHisto_HC(subR25prot[[1]], group = grp, pattern = "Quantified")
metacellHisto_HC(subR25prot[[1]], group = grp, pattern = "Quant. by direct id")
metacellHisto_HC(subR25prot[[1]], group = grp, pattern = "Quant. by recovery")
pattern <- c("Quantified", "Quant. by direct id", "Quant. by recovery")
metacellHisto_HC(subR25prot[[1]], group = grp, pattern = pattern)



data(subR25pept)
pattern <- "Missing POV"
pal <- ExtendPalette(2, "Dark2")
metacellHisto_HC(subR25pept[[1]], pattern, showValues = TRUE, pal = pal)

data(subR25pept)
mvImage(subR25pept[[1]], design_qf(subR25pept)$Condition)

data(subR25pept)
pal <- ExtendPalette(length(unique(design_qf(subR25pept)$Condition)), "Dark2")
pattern <- "Missing MEC"
hc_mvTypePlot2(subR25pept[[1]],
group = design_qf(subR25pept)$Condition,
pattern = pattern, pal = pal)
```

`MetacellFilteringScope` *Lists the metacell scopes for filtering*

Description

Lists the metacell scopes for filtering

Usage

```
MetacellFilteringScope()
```

Value

A vector of `character()`

Examples

```
MetacellFilteringScope()
```

Metacell_DIA_NN *Sets the metacell dataframe for datasets which are from Dia-NN software*

Description

Actually, this function uses the generic function to generate metacell info

Usage

```
Metacell_DIA_NN(qdata, conds, df, level = NULL)
```

Arguments

`qdata`	An object of class `MsnSet`
`conds`	A 1-col dataframe with the condition associated to each sample.
`df`	A dataframe with the same dimension as qdata containing the metacell.
`level`	A string designing the type of entity/pipeline. Available values are: `peptide`, `protein`

Value

NA

Author(s)

Samuel Wieczorek

Examples

```
data(subR25pept)
conds <- design_qf(subR25pept)$Condition
qdata <- SummarizedExperiment::assay(subR25pept[[1]])
df <- Metacell_DIA_NN(qdata, conds, df, level = "peptide")
```

Metacell_maxquant *Sets the metacell dataframe*

Description

Initial conversion rules for maxquant |————|————————|———| | Quanti | Identification | Tag | |————|————————|———| | == 0 | whatever | 2.0 | | > 0 | 'By MS/MS' | 1.1 | | > 0 | 'By matching' | 1.2 | | > 0 | unknown col | 1.0 | |————|————————|———|

Usage

```
Metacell_maxquant(qdata, conds, df = NULL, level = NULL)
```

Arguments

qdata	An object of class MsnSet
conds	A 1-col dataframe with the condition associated to each sample.
df	A dataframe with the same dimension as qdata containing the metacell.
level	A string designing the type of entity/pipeline. Available values are: peptide, protein

Value

NA

Author(s)

Samuel Wieczorek

Examples

```
data(subR25pept)
conds <- design_qf(subR25pept)$Condition
qdata <- SummarizedExperiment::assay(subR25pept[[1]])
df2 <- Metacell_maxquant(qdata, conds, level = "peptide")
```

Metacell_proline *Sets the metacell dataframe for datasets which are from Proline software*

Description

In the quantitative columns, a missing value is identified by no value rather than a value equal to 0.

In these datasets, the metacell info is computed from the 'PSM count' columns.

Conversion rules Initial conversion rules for proline |————|————————|——| | Quanti | PSM count | Tag | |————|————————|——| | == 0 | N.A. | whatever | 2.0 | | > 0 | > 0 | 1.1 | | > 0 | == 0 | 1.2 | | > 0 | unknown col | 1.0 | |————|————————|——|

Usage

```
Metacell_proline(qdata, conds, df = NULL, level = NULL)
```

Arguments

qdata	An object of class MsnSet
conds	A 1-col dataframe with the condition associated to each sample.
df	A dataframe with the same dimension as qdata containing the metacell.
level	A string designing the type of entity/pipeline. Available values are: peptide, protein

Value

NA

Author(s)

Samuel Wieczorek

Examples

```
data(subR25pept)
conds <- design_qf(subR25pept)$Condition
qdata <- SummarizedExperiment::assay(subR25pept[[1]])
df <- Metacell_proline(qdata, conds, level = "peptide")
```

---

mv_imputation_protein *Finds the LAPALA*

Description

Methods available are:

- wrapperImputeDetQuant(): This method is a wrapper of the function impute.detQuant() for objects of class MSnSet
- wrapperImputeKNN(): Can impute only POV missing values. This method is a wrapper for objects of class QFeatures and imputes missing values with a fixed value. This function imputes the missing values condition by condition.
- wrapperImputeSLSA(): Imputation of peptides having no values in a biological condition. This method is a wrapper to the function impute.slsa() of the package imp4p adapted to an object of class MSnSet.
- wrapperImputeFixedValue(): This method is a wrapper to objects of class MSnSet and imputes missing values with a fixed value.
- wrapperImputePA(): Imputation of peptides having no values in a biological condition. This method is a wrapper to the function impute.pa of the package imp4p adapted to an object of class MSnSet.

Usage

```
findMECBlock(obj, grp)

reIntroduceMEC(obj, grp, MECIndex)

wrapperImputeKNN(obj = NULL, grp, K)

wrapperImputeFixedValue(obj, grp, fixVal = 0, na.type)

wrapperImputePA(obj = NULL, grp, q.min = 0.025)

wrapperImputeDetQuant(obj, qval = 0.025, factor = 1, na.type)

getQuantile4Imp(qdata, qval = 0.025, factor = 1)

wrapperImputeSLSA(obj = NULL, design = NULL)
```

Arguments

obj	An object of class QFeatures.
grp	A vector of conditions in the dataset
MECIndex	A data.frame that contains index of MEC (see findMECBlock)
K	the number of neighbors.
fixVal	A float.
na.type	A string which indicates the type of missing values to impute. Available values are: NA (for both POV and MEC), POV, MEC.
q.min	Same as the function impute.pa() in the package imp4p
qval	An expression set containing quantitative values of various replicates
factor	A scaling factor to multiply the imputation value with
qdata	A data.frame() for the quantitative data
design	A data.frame() for the design of the dataset

Value

A data.frame containing the indexes of LAPALA

A list of two vectors, respectively containing the imputation values and the rescaled imputation values

Utilities functions:

- findMECBlock()
- reIntroduceMEC()
- getQuantile4Imp(): Quantile imputation value definition. This method returns the q-th quantile of each column of an expression set, up to a s calling factor

Author(s)

Samuel Wieczorek

Examples

```
data(subR25prot)
obj <- subR25prot[[1]]
grp <- design_qf(subR25prot)$Condition
lapala <- findMECBlock(obj, grp)
na.type = c("Missing POV", "Missing MEC")
obj.imp.pov <- wrapperImputeDetQuant(obj, na.type = na.type)
obj.imp.pov <- reIntroduceMEC(obj, grp, lapala)

obj.imp.pov <- wrapperImputeKNN(obj, grp, 3)

obj.imp.pov <- wrapperImputeFixedValue(obj, grp, 0.001, na.type = "Missing POV")
obj.imp.mec <- wrapperImputeFixedValue(obj, grp, 0.001, na.type = "Missing MEC")
obj.imp.na <- wrapperImputeFixedValue(
obj, grp, 0.001,
na.type = c("Missing MEC", "Missing POV"))

obj.imp.pov <- wrapperImputePA(obj, grp)

qdata <- SummarizedExperiment::assay(obj)
quant <- getQuantile4Imp(qdata)
```

NAIsZero *Set NA values to 0*

Description

Set NA values to 0

Usage

```
NAIsZero(obj, i)
```

Arguments

obj	An instance of QFeatures class
i	An integer which is the index of the assay in the QFeatures object

Value

An instance of QFeatures class

nEmptyLines *Number of empty lines in the data*

Description

This function counts the number of empty lines (all elements are equal to NA).

Usage

```
nEmptyLines(df)
```

Arguments

df	A data.frame.

Value

A integer(1)

Author(s)

Samuel Wieczorek

Examples

```
library(QFeatures)
data(subR25prot)
nEmptyLines(SummarizedExperiment::assay(subR25prot, 1))
```

nonzero *Retrieve the indices of non-zero elements in sparse matrices*

Description

This function retrieves the indices of non-zero elements in sparse matrices of class dgCMatrix from package Matrix. This function is largely inspired from the package RINGO.

Usage

```
nonzero(x)
```

Arguments

x	A sparse matrix of class dgCMatrix

Value

A two-column matrix

Author(s)

Samuel Wieczorek

Examples

```
library(Matrix)
mat <- Matrix(c(0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 0, 0, 0, 0, 1),
    nrow = 5, byrow = TRUE, sparse = TRUE)
res <- nonzero(mat)
```

---

normalization_methods *Normalisation*

Description

Provides several methods to normalize quantitative data from a `SummarizedExperiment` object. They are organized in six main families : GlobalQuantileAlignement, sumByColumns, Quantile-Centering, MeanCentering, LOESS, vsn For the first family, there is no type. For the five other families, two type categories are available : "Overall" which means that the value for each protein (ie line in the expression data tab) is computed over all the samples ; "within conditions" which means that the value for each protein (ie line in the `SummarizedExperiment::assay()` data tab) is computed condition by condition.

Usage

```
normalizeMethods(target = "all")

GlobalQuantileAlignment(qData)

SumByColumns(qData, conds = NULL, type = NULL, subset.norm = NULL)

QuantileCentering(
  qData,
  conds = NULL,
  type = "overall",
  subset.norm = NULL,
  quantile = 0.15
)

MeanCentering(
  qData,
  conds,
  type = "overall",
  subset.norm = NULL,
  scaling = FALSE
)

vsn(qData, conds, type = NULL)

LOESS(qData, conds, type = "overall", span = 0.7)
```

Arguments

target	Category of normalization method to show. Either "all", "withTracking" or "withoutTracking".
qData	A data.frame with quantitative data to normalize.
conds	A character() vector which is the names of conditions for each sample in the dataset.
type	"overall" (shift all the sample distributions at once) or "within conditions" (shift the sample distributions within each condition at a time).
subset.norm	A vector of index indicating rows to be used for normalization.
quantile	A float that corresponds to the quantile used to align the data.
scaling	A boolean that indicates if the variance of the data have to be forced to unit (variance reduction) or not.
span	A float between 0 and 1 indicating the span of loess smoothing window.

Value

A vector of character()

A normalized numeric matrix

A normalized numeric matrix

A normalized numeric matrix

A normalized numeric matrix

A normalized numeric matrix

A normalized numeric matrix

Author(s)

Samuel Wieczorek, Thomas Burger, Helene Borges, Anais Courtier, Enora Fremy

Examples

```
## Get the list of methods
normalizeMethods()


data(subR25pept)
qData <- SummarizedExperiment::assay(subR25pept[[1]])
conds <- design_qf(subR25pept)$Condition



#normalized <- GlobalQuantileAlignment(qData)

normalized <- SumByColumns(qData, conds,
    type = "within conditions",
    subset.norm = seq_len(10)
)

normalized <- QuantileCentering(
SummarizedExperiment::assay(subR25pept), conds,
type = "within conditions", subset.norm = seq_len(10)
```

```
)

normalized <- MeanCentering(qData, conds, type = "overall")

normalized <- LOESS(qData, conds, type = "overall")
```

`normalizeFunction` *Normalisation for QFeatures*

Description

This method is a wrapper that provides several methods to normalize quantitative data from objects of class `QFeatures` or `SummarizedExperiment`.

They are organized in six main families : GlobalQuantileAlignement, sumByColumns, QuantileCentering, MeanCentering, LOESS, vsn For the first family, there is no type. For the five other families, two type categories are available : "Overall" which means that the value for each protein (ie line in the expression data tab) is computed over all the samples ; "within conditions" which means that the value for each protein (ie line in the `SummarizedExperiment::assay()` data tab) is computed condition by condition. The available methods are described in `normalizeMethods()`.

Usage

```
normalizeFunction(
  obj,
  method,
  conditions = NULL,
  type = "overall",
  subset.norm = NULL,
  quantile = 0.15,
  scaling = FALSE,
  span = 0.7
)
```

Arguments

`obj`	An object of class `QFeatures` or `SummarizedExperiment`. If data is of class `QFeatures`, the last assay will be normalized.
`method`	Define the normalization method used : `"GlobalQuantileAlignment"`, `"QuantileCentering"`, `"MeanCentering"`, `"SumByColumns"`, `"LOESS"` or `"vsn"`.
`conditions`	A vector of conditions in the dataset. If not provided, the vector `"Condition"` from the column metadata will be used.
`type`	"overall" (shift all the sample distributions at once) or "within conditions" (shift the sample distributions within each condition at a time).
`subset.norm`	A vector of index indicating rows to be used for normalization
`quantile`	A float that corresponds to the quantile used to align the data.
`scaling`	A boolean that indicates if the variance of the data have to be forced to unit (variance reduction) or not.
`span`	A floating number

Value

QFeatures including a new assay with normalized data or SummarizedExperiment with normalized data.

Author(s)

Manon Gaudin

Examples

```
data(subR25pept)
normalized <- normalizeFunction(subR25pept, method = 'GlobalQuantileAlignment')
```

---

output_2_Excel *This function exports a data.frame to a Excel file.*

Description

This function exports a MSnSet data object to a Excel file. Each of the three data.frames in the MSnSet object (ie experimental data, phenoData and metaData are respectively integrated into separate sheets in the Excel file).

The colored cells in the experimental data correspond to the original missing values which have been imputed.

Usage

```
readExcel(file, sheet = NULL)

listSheets(file)

write_Assay_To_Excel(wb, obj, i, n)

WriteHistory(wb, obj, n)

Write_SamplesData_to_Excel(wb, obj, n)

Write_RowData(wb, obj, i, n)

writeExcel(obj, filename)
```

Arguments

file	The name of the Excel file.
sheet	The worksheet to write to. Can be the worksheet index or name.
wb	A Workbook object containing a worksheet.
obj	An instance of the class QFeatures
i	An integer which is the index of the assay in the QFeatures object
n	The total number of sheets
filename	A character string for the name of the Excel file.

Value

A Excel file (.xlsx)

Author(s)

Samuel Wieczorek

Examples

```
library(QFeatures)
data(subR25prot)
df <- SummarizedExperiment::assay(subR25prot[[1]])
tags <- qMetacell(subR25prot[[1]])
colors <- list(
    "Missing POV" = "lightblue",
    "Missing MEC" = "orange",
    "Quant. by recovery" = "lightgrey",
    "Quant. by direct id" = "white",
    "Combined tags" = "red"
)
file <- tempfile('toto.xlsx')
writeExcel(subR25prot, filename = file)
unlink(file)

data(subR25pept)
file <- tempfile('foo.xlsx')
writeExcel(subR25pept, file)
unlink(file)
```

OWAnova *Applies aov() on a vector of protein abundances using the design derived from the sample names (simple aov wrapper)*

Description

Applies aov() on a vector of protein abundances using the design derived from the sample names (simple aov wrapper)

Usage

```
OWAnova(current_protein, conditions)
```

Arguments

current_protein	a real vector
conditions	the list of groups the protein belongs to

Value

See aov()

Author(s)

Thomas Burger

Examples

```
protein_abundance <- rep(rnorm(3, mean= 18, sd=2), each=3) + rnorm(9)
groups <- c(rep("group1",3),rep("group2",3),rep("group3",3))
OWAnova(protein_abundance,groups)
```

---

paramshistory *List of metacell tags*

Description

This function gives the list of metacell tags available.

- onlyPresent: In this case, the function gives the tags found in a dataset. In addition, and w.r.t to the hierarchy of tags, if all leaves of a node are present, then the tag corresponding to this node is added.

These names are common to all assays contained in the object. This is why they are stored in the global metadata. This function is used whenever it i s necessary to (re)detect MEC and POV (new dataset or when post processing protein qMetacell after aggregation)

Usage

```
paramshistory(object, ...)

## S4 method for signature 'QFeatures'
paramshistory(object, i, slotName = "paramshistory")

## S4 method for signature 'SummarizedExperiment'
paramshistory(object, slotName = "paramshistory")

paramshistory(object, i, slotName = "paramshistory") <- value

GetMetacellTags(object, ...)

## S4 method for signature 'QFeatures'
GetMetacellTags(object, i, ...)

## S4 method for signature 'SummarizedExperiment'
GetMetacellTags(object, ...)

## S4 method for signature 'data.frame'
GetMetacellTags(object, ...)

qMetacell(object, ...)

## S4 method for signature 'QFeatures'
qMetacell(object, i)
```

```
## S4 method for signature 'SummarizedExperiment'
qMetacell(object)

qMetacell(object, i, slotName = "qMetacell") <- value

GetUniqueTags(object, ...)

## S4 method for signature 'QFeatures'
GetUniqueTags(object, i)

## S4 method for signature 'SummarizedExperiment'
GetUniqueTags(object)

GetMetadataSlot(object, slotName = NULL)

GetRowdataSlot(object, slotName = NULL)

ConnectedComp(object, ...)

## S4 method for signature 'QFeatures'
ConnectedComp(object, i, slotName = "ConnectedComp")

## S4 method for signature 'SummarizedExperiment'
ConnectedComp(object, slotName = "ConnectedComp")

ConnectedComp(object, i, slotName = "ConnectedComp") <- value

typeDataset(object, ...)

## S4 method for signature 'QFeatures'
typeDataset(object, i, slotName = "typeDataset")

## S4 method for signature 'SummarizedExperiment'
typeDataset(object, slotName = "typeDataset")

typeDataset(object, i, slotName = "typeDataset") <- value

idcol(object, ...)

## S4 method for signature 'QFeatures'
idcol(object, i, slotName = "idcol")

## S4 method for signature 'SummarizedExperiment'
idcol(object, slotName = "idcol")

idcol(object, i, slotName = "idcol") <- value

parentProtId(object, ...)

## S4 method for signature 'QFeatures'
parentProtId(object, i, slotName = "parentProtId")
```

```
## S4 method for signature 'SummarizedExperiment'
parentProtId(object, slotName = "parentProtId")

parentProtId(object, i, slotName = "parentProtId") <- value

filename(object, ...)

## S4 method for signature 'QFeatures'
filename(object, slotName = "filename")

filename(object, slotName = "filename") <- value

analysis(object, ...)

## S4 method for signature 'QFeatures'
analysis(object, i, slotName = "analysis")

## S4 method for signature 'SummarizedExperiment'
analysis(object, slotName = "analysis")

analysis(object, i, slotName = "analysis") <- value

version(object, ...)

## S4 method for signature 'QFeatures'
version(object, slotName = "version")

version(object, slotName = "version") <- value

design_qf(object, ...)

## S4 method for signature 'QFeatures'
design_qf(object, slotName = "design")

design_qf(object, slotName = "design") <- value

mainAssay(object)

HypothesisTest(object, ...)

## S4 method for signature 'QFeatures'
HypothesisTest(object, i, slotName = "HypothesisTest")

## S4 method for signature 'SummarizedExperiment'
HypothesisTest(object, slotName = "HypothesisTest")

HypothesisTest(object, i) <- value

DifferentialAnalysis(object, ...)

## S4 method for signature 'QFeatures'
```

```
DifferentialAnalysis(object, i, slotName = "DifferentialAnalysis")

## S4 method for signature 'SummarizedExperiment'
DifferentialAnalysis(object, slotName = "DifferentialAnalysis")

DifferentialAnalysis(object, i) <- value

names_metacell(object, ...)

## S4 method for signature 'QFeatures'
names_metacell(object, i, slotName = "names_metacell")

## S4 method for signature 'SummarizedExperiment'
names_metacell(object, slotName = "names_metacell")

names_metacell(object, i, slotName = "names_metacell") <- value
```

Arguments

object	n instance of class QFeatures or SummarizedExperiment
...	Additional parameters
i	The index or name of the assays to extract the quantitative metadata from. All must have a rowdata variable named as slotName
slotName	A character(0) which is the name of the slot in the metadata
value	The content of the slot in the metadata

Details

Additional slots for Metadata for a SummarizedExperiment object:

- qMetacell: A data.frame()
- parentProtId: A character()
- idcol: A character()
- typeDataset: A character()

Value

A vector of tags.

NA

NA

NA

NA

NA

NA

NA

NA

Quantitative metadata

Default slotName is "qMetacell". The value is an adjacency matrix with row and column names. The matrix will be coerced to compressed, column-oriented sparse matrix (class `dgCMatrix`) as defined in the `Matrix` package, as generaled by the `sparseMatrix()` constructor.

Author(s)

Samuel Wieczorek

Examples

```
data(subR25pept)
GetMetacellTags(subR25pept, 1, level="peptide")
GetMetacellTags(subR25pept, 1, level="peptide", onlyPresent=TRUE)

data(subR25pept)
design_qf(subR25pept)
```

`Parent` *Parent name of a node*

Description

Parent name of a node

Usage

```
Parent(level, node = NULL)
```

Arguments

`level`	A string designing the type of entity/pipeline. Available values are: `peptide`, `protein`
`node`	A `character()` #' @examples Parent('protein', 'Missing') Parent('protein', 'Missing POV') Parent('protein', c('Missing POV', 'Missing MEC')) Parent('protein', c('Missing', 'Missing POV', 'Missing MEC'))

Value

NA

pepaTest *PEptide based Protein differential Abundance test*

Description

PEptide based Protein differential Abundance test

Usage

```
pepaTest(X, y, n1, n2, global = FALSE, use.lm = FALSE)
```

Arguments

X	Binary q x p design matrix for q peptides and p proteins. X_(ij)=1 if peptide i belongs to protein j, 0 otherwise.
y	q x n matrix representing the log intensities of q peptides among n MS samples.
n1	number of samples under condition 1. It is assumed that the first n1 columns of y correspond to observations under condition 1.
n2	number of samples under condition 2.
global	if TRUE, the test statistic for each protein uses all residues, including the ones for peptides in different connected components. Can be much faster as it does not require to compute connected components. However the p-values are not well calibrated in this case, as it amounts to adding a ridge to the test statistic. Calibrating the p-value would require knowing the amplitude of the ridge, which in turns would require computing the connected components.
use.lm	if TRUE (and if global=FALSE), use lm() rather than the result in Proposition 1 to compute the test statistic

Value

A list of the following elements: llr: log likelihood ratio statistic (maximum likelihood version). llr.map: log likelihood ratio statistic (maximum a posteriori version). llr.pv: p-value for llr. llr.map.pv: p-value for llr.map. mse.h0: Mean squared error under H0 mse.h1: Mean squared error under H1 s: selected regularization hyperparameter for llr.map. wchi2: weight used to make llr.map chi2-distributed under H0.

Author(s)

Thomas Burger, Laurent Jacob

Examples

```
NA
```

Pipelines *List of available pipelines in the package*

Description

Get the list of pipelines available in the package

Usage

```
Pipelines()
```

Value

NA

pkgsRequire *Loads packages*

Description

Checks if a package is available to load it

Usage

```
pkgsRequire(ll.deps)
```

Arguments

ll.deps	A `character()` vector which contains packages names

Value

NA

Author(s)

Samuel Wieczorek

Examples

```
NULL
```

`plotCompareAssays` *Compare two assays*

Description

This plot compares the quantitative proteomics data between two assays. It can be used for example to compare the effect of the normalization process.

The comparison is made with the division operator.

Usage

```
plotCompareAssays(
  obj,
  i,
  j,
  info = NULL,
  pal.name = "Set1",
  subset.view = NULL,
  n = 100,
  type = "scatter"
)
```

Arguments

`obj`	An instance of the class
`i`	A numeric matrix containing quantitative data after normalization.
`j`	A numeric matrix containing quantitative data after normalization
`info`	A vector
`pal.name`	The name of the palette to use. Default is 'Set1'
`subset.view`	A `vector()` of `integers`
`n`	The number of points to display
`type`	The type of plot. Available values are 'scatter' (default) or 'line'

Value

A plot

Author(s)

Samuel Wieczorek, Enora Fremy

Examples

```
data(subR25prot)
obj <- subR25prot
obj <- normalizeFunction(obj, method = "MeanCentering")
plotCompareAssays(obj, 1, 2, n = 5)
```

plotJitter *Jitter plot of CC*

Description

Jitter plot of CC

Usage

```
plotJitter(list.of.cc = NULL)
```

Arguments

list.of.cc	List of cc such as returned by the function getPepProtCC

Value

A plot

Author(s)

Thomas Burger

Examples

```
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
ll <- getPepProtCC(X)
plotJitter(ll)
```

plotJitter_rCharts *Display a a jitter plot for CC*

Description

Display a a jitter plot for CC

Usage

```
plotJitter_rCharts(df)
```

Arguments

df	A data.frame()

Value

A plot

Author(s)

Thomas Burger, Samuel Wieczorek

Examples

```
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
ll <- getPepProtCC(X)[seq_len(4)]
n.prot <- vapply(ll, ncol, integer(1))
n.pept <- vapply(ll, nrow, integer(1))
df <- tibble::tibble(
x = jitter(n.pept),
y = jitter(n.prot),
index = seq_len(length(ll))
)
plotJitter_rCharts(df)
```

---

postHocTest *Post-hoc tests for classic 1-way ANOVA*

Description

This function allows to compute a post-hoc test after a 1-way ANOVA analysis. It expects as input an object obtained with the function `classic1wayAnova`. The second parameter allows to choose between 2 different post-hoc tests: the Tukey Honest Significant Differences (specified as "TukeyHSD") and the Dunnett test (specified as "Dunnett").

Usage

```
postHocTest(aov_fits, post_hoc_test = "TukeyHSD")
```

Arguments

`aov_fits`	a list containing aov fitted model objects
`post_hoc_test`	a character string indicating which post-hoc test to use. Possible values are "TukeyHSD" or "Dunnett". See details for what to choose according to your experimental design.

Details

This is a function allowing to realise post-hoc tests for a set of proteins/peptides for which a classic 1-way anova has been performed with the function `classic1wayAnova`. Two types of tests are currently available: The Tukey HSD's test and the Dunnett's test. Default is Tukey's test. The Tukey HSD's test compares all possible pairs of means, and is based on a studentized range distribution. Here is used the `TukeyHSD()` function, which can be applied to balanced designs (same number of samples in each group), but also to midly unbalanced designs. The Dunnett's test compares a single control group to all other groups. Make sure the factor levels are properly ordered.

Value

a list of 2 dataframes: first one called "LogFC" contains all pairwise comparisons logFC values (one column for one comparison) for each analysed feature; The second one named "P_Value" contains the corresponding pvalues.

Author(s)

Hélène Borges

Examples

```
library(SummarizedExperiment)
data(subR25prot)
obj <- subR25prot
filter <- FunctionFilter('qMetacellOnConditions',
  cmd = 'delete',
  mode = 'AtLeastOneCond',
  pattern = c("Missing POV", "Missing MEC"),
  conds = design_qf(obj)$Condition,
  percent = TRUE,
  th = 0.65,
  operator = '>')
obj <- filterFeaturesOneSE(obj, name = "Filtered", filters = list(filter))
qdata <- SummarizedExperiment::assay(obj[[2]])
conds <- design_qf(obj)$Condition
anova_tests <- apply(qdata, 1, classic1wayAnova, conditions = as.factor(conds))
anova_tests <- t(anova_tests)

names(anova_tests) <- rownames(qdata)
pht <- postHocTest(aov_fits = anova_tests)
```

---

pushpvalue *Push p-values based on metacell tags*

Description

This function allows to push p-values to 1 based on metacell tags.

Usage

```
pushpvalue(
  obj,
  pvalue,
  scope = "WholeMatrix",
  pattern = "Imputed MEC",
  percent = TRUE,
  threshold = 1,
  conditions = NULL,
  operator = ">=",
  level = NULL,
  value = 1.00000000001
)
```

Arguments

obj	An object of class QFeatures or SummarizedExperiment. If data is of class QFeatures, the last assay will be used.
pvalue	A vector of p-values.
scope	A string for scope to use. Available values are "WholeLine", "WholeMatrix", "AllCond" and "AtLeastOneCond".
pattern	A vector of tag to use.
percent	A boolean to indicate whether the threshold represent an absolute value (percent = FALSE) or a percentage (percent = TRUE).
threshold	A value that corresponds to the threshold value. Either an integer if percent = FALSE, or a float between 0 and 1 of percent = TRUE.
conditions	A vector of conditions in the dataset. If not provided, the vector "Condition" from the column metadata will be used.
operator	A string for operator to use. Available operators are "<=", "<", ">=", ">", "==" and "!=".
level	A string for dataset type. Either "peptide" or "protein" If not provided, the string obtained from typeDataset(obj) will be used.
value	A float, value to assign to the pushed p-value. By default, the value is set slightly above 1 to be able to differentiate the pushed value.

Value

A vector with pushed p-values.

Author(s)

Manon Gaudin

Examples

```
data(subR25prot)
obj <- subR25prot
# Simulate imputation
obj <- NAIsZero(obj, 1)
allComp <- limmaCompleteTest(SummarizedExperiment::assay(
obj[[length(obj)]]),
design_qf(obj),
comp.type="OnevsOne")
pushpvalue(obj,
allComp$P_Value[, 1],
scope = "WholeMatrix",
pattern = c("Missing MEC", "Missing POV"),
percent = TRUE,
threshold = 0.5,
operator = ">=",)
```

QFeatures-excel *Exports a* QFeatures *object to a Excel file.*

Description

This function exports an instance of the class QFeatures to a Excel file. The resulting file is composed of four sheets:

- quantitative data which contains the content of assay() object with a color code for each cell w.r.t. to cell quantitative metadata.
- metadata which is the content of rowData() with only one-dimensionnal data (i.e. the adjacencyMatrix and the qMetacell slots are not part of the sheet),
- exp. design which is the content of colData(). Each condition in the table is colored with a different color,
- quantitative metadata which is the content of qMetacell(). There is a color code for the different tags.

Usage

```
write2excel(object, ...)

## S4 method for signature 'QFeatures'
write2excel(object, i = NULL, filename = "newFile", writeColdData = TRUE, ...)

## S4 method for signature 'SummarizedExperiment'
write2excel(object, filename, exp.design, writeColData = TRUE, ...)

write2excelSE(object, filename, exp.design, writeColData = TRUE)

addColors(wb, n, tags, colors)
```

Arguments

object	An instance of the class QFeatures
...	Additional parameters.
i	An integer which is the index of the assay in the QFeatures object
filename	A character() for the name of the Excel file
writeColdData	A boolean that indicates whether to include coldata or not in the Excel file
exp.design	A data.frame() for the sample design of the dataset
writeColData	A boolean that indicates whether to include col data in the final file
wb	A workbook
n	A integer(1) which is the number of sheet in the workbook.
tags	A data.frame()
colors	A character() which contains the HEX code for colors. The size of this vector must be the same as the number of tags.

Value

A Excel file.

Author(s)

Samuel Wieczorek

Examples

```
data(subR25prot)

#---------------------------------------
# Export the whole dataset
#---------------------------------------

write2excel(subR25prot, filename = "foo")
unlink('foo.xls')
write2excel(subR25prot, 1, "foo")
unlink('foo.xls')
```

QFeatures-filtering-oneSE

Filter features of one SE based on their rowData

Description

The `filterFeaturesOneSE` methods enables users to filter features based on a variable in their `rowData`. It is directly inspired of the function `filterFeature` of the package `QFeatures`. The first difference is that the filter only applies to one `SummarizedExperiment` contained in the object rather than applying on all the SE. This method generates a new `SummarizedExperiment` object which is added to the `QFeatures` object. If the SE on which the filter applies is the last one of the object, then a new SE is created If it is not the last one, the new SE is added and all the further SE are deleted. The features matching the. The filters can be provided as instances of class `AnnotationFilter` (see the package `QFeatures`) or of class `FunctionFilter` (see below).

Usage

```
FunctionFilter(name, ...)

filterFeaturesOneSE(object, ...)

## S4 method for signature 'QFeatures'
filterFeaturesOneSE(object, i, name = "newAssay", filters)
```

Arguments

`name`	A `character(1)` naming the new assay. Default is `newAssay`. Note that the function will fail if there's already an assay with `name`.
`...`	Additional arguments
`object`	An instance of class `QFeatures` or `SummarizedExperiment`.
`i`	The index or name of the assay which features will be filtered the create the new assay.
`filters`	A `list()` containing instances of class `AnnotationFilter` or `FunctionFilter`

Value

A filtered QFeature object

Function filters

The function filters are filters as defined in the DaparToolshed package. Each filter is defined by a name (which is the name of a function) and a list which contains the parameters passed to the function. Those filters can be created with the FunctionFilter constructor.

Those functions are divided into two main categories:

- the one that filter on one rowData feature,
- the one based on a two-dimensional information such as the adjacency matrix

for the first category, all filters of class AnnotationFilter can be used as they are used in QFeatures

For the second category, the package DaparToolshed provides filter functions based either on the adjacency matrix:

- topnPeptides()
- sharedPeptides()
- specPeptides()

Or based on the quantitative metadata (identification):

- qMetacellWholeMatrix()
- qMetacellWholeLine()
- qMetacellOnConditions()

Author(s)

Samuel Wieczorek

Examples

```
data("subR25prot")
data("subR25pept")
## ----------------------------------------
## Creating function filters
## ----------------------------------------

#FunctionFilter('FUN',
#               param1 = 'value_of_param1',
#               param2 = 'value_of_param2')

FunctionFilter('qMetacellWholeLine',
               cmd = 'delete',
               pattern = 'Missing MEC')

## ------------------------------------------------------------------
## Filter the last assay to keep only specific peptides. This filter
## only applies on peptide dataset.
## ------------------------------------------------------------------

spec.filter <- FunctionFilter('specPeptides', list())
## using a user-defined character filter
```

```
filterFeaturesOneSE(subR25pept, filters = list(FunctionFilter('specPeptides', list())))


## ------------------------------------------------------------------
## Filter the last assay to keep only specific peptides and topn
## peptides. The two filters are run sequentially.
## ------------------------------------------------------------------

lst.filters <- list(FunctionFilter('specPeptides', list()))
lst.filters <- append(lst.filters,
FunctionFilter('topnPeptides',
fun = 'rowSums',
top = 2))
filterFeaturesOneSE(subR25pept, filters = lst.filters)

## ------------------------------------------------------------------
## Filter the last assay to delete peptides where, in at least one
## condition, there is less than 80% of samples marked as 'imputed POV'
## ------------------------------------------------------------------

filter <- FunctionFilter('qMetacellOnConditions',
cmd = 'delete',
mode = 'AtLeastOneCond',
pattern = 'Missing POV',
conds = SummarizedExperiment::colData(subR25prot)$Condition,
percent = TRUE,
th = 0.65,
operator = '<')

 filterFeaturesOneSE(subR25prot, filters = list(filter))
```

`QFeatures-utils` *Utility funcitons to dela with QFeatures objects.*

Description

Utility funcitons to dela with QFeatures objects.

Usage

```
last_assay(object)

n_assays_in_qf(object)

QFeaturesFromSE(
  obj.se,
  colData = data.frame(),
  metadata.qf = data.frame(),
  name = "myname"
)
```

Arguments

object	An instance of the class QFeatures
obj.se	An instance of the class QFeatures
colData	A data.frame() which contains data for the future object,
metadata.qf	A data.frame() which contains the metadata for the future object,
name	The name of the assay in the QFeatures object

Value

NA

An instance of QFeatures class

Examples

```
NULL

# example code
```

---

q_metacell *Quantitative metadata vocabulary for entities*

Description

This function gives the vocabulary used for the quantitative metadata of each entity in each condition.

This function is based on the qMetacell dataframe to look for either missing values (used to update an initial dataset) or imputed values (used when post processing protein qMetacell after aggregation)

In the quantitative columns, a missing value is identified by no value rather than a value equal to 0. Conversion rules Quanti Tag NA or 0 NA

Update the quantitative metadata information of missing values that were imputed

Gives all the tags of the metadata vocabulary containing the pattern (parent and all its children).

Agregation rules for the cells quantitative metadata of peptides. Please refer to the qmetacellDef vocabulary in `qmetacellDef()`

Usage

```
metacellDef(level)

custom_metacell_colors()

Set_POV_MEC_tags(obj, conds)

Set_POV_MEC_tags2(conds, df, level)

Metacell_generic(qdata, conds, level)

UpdateMetacellAfterImputation(object, ...)
```

```
## S4 method for signature 'SummarizedExperiment'
UpdateMetacellAfterImputation(object)

searchMetacellTags(pattern, level, depth = "1")

metacombine(met, level)
```

Arguments

level	A string designing the type of entity/pipeline. Available values are: peptide, protein
obj	An object of class SummarizedExperiment
conds	A 1-col dataframe with the condition associated to each sample.
df	An object of class SummarizedExperiment
qdata	A matrix of quantitative data
object	An object of class SummarizedExperiment
...	Additional parameters
pattern	The string to search.
depth	Either "0", "1" or "*".
met	Metacells

Value

A data.frame containing the different tags and corresponding colors for the level given in parameter

A list

An instance of class QFeatures.

NA

NA

NA

Glossary

Peptide-level vocabulary

|– 'Any' | | |– 1.0 'Quantified' | | | | |– 1.1 "Quant. by direct id" (color 4, white) | | | | |– 1.2 "Quant. by recovery" (color 3, lightgrey) | | |– 2.0 "Missing" (no color) | | | | |– 2.1 "Missing POV" (color 1) | | | | |– 2.2 'Missing MEC' (color 2) | | |– 3.0 'Imputed' | | | | |– 3.1 'Imputed POV' (color 1) | | | | |– 3.2 'Imputed MEC' (color 2)

Protein-level vocabulary: |– 'Any' | | |– 1.0 'Quantified' | | | | |– 1.1 "Quant. by direct id" (color 4, white) | | | | |– 1.2 "Quant. by recovery" (color 3, lightgrey) | | |– 2.0 "Missing" | | | | |– 2.1 "Missing POV" (color 1) | | | | |– 2.2 'Missing MEC' (color 2) | | |– 3.0 'Imputed' | | | | |– 3.1 'Imputed POV' (color 1) | | | | |– 3.2 'Imputed MEC' (color 2) | | |– 4.0 'Combined tags' (color 3bis, lightgrey)

Conversion to the glossary

A generic conversion

Conversion for Proline datasets

Conversion from Maxquant datasets

Basic agreagtion

Agregation of non imputed values (2.X) with quantitative values

(1.0, 1.X, 3.0, 3.X)
Not possible
———————————-

Agregation of different types of missing values (among 2.1, 2.2)

- Agregation of 2.1 peptides between each other gives a missing value non imputed (2.0)
- Agreagtion of 2.2 peptides between each other givesa missing value non imputed (2.0)
- Agregation of a mix of 2.1 and 2.2 gives a missing value non imputed (2.0) |———————————-

Agregation of a mix of quantitative values (among 1.0, 1.1, 1.2, 3.0, 3.X)

- if the type of all the peptides to agregate is 1.0, 1.1 or 1.2, then the final metadata is set the this tag
- if the set of metacell to agregate is a mix of 1.0, 1.1 or 1.2, then the final metadata is set to 1.0
- if the set of metacell to agregate is a mix of 3.X and 3.0, then the final metadata is set to 3.0
- if the set of metacell to agregate is a mix of 3.X and 3.0 and other (X.X), then the final metadata is set to 4.0 |———————————-

Post processing

Update metacell with POV/MEC status for the categories 2.0 and 3.0 TODO

Author(s)

Thomas Burger, Samuel Wieczorek

Samuel Wieczorek

Examples

```
metacellDef('protein')
metacellDef('peptide')

library(QFeatures)
data(subR25prot)
conds <- design_qf(subR25prot)$Condition
df <- Set_POV_MEC_tags(subR25prot[[1]], conds)

library(SummarizedExperiment)
data(subR25pept)
conds <- design_qf(subR25pept)$Condition
qdata <- SummarizedExperiment::assay(subR25pept[[1]])
df <- Metacell_generic(qdata, conds, 'peptide')
```

```
data(subR25prot)
subR25prot[[1]] <- UpdateMetacellAfterImputation(subR25prot[[1]])

searchMetacellTags('Missing POV', 'peptide')
searchMetacellTags('Quantified', 'peptide')


ll <- metacellDef('peptide')$node
for (i in seq_along(ll))
test <- lapply(combn(ll, i, simplify = FALSE),
function(x) tag <- metacombine(x, 'peptide'))
```

`ReplaceSpecialChars` *Standardize names*

Description

Replace ".", ' ', '-' in `character()` by '_' to be compliant with functions of `Shinyjs`, `Shiny`

Usage

```
ReplaceSpecialChars(x)
```

Arguments

`x`	A `character()` to be processed

Value

A `character()` of the same length as 'x' with modified names.

Author(s)

Samuel Wieczorek

Examples

```
ReplaceSpecialChars(c("foo.1", "foo-2", "foo 3"))
```

RunAggregation *Aggregation of peptide-level assay QFeatures*

Description

This function aggregate both quantitative and rowdata from the last assay contained in a QFeatures. Note that the function assumes that the intensities in the QFeatures are already log-transformed.

Usage

```
RunAggregation(
  qf,
  includeSharedPeptides = "Yes_As_Specific",
  operator = "Mean",
  considerPeptides = "allPeptides",
  adjMatrix = "adjacencyMatrix",
  ponderation = "Global",
  n = NULL,
  aggregated_col = NULL,
  max_iter = 500
)
```

Arguments

qf	An instance of class QFeatures. The last assay contained in qf will be aggregated. Intensities are assumed to already be log-transformed.
includeSharedPeptides	How shared peptides are handled. Either Yes_As_Specific (default), Yes_Iterative_Redistribut Yes_Simple_Redistribution or No. See below for details.
operator	A function used for quantitative feature aggregation. Available functions are Sum, Mean, Median, medianPolish or robustSummary. See below for details.
considerPeptides	A character(1) defining what peptide to consider. Available values are allPeptides (default) and topN.
adjMatrix	A character(1) naming a rowdata variable from the last assay of qf containing an adjacency matrix.
ponderation	A character(1) defining what to consider to create the coefficient for redistribution of shared peptides. Available values are Global (default), Condition or Sample.
n	If topN, specify the number of peptides to use for each protein.
aggregated_col	A character() of column names from rowdata to be aggregated.
max_iter	A numeric(1) setting the maximum number of iteration.

Details

Aggregation of quantitative data is performed using aggregateFeatures, or innerAggregateIter if Yes_Iterative_Redistribution or Yes_Simple_Redistribution is selected.

The handling of shared peptide is as follow :

- `Yes_As_Specific` : Shared peptides are used multiple times. Each peptide is duplicated as many times as the number of proteins in which they are present, and thus are considered as if they are specific to each protein.
- `Yes_Simple_Redistribution` : Intensity of shared peptides are redistributed proportionally to each protein. See `innerAggregateIter` for more information.
- `Yes_Iterative_Redistribution` : Intensity of shared peptides are redistributed proportionally to each protein. See `innerAggregateIter` for more information.
- `No` : No shared peptides are used. If a peptide contained only shared peptides, its intensity is set as 0 for every sample.

Available functions are :

- `Sum` : base::colSums()] or base::rowSums() if `Yes_Iterative_Redistribution` or `Yes_Simple_Redistribution`
- `Mean` : base::colMeans()] or base::rowMeans() if `Yes_Iterative_Redistribution` or `Yes_Simple_Redistribut`
- `Median` : matrixStats::mcolMedians()] or matrixStats::rowMedians() if `Yes_Iterative_Redistribution` or `Yes_Simple_Redistribution`.
- `medianPolish` : MsCoreUtils::medianPolish().
- `robustSummary` : MsCoreUtils::robustSummary().

Value

A QFeatures with an aggregated assay added.

Author(s)

Samuel Wieczorek, Manon Gaudin

Examples

```
data(subR25pept)

# Remove empty lines
filter_emptyline <- FunctionFilter("qMetacellWholeLine",
cmd = 'delete', pattern = 'Missing MEC')
subR25pept <- filterFeaturesOneSE(object = subR25pept,
i = length(subR25pept), name = "Filtered",
              filters = list(filter_emptyline))
# Remove proteins with no peptide associated in adjacency matrix
indx <- which(Matrix::colSums(
SummarizedExperiment::rowData(
subR25pept[[length(subR25pept)]])$adjacencyMatrix) != 0)
SummarizedExperiment::rowData(
subR25pept[[length(subR25pept)]])$adjacencyMatrix <-
SummarizedExperiment::rowData(
subR25pept[[length(subR25pept)]])$adjacencyMatrix[, indx]

obj.agg <- RunAggregation(subR25pept, "Yes_As_Specific", "Sum", "allPeptides",
aggregated_col = c("Sequence", "Mass"))
obj.agg <- RunAggregation(subR25pept, "Yes_As_Specific", "Mean", "allPeptides",
aggregated_col = c("Sequence", "Mass"))
obj.agg <- RunAggregation(subR25pept, "Yes_As_Specific", "Sum", "topN", n = 4,
aggregated_col = c("Sequence", "Mass"))
obj.agg <- RunAggregation(subR25pept, "Yes_As_Specific", "Mean", "topN", n = 4,
aggregated_col = c("Sequence", "Mass"))
```

```
obj.agg <- RunAggregation(subR25pept, "No", "Sum", "allPeptides")
obj.agg <- RunAggregation(subR25pept, "No", "Sum", "topN", n = 4)

obj.agg <- RunAggregation(subR25pept, "Yes_Simple_Redistribution", "Sum", "allPeptides",
aggregated_col = c("Sequence", "Mass"))
obj.agg <- RunAggregation(subR25pept, "Yes_Iterative_Redistribution", "Sum", "topN", n = 4,
aggregated_col = c("Sequence", "Mass"))
```

`samLRT` *Computes a regularized version of the likelihood ratio statistic*

Description

This function computes a regularized version of the likelihood ratio statistic. The regularization adds a user-input fudge factor s1 to the variance estimator. This is straightforward when using a fixed effect model (cases 'numeric' and 'lm') but requires some more care when using a mixed model.

Usage

```
samLRT(lmm.res.h0, lmm.res.h1, cc, n, p, s1)
```

Arguments

`lmm.res.h0`	a vector of object containing the estimates (used to compute the statistic) under H0 for each connected component. If the fast version of the estimator was used (as implemented in this package), lmm.res.h0 is a vector containing averages of squared residuals. If a fixed effect model was used, it is a vector of lm objects and if a mixed effect model was used it is a vector or lmer object.
`lmm.res.h1`	similar to lmm.res.h0, a vector of object containing the estimates (used to compute the statistic) under H1 for each protein.
`cc`	a list containing the indices of peptides and proteins belonging to each connected component.
`n`	the number of samples used in the test
`p`	the number of proteins in the experiment
`s1`	the fudge factor to be added to the variance estimate

Value

llr.sam: a vector of numeric containing the regularized log likelihood ratio statistic for each protein. s: a vector containing the maximum likelihood estimate of the variance for the chosen model. When using the fast version of the estimator implemented in this package, this is the same thing as the input lmm.res.h1. lh1.sam: a vector of numeric containing the regularized log likelihood under H1 for each protein. lh0.sam: a vector of numeric containing the regularized log likelihood under H0 for each connected component. sample.sizes: a vector of numeric containing the sample size (number of biological samples times number of peptides) for each protein. This number is the same for all proteins within each connected component.

Author(s)

Thomas Burger, Laurent Jacob

Examples

```
NULL
```

---

separateAdjPval *Computes the adjusted p-values separately on contrast using CP4P*

Description

Computes the adjusted p-values separately on contrast using CP4P

Usage

```
separateAdjPval(x, pval.threshold = 1.05, method = 1)
```

Arguments

x	a proteins x contrasts dataframe of (raw) p-values
pval.threshold	all the p-values above the threshold are not considered. Default is 1.05 (which is equivalent to have no threshold). Applying a threshold nearby 1 can be instrumental to improve the uniformity under the null, notably in case of upstream mutliple contrat correction (for experienced users only)
method	a method to estimate pi_0, see CP4P

Value

a proteins x contrasts table of adjusted p-values

Author(s)

Thomas Burger

Examples

```
data(subR25prot)
obj <- subR25prot[seq_len(5),]
separateAdjPval(
testAnovaModels(
applyAnovasOnProteins(obj, 1), "TukeyHSD")$P_Value)
```

SetHistory *Standardize names*

Description

Standardize names

Usage

```
SetHistory(obj.se, history)
```

Arguments

obj.se	An instance of the class SummarizedExperiment
history	A data.frame()

Value

A data.frame()

Author(s)

Samuel Wieczorek

Examples

```
data(subR25prot)
history <- GetHistory(subR25prot[[1]])
history <- rbind(history, c('Example', 'Step Ex', 'ex_param', 'Ex'))
subR25prot[[1]] <- SetHistory(subR25prot[[1]], history)
```

splitAdjacencyMat *splits an adjacency matrix into specific and shared*

Description

Method to split an adjacency matrix into specific and shared

Usage

```
splitAdjacencyMat(X)
```

Arguments

X	An adjacency matrix

Value

A list of two adjacency matrices

Author(s)

Samuel Wieczorek

Examples

```
data(subR25pept)
X <- BuildAdjacencyMatrix(subR25pept[[1]])
ll <- splitAdjacencyMat(X)
```

`subR25pept` *subR25pept dataset*

Description

This dataset is a subset of the final outcome of a quantitative mass spectrometry-based proteomic analysis of two samples containing different concentrations of 48 human proteins (UPS1 standard from Sigma-Aldrich) within a constant yeast background (see Giai Gianetto et al. (2016) for details). It contains the abundance values of the different human and yeast proteins identified and quantified in these two conditions. The two conditions represent the measured abundances of peptides when respectively 5 fmol and 10 fmol of UPS1 human proteins were mixed with the yeast extract before mass spectrometry analyses. This results in a concentration ratio of 2. Three technical replicates were acquired for each condition.

The original dataset is available as a CSV file (see inst/extdata/Exp1_R25_pept_100.txt). In the latter case, the quantitative data are those of the raw intensities.

This dataset is a subset containing the first 500 peptides from the original dataset, which comes from: https://doi.org/10.1002/pmic.201500189

Usage

```
data(subR25pept)
```

Format

An object of class `QFeatures` related to proteins quantification. It contains 6 samples divided into two conditions (10fmol and 5fmol) and 500 peptides

The data frame assay(subR25pept) contains six columns that are the quantitation of peptides for the six replicates.

The data frame fData(subR25pept) contains the meta data about the peptides

The data frame pData(subR25pept) contains the experimental design and gives few information about the samples.

Value

An object of class `QFeatures` related to proteins quantification.

References

Cox J., Hein M.Y., Luber C.A., Paron I., Nagaraj N., Mann M. Accurate proteome-wide label-free quantification by delayed normalization and maximal peptide ratio extraction, termed MaxLFQ. Mol Cell Proteomics. 2014 Sep, 13(9):2513-26.

Giai Gianetto, Q., Combes, F., Ramus, C., Bruley, C., Coute, Y., Burger, T. (2016). Calibration plot for proteomics: A graphical tool to visually check the assumptions underlying FDR control in quantitative experiments. Proteomics, 16(1), 29-32.

`subR25prot` *subR25prot dataset*

Description

This dataset is a subset of the final outcome of a quantitative mass spectrometry-based proteomic analysis of two samples containing different concentrations of 48 human proteins (UPS1 standard from Sigma-Aldrich) within a constant yeast background (see Giai Gianetto et al. (2016) for details). It contains the abundance values of the different human and yeast proteins identified and quantified in these two conditions. The two conditions represent the measured abundances of proteins when respectively 5 fmol and 10 fmol of UPS1 human proteins were mixed with the yeast extract before mass spectrometry analyses. This results in a concentration ratio of 2. Three technical replicates were acquired for each condition.

The original dataset is available as a CSV file (see inst/extdata/Exp1_R25_prot_100.txt). In the latter case, the quantitative data are those of the raw intensities.

This dataset is a subset containing the first 100 proteins from the original dataset, which comes from: https://doi.org/10.1002/pmic.201500189

Usage

```
data(subR25prot)
```

Format

An object of class `QFeatures` related to proteins quantification. It contains 6 samples divided into two conditions (10fmol and 5fmol) and 100 proteins.

The data frame assay(subR25prot) contains six columns that are the quantitation of proteins for the six replicates.

The data frame fData(subR25prot) contains the meta data about the proteins.

The data frame pData(subR25prot) contains the experimental design and gives few informations about the samples.

Value

An object of class `QFeatures` related to proteins quantification.

References

Cox J., Hein M.Y., Luber C.A., Paron I., Nagaraj N., Mann M. Accurate proteome-wide label-free quantification by delayed normalization and maximal peptide ratio extraction, termed MaxLFQ. Mol Cell Proteomics. 2014 Sep, 13(9):2513-26.

Giai Gianetto, Q., Combes, F., Ramus, C., Bruley, C., Coute, Y., Burger, T. (2016). Calibration plot for proteomics: A graphical tool to visually check the assumptions underlying FDR control in quantitative experiments. Proteomics, 16(1), 29-32.

`SymFilteringOperators` *Search lines which respects request on one or more conditions.*

Description

This function looks for the lines that respect the request in either all conditions or at least one condition.

Usage

```
SymFilteringOperators()

qMetacellFilteringScope()

qMetacellWholeMatrix(object, cmd, pattern, percent = TRUE, th, operator)

qMetacellWholeLine(object, cmd, pattern)

qMetacellOnConditions(
  object,
  cmd,
  mode,
  pattern,
  conds,
  percent = TRUE,
  operator,
  th
)
```

Arguments

`object`	An instance of the class `SummarizedExperiment`
`cmd`	A `character(1)` indicating the action to perform. Either "keep" or "delete".
`pattern`	A `character()` indicating the tag pattern of interest.
`percent`	A `character()` indicating whether the threshold represent an absolute value (FALSE) or a percentage (TRUE).
`th`	The threshold to apply
`operator`	String for operator to use. List of operators is available with 'SymFilteringOperators()'.
`mode`	A `character(1)` indicating how the task is performed. Either "AllCond" or "AtLeastOneCond".
`conds`	A vector of conditions in the dataset.

Value

A vector of operators

NA

A vector of filtering scopes

NA

NA

NA

Examples

```
SymFilteringOperators()

data(subR25prot)
obj <- subR25prot[[1]]
level <- typeDataset(obj)
pattern <- "Missing"
mask <- matchMetacell(
    metadata = qMetacell(obj),
    pattern = pattern,
    level = level
)
percent <- FALSE
th <- 3
op <- ">="
cmd <- 'delete'
ind <- qMetacellWholeMatrix(obj, cmd, pattern, percent, th, op)

data(subR25prot)
ind <- qMetacellWholeLine(obj, cmd, pattern)

conds <- design_qf(subR25prot)$Condition
op <- ">="
th <- 0.5
percent <- TRUE
mode <- "AllCond"
ind <- qMetacellOnConditions(obj, cmd, mode, pattern, conds, percent, op, th)

qMetacellFilteringScope()

data(subR25prot)
obj <- subR25prot[[1]]
```

---

testAnovaModels *Applies a statistical test on each element of a list of linear models*

Description

Applies a statistical test on each element of a list of linear models

Usage

```
testAnovaModels(aov_fits, test = "Omnibus")
```

Arguments

aov_fits	a list of linear models, such as those outputted by applyAnovasOnProteins
test	a character string among "Omnibus", "TukeyHSD", "TukeySinglestep", "TukeyStepwise", "TukeyNoMTC", "DunnettSinglestep", "DunnettStepwise" and "DunnettNoMTC". "Omnibus" tests the all-mean equality, the Tukey tests compares all pairs of means and the Dunnet tests compare all the means to the first one. For multiple tests (Dunnet's or Tukey's) it is possible to correct for multiplicity (either with single-step or step-wise FWER) or not. All the Tukey's and Dunnet's tests use the multcomp package expect for "TukeyHSD" which relies on the stats package. "TukeyHSD" and "TukeyStepwise" gives similar results.

Value

a list of 2 tables (p-values and fold-changes, respectively)

Author(s)

Thomas Burger

Examples

```
data(subR25prot)
obj <- subR25prot[seq_len(5),]
testAnovaModels(applyAnovasOnProteins(obj, 1))
```

---

testDesign *Check the validity of the design*

Description

Check the validity of the design

Usage

```
testDesign(tab)
```

Arguments

tab	A data.frame which correspond to the design

Value

A list of two items

Author(s)

Thomas Burger, Samuel Wieczorek

Examples

```
data(subR25pept)
testDesign(SummarizedExperiment::colData(subR25pept)[, -1])
```

thresholdpval4fdr *Applies p-value adjustment using cp4p on p-values below a given threshold*

Description

Applies p-value adjustment using cp4p on p-values below a given threshold

Usage

```
thresholdpval4fdr(x, pval.T, M)
```

Arguments

x	vector of p-values
pval.T	p-value threshold
M	a pi0.method from cp4p package

Value

adjusted p-values

Author(s)

Thomas Burger

Examples

```
NULL
```

translatedRandomBeta *Generator of simulated values*

Description

Generator of simulated values

Usage

```
translatedRandomBeta(n, min, max, param1 = 3, param2 = 1)
```

Arguments

n	An integer which is the number of simulation (same as in rbeta)
min	An integer that corresponds to the lower bound of the interval
max	An integer that corresponds to the upper bound of the interval
param1	An integer that is the first parameter of rbeta function.
param2	An integer that is second parameter of rbeta function.

Value

A vector of n simulated values

Author(s)

Thomas Burger

Examples

```
translatedRandomBeta(1000, 5, 10, 1, 1)
```

`wrapperCalibrationPlot` *Performs a calibration plot on an* `SummarizedExperiment` *object, calling the* `cp4p` *package functions.*

Description

This function is a wrapper to the calibration.plot method of the `cp4p` package for use with `SummarizedExperiment` objects.

Usage

```
wrapperCalibrationPlot(vPVal, pi0Method = "pounds")
```

Arguments

`vPVal`	A dataframe that contains quantitative data.
`pi0Method`	A vector of the conditions (one condition per sample).

Value

A plot

Author(s)

Samuel Wieczorek

Examples

```
data(subR25prot)
obj <- subR25prot
# Simulate imputation
obj <- NAIsZero(obj, 1)
allComp <- limmaCompleteTest(
SummarizedExperiment::assay(obj[[length(obj)]]),
design_qf(obj),
comp.type="OnevsOne")
wrapperCalibrationPlot(allComp$P_Value[, 1])
```

`wrapperClassic1wayAnova` *Wrapper for One-way Anova statistical test*

Description

Wrapper for One-way Anova statistical test

Usage

```
wrapperClassic1wayAnova(obj, i, with_post_hoc = "No", post_hoc_test = "No")
```

Arguments

`obj`	An object of class `QFeatures`.
`i`	An integer which is the index of the assay in the QFeatures object
`with_post_hoc`	a character string with 2 possible values: "Yes" and "No" (default) saying if function must perform a Post-Hoc test or not.
`post_hoc_test`	character string, possible values are "No" (for no test; default value) or TukeyHSD" or "Dunnett". See details of `postHocTest()` function to choose the appropriate one.

Details

This function allows to perform a 1-way Analysis of Variance. Also computes the post-hoc tests if the `with_post_hoc` parameter is set to yes. There are two possible post-hoc tests: the Tukey Honest Significant Differences (specified as "TukeyHSD") and the Dunnett test (specified as "Dunnett").

Value

A list of two dataframes. First one called "logFC" contains all pairwise comparisons logFC values (one column for one comparison) for each analysed feature (Except in the case without post-hoc testing, for which NAs are returned.); The second one named "P_Value" contains the corresponding p-values.

Author(s)

Hélène Borges

See Also

postHocTest()

Examples

```
library(SummarizedExperiment)
data(subR25prot)
obj <- subR25prot
filter <- FunctionFilter('qMetacellOnConditions',
  cmd = 'delete',
  mode = 'AtLeastOneCond',
  pattern = c("Missing POV", "Missing MEC"),
```

```
  conds = design_qf(obj)$Condition,
  percent = TRUE,
  th = 0.65,
  operator = '>')
obj <- filterFeaturesOneSE(obj, name = "Filtered", filters = list(filter))
anovatest <- wrapperClassic1wayAnova(obj, 2)
```

`wrapperDaparImputeMI` *Missing values imputation using the LSimpute algorithm.*

Description

This method is a wrapper to the function `impute.mi()` of the package `imp4p` adapted to an object of class `SummarizedExperiment`.

Usage

```
wrapperDaparImputeMI(
  obj,
  design,
  nb.iter = 3,
  nknn = 15,
  selec = 600,
  siz = 500,
  weight = 1,
  ind.comp = 1,
  progress.bar = FALSE,
  x.step.mod = 300,
  x.step.pi = 300,
  nb.rei = 100,
  method = 4,
  gridsize = 300,
  q = 0.95,
  q.min = 0,
  q.norm = 3,
  eps = 0,
  methodi = "slsa",
  lapala = TRUE,
  distribution = "unif"
)
```

Arguments

`obj`	An object of class `SummarizedExperiment`.
`design`	A `data.frame()` for the design of the dataset
`nb.iter`	Same as the function `mi.mix` in the package `imp4p`
`nknn`	Same as the function `mi.mix` in the package `imp4p`
`selec`	Same as the function `mi.mix` in the package `imp4p`

siz	Same as the function mi.mix in the package imp4p
weight	Same as the function mi.mix in the package imp4p
ind.comp	Same as the function mi.mix in the package imp4p
progress.bar	Same as the function mi.mix in the package imp4p
x.step.mod	Same as the function estim.mix in the package imp4p
x.step.pi	Same as the function estim.mix in the package imp4p
nb.rei	Same as the function estim.mix in the package imp4p
method	Same as the function estim.mix in the package imp4p
gridsize	Same as the function estim.mix in the package imp4p
q	Same as the function mi.mix in the package imp4p
q.min	Same as the function impute.pa in the package imp4p
q.norm	Same as the function impute.pa in the package imp4p
eps	Same as the function impute.pa in the package imp4p
methodi	Same as the function mi.mix in the package imp4p
lapala	A boolean
distribution	The type of distribution used. Values are unif (default) or beta.

Value

A matrix with imputed values instead of missing values.

Author(s)

Samuel Wieczorek

Examples

```
utils::data(subR25pept)
design <- design_qf(subR25pept)
obj.imp.na <- wrapperDaparImputeMI(subR25pept[[1]], design, nb.iter = 1, lapala = TRUE)
obj.imp.pov <- wrapperDaparImputeMI(subR25pept[[1]], design, nb.iter = 1, lapala = FALSE)
```

---

wrapperImputeMLE *Imputation of peptides having no values in a biological condition.*

Description

This method is a wrapper to the function impute.mle() of the package imp4p adapted to an object of class SummarizedExperiment. It does not impute MEC missing values.

Usage

```
wrapperImputeMLE(obj, grp)
```

Arguments

obj	An object of class SummarizedExperiment.
grp	A vector of conditions in the dataset.

Value

The SummarizedExperiment::assay(obj) matrix with imputed values instead of missing values.

Author(s)

Samuel Wieczorek

Examples

```
utils::data(subR25pept)
level <- 'peptide'
# Delete whole empty lines
metacell.mask <- DaparToolshed::matchMetacell(
qMetacell(subR25pept[[1]]),
c("Missing POV", "Missing MEC"), level)
indices <- GetIndices_WholeMatrix(metacell.mask, op = ">=", th = 1)
grp <- design_qf(subR25pept)$Condition
subR25pept <- wrapperImputeMLE(subR25pept[[1]], grp)
```

---

wrapperImputePA2 *Missing values imputation from a* SummarizedExperiment *object*

Description

This method is a wrapper to the function imputePA2() adapted to objects of class SummarizedExperiment.

Usage

```
wrapperImputePA2(
  obj,
  design,
  q.min = 0,
  q.norm = 3,
  eps = 0,
  distribution = "unif"
)
```

Arguments

obj	An object of class SummarizedExperiment.
design	A data.frame containing the columns "quantCols" corresponding to the samples name and "Condition" to the condition of each sample.
q.min	A quantile value of the observed values allowing defining the maximal value which can be generated. This maximal value is defined by the quantile q.min of the observed values distribution minus eps. Default is 0 (the maximal value is the minimum of observed values minus eps).
q.norm	A quantile value of a normal distribution allowing defining the minimal value which can be generated. Default is 3 (the minimal value is the maximal value minus qn*median(sd(observed values)) where sd is the standard deviation of a row in a condition).

eps	A value allowing defining the maximal value which can be generated. This maximal value is defined by the quantile q.min of the observed values distribution minus eps. Default is 0.
distribution	The type of distribution used. Values are unif (default) or beta.

Value

The object obj which has been imputed

Author(s)

Thomas Burger, Samuel Wieczorek

Examples

```
NULL
```

---

wrapperPirat *Missing values imputation using Pirat*

Description

This method is a wrapper to the function pipeline_llkimpute() of the package Pirat adapted to an object of class QFeatures of SummarizedExperiment.

Usage

```
wrapperPirat(data, adjmat, rnas_ab = NULL, adj_rna_pg = NULL, ...)
```

Arguments

data	An object of class QFeatures or SummarizedExperiment. If data is of class QFeatures, the last assay will be imputed.
adjmat	Adjacency matrix corresponding to the SummarizedExperiment or the last assay of QFeatures.
rnas_ab	Transcriptomic data with sample as row, used only if extension = 'T'.
adj_rna_pg	Adjacency matrix of rna (rows) and peptides or precursors (columns), used only if extension = 'T'.
...	Additional arguments to pass to my_pipeline_llkimpute()

Value

QFeatures including a new assay with imputed data or SummarizedExperiment with imputed data.

Author(s)

Manon Gaudin

Examples

```
data(subR25pept)

# Delete whole empty lines
filter_emptyline <- FunctionFilter("qMetacellWholeLine", cmd = 'delete', pattern = 'Missing MEC')
subR25pept <- filterFeaturesOneSE(object = subR25pept, i = length(subR25pept), name = "Filtered",
              filters = list(filter_emptyline))

subR25pept <- wrapperPirat(data = subR25pept,
adjmat = SummarizedExperiment::rowData(subR25pept[[length(subR25pept)]])$adjacencyMatrix,
extension = "base")
```

Index

∗ **datasets**
subR25pept, 101
subR25prot, 102
∗ **data**
subR25pept, 101
subR25prot, 102

Add2History, 5
Add_Aggregated_rowData *(*aggQmetacell*)*, 8
Add_Item_to_Dataset, 5
addColors *(*QFeatures-excel*)*, 88
adjacency-matrix-filter, 6
AdjMatFilters *(*adjacency-matrix-filter*)*, 6
aggQmetacell, 8
aggregateFeatures4Prostar *(*DaparToolshed-aggregate*)*, 23
aggregateFeatures4Prostar,QFeatures-method *(*DaparToolshed-aggregate*)*, 23
aggregateFeatures4Prostar,SummarizedExperiment-method *(*DaparToolshed-aggregate*)*, 23
aggregateMethods *(*aggQmetacell*)*, 8
aggregateRedistribution *(*DaparToolshed-aggregateRedistribution*)*, 24
aggregateRedistribution,QFeatures-method *(*DaparToolshed-aggregateRedistribution*)*, 24
aggregateRedistribution,SummarizedExperiment-method *(*DaparToolshed-aggregateRedistribution*)*, 24
allPeptides *(*adjacency-matrix-filter*)*, 6
analysis *(*paramshistory*)*, 76
analysis,QFeatures-method *(*paramshistory*)*, 76
analysis,SummarizedExperiment-method *(*paramshistory*)*, 76
analysis<- *(*paramshistory*)*, 76
AnnotationFilter, *90*
applyAnovasOnProteins, 11

BuildAdjacencyMatrix, 12
BuildColumnToProteinDataset *(*aggQmetacell*)*, 8
buildGraph, 13
BuildMetacell, 13

checkConditions, 14
checkDesign, 15
Children, 15
classic1wayAnova, 16
CleanRowData, 17
compareNormalizationD_HC, 17
compute_t_tests, 18
ConnectedComp *(*paramshistory*)*, 76
ConnectedComp,QFeatures-method *(*paramshistory*)*, 76
ConnectedComp,SummarizedExperiment-method *(*paramshistory*)*, 76
ConnectedComp<- *(*paramshistory*)*, 76
ConvertListToHtml, 20
CountPep, 20
createQFeatures, 21
createSampleinfo *(*createQFeatures*)*, 21
custom_metacell_colors *(*q_metacell*)*, 92

DaparToolsehd *(*QFeatures-filtering-oneSE*)*, 89
DaparToolshed-aggregate, 23
DaparToolshed-aggregateRedistribution, 24
design_qf *(*paramshistory*)*, 76
design_qf,QFeatures-method *(*paramshistory*)*, 76
design_qf<- *(*paramshistory*)*, 76
diffAnaComputeAdjustedPValues, 26
diffAnaComputeFDR, 27
diffAnaVolcanoplot_rCharts, 28
DifferentialAnalysis *(*paramshistory*)*, 76
DifferentialAnalysis,QFeatures-method *(*paramshistory*)*, 76
DifferentialAnalysis,SummarizedExperiment-method *(*paramshistory*)*, 76
DifferentialAnalysis<- *(*paramshistory*)*, 76
displayCCvisNet, 29

ExtendPalette, 30

ExtractUniquePeptides, 31

filename *(paramshistory)*, 76
filename,QFeatures-method *(paramshistory)*, 76
filename<- *(paramshistory)*, 76
filterFeaturesOneSE *(QFeatures-filtering-oneSE)*, 89
filterFeaturesOneSE, *(QFeatures-filtering-oneSE)*, 89
filterFeaturesOneSE,QFeatures-method *(QFeatures-filtering-oneSE)*, 89
findMECBlock *(mv_imputation_protein)*, 67
formatHSDResults, 31
formatLimmaResult, 32
formatPHResults, 33
formatPHTResults, 34
fudge2LRT, 34
FunctionFilter *(QFeatures-filtering-oneSE)*, 89
FunctionFilter, *(QFeatures-filtering-oneSE)*, 89
FunctionFilter-class *(QFeatures-filtering-oneSE)*, 89

GetColorsForConditions, 36
getDesignLevel, 36
GetDetailedNbPeptides, 37
GetDetailedNbPeptidesUsed, 38
GetHistory, 38
GetIndices_BasedOnConditions, 39
GetIndices_FunFiltering, 40
GetIndices_WholeLine, 41
GetIndices_WholeMatrix, 42
getListNbValuesInLines, 42
GetMetacellTags *(paramshistory)*, 76
GetMetacellTags,data.frame-method *(paramshistory)*, 76
GetMetacellTags,QFeatures-method *(paramshistory)*, 76
GetMetacellTags,SummarizedExperiment-method *(paramshistory)*, 76
GetMetadataSlot *(paramshistory)*, 76
GetNbPeptidesUsed, 43
GetNbTags, 44
getNumberOfEmptyLines, 44
getPepProtCC, 45
getProteinsStats, 46
getQuantile4Imp *(mv_imputation_protein)*, 67
GetRowdataSlot *(paramshistory)*, 76
GetSoftAvailables, 46
GetUniqueTags *(paramshistory)*, 76
GetUniqueTags,QFeatures-method *(paramshistory)*, 76
GetUniqueTags,SummarizedExperiment-method *(paramshistory)*, 76
globalAdjPval, 47
GlobalQuantileAlignment *(normalization_methods)*, 71
GraphPepProt, 47

hc_logFC_DensityPlot, 48
hc_mvTypePlot2 *(metacell-plots)*, 62
heatmapForMissingValues, 49
histPValue_HC, 50
HypothesisTest *(paramshistory)*, 76
HypothesisTest,QFeatures-method *(paramshistory)*, 76
HypothesisTest,SummarizedExperiment-method *(paramshistory)*, 76
HypothesisTest<- *(paramshistory)*, 76

idcol *(paramshistory)*, 76
idcol,QFeatures-method *(paramshistory)*, 76
idcol,SummarizedExperiment-method *(paramshistory)*, 76
idcol<- *(paramshistory)*, 76
imputePA2, 50
InitializeHistory, 52
innerAggregateIter *(aggQmetacell)*, 8
innerMean *(aggQmetacell)*, 8
innerMedian *(aggQmetacell)*, 8
innerMedianpolish *(aggQmetacell)*, 8
innerRobustsummary *(aggQmetacell)*, 8
innerSum *(aggQmetacell)*, 8
isDifferential, 52
isOfType, 53
isSubset, 54

Keep_Items_from_Dataset, 54

last_assay *(QFeatures-utils)*, 91
LH0, 55
LH0_lm, 55
LH1, 56
LH1_lm, 57
limmaCompleteTest, 57
listSheets *(output_2_Excel)*, 74
LOESS *(normalization_methods)*, 71

mainAssay *(paramshistory)*, 76
makeContrast, 58
makeDesign, 59
makeDesign1, 59

makeDesign2, 60
makeDesign3, 61
matchMetacell, 61
MeanCentering *(normalization_methods)*, 71
metacell-plots, 62
metacell_agg *(aggQmetacell)*, 8
Metacell_DIA_NN, 65
Metacell_generic *(q_metacell)*, 92
Metacell_maxquant, 66
Metacell_proline, 66
metacellDef *(q_metacell)*, 92
MetacellFilteringScope, 64
metacellHisto_HC *(metacell-plots)*, 62
metacellPerLinesHisto_HC *(metacell-plots)*, 62
metacellPerLinesHistoPerCondition_HC *(metacell-plots)*, 62
metacombine *(q_metacell)*, 92
mv_imputation_protein, 67
mvImage *(metacell-plots)*, 62

n_assays_in_qf *(QFeatures-utils)*, 91
NAIsZero, 69
names_metacell *(paramshistory)*, 76
names_metacell,QFeatures-method *(paramshistory)*, 76
names_metacell,SummarizedExperiment-method *(paramshistory)*, 76
names_metacell<- *(paramshistory)*, 76
nEmptyLines, 70
nonzero, 70
normalization_methods, 71
normalizeFunction, 73
normalizeMethods *(normalization_methods)*, 71
normalizeMethods(), *73*

output_2_Excel, 74
OWAnova, 75

paramshistory, 76
paramshistory,QFeatures-method *(paramshistory)*, 76
paramshistory,SummarizedExperiment-method *(paramshistory)*, 76
paramshistory<- *(paramshistory)*, 76
Parent, 80
parentProtId *(paramshistory)*, 76
parentProtId,QFeatures-method *(paramshistory)*, 76
parentProtId,SummarizedExperiment-method *(paramshistory)*, 76
parentProtId<- *(paramshistory)*, 76
pepaTest, 81
Pipelines, 82
pkgsRequire, 82
plotCompareAssays, 83
plotJitter, 84
plotJitter_rCharts, 84
postHocTest, 85
pushpvalue, 86

q_metacell, 92
QFeatures, *9*, *96*
QFeatures-accessors *(paramshistory)*, 76
QFeatures-excel, 88
QFeatures-filtering-oneSE, 89
QFeatures-utils, 91
QFeatures::aggregateFeatures(), *24*
QFeaturesFromSE *(QFeatures-utils)*, 91
qMetacell *(paramshistory)*, 76
qMetacell,QFeatures-method *(paramshistory)*, 76
qMetacell,SummarizedExperiment-method *(paramshistory)*, 76
qMetacell-filter *(SymFilteringOperators)*, 103
qMetacell<- *(paramshistory)*, 76
qMetacellFilteringScope *(SymFilteringOperators)*, 103
qMetacellOnConditions *(SymFilteringOperators)*, 103
qMetacellOnConditions(), *90*
qMetacellWholeLine *(SymFilteringOperators)*, 103
qMetacellWholeLine(), *90*
qMetacellWholeMatrix *(SymFilteringOperators)*, 103
qMetacellWholeMatrix(), *90*
QuantileCentering *(normalization_methods)*, 71

readExcel *(output_2_Excel)*, 74
reIntroduceMEC *(mv_imputation_protein)*, 67
ReplaceSpecialChars, 95
RunAggregation, 96

samLRT, 98
searchMetacellTags *(q_metacell)*, 92
select_topn *(aggQmetacell)*, 8
separateAdjPval, 99
Set_POV_MEC_tags *(q_metacell)*, 92
Set_POV_MEC_tags2 *(q_metacell)*, 92
SetHistory, 100

sharedPeptides
(adjacency-matrix-filter), 6
sharedPeptides(), 90
sparseMatrix(), 80
specPeptides (adjacency-matrix-filter), 6
specPeptides(), 90
splitAdjacencyMat, 100
subAdjMat_sharedPeptides
(adjacency-matrix-filter), 6
subAdjMat_specificPeptides
(adjacency-matrix-filter), 6
subAdjMat_topnPeptides
(adjacency-matrix-filter), 6
subR25pept, 101
subR25prot, 102
SumByColumns (normalization_methods), 71
SummarizedExperiment, 9
SymFilteringOperators, 103

testAnovaModels, 104
testDesign, 105
thresholdpval4fdr, 106
topnFunctions
(adjacency-matrix-filter), 6
topnPeptides (adjacency-matrix-filter), 6
topnPeptides(), 90
translatedRandomBeta, 106
typeDataset (paramshistory), 76
typeDataset,QFeatures-method
(paramshistory), 76
typeDataset,SummarizedExperiment-method
(paramshistory), 76
typeDataset<- (paramshistory), 76

UpdateMetacellAfterImputation
(q_metacell), 92
UpdateMetacellAfterImputation,SummarizedExperiment-method
(q_metacell), 92

VariableFilter
(QFeatures-filtering-oneSE), 89
version (paramshistory), 76
version,QFeatures-method
(paramshistory), 76
version<- (paramshistory), 76
vsn (normalization_methods), 71

wrapperCalibrationPlot, 107
wrapperClassic1wayAnova, 108
wrapperDaparImputeMI, 109
wrapperImputeDetQuant
(mv_imputation_protein), 67
wrapperImputeFixedValue
(mv_imputation_protein), 67
wrapperImputeKNN
(mv_imputation_protein), 67
wrapperImputeMLE, 110
wrapperImputePA
(mv_imputation_protein), 67
wrapperImputePA2, 111
wrapperImputeSLSA
(mv_imputation_protein), 67
wrapperMVImage (metacell-plots), 62
wrapperPirat, 112
write2excel (QFeatures-excel), 88
write2excel,QFeatures-method
(QFeatures-excel), 88
write2excel,SummarizedExperiment-method
(QFeatures-excel), 88
write2excelSE (QFeatures-excel), 88
write_Assay_To_Excel (output_2_Excel), 74
Write_RowData (output_2_Excel), 74
Write_SamplesData_to_Excel
(output_2_Excel), 74
writeExcel (output_2_Excel), 74
WriteHistory (output_2_Excel), 74