JASPAR2024

November 13, 2026

`JASPAR2024-class` *JASPAR2024 object class*

Description

The JASPAR2024 object class is a thin class for storing the path of JASPAR2024 style SQLite file.

Usage

```
JASPAR2024()
```

Value

JASPAR2024-class

Slots

`db` Object of class `"character"` a character string of the path of SQLite file.

Author(s)

Damir Baranasic

Examples

```
library(JASPAR2024)
library(RSQLite)

JASPAR2024 <- JASPAR2024()
JASPARConnect <- RSQLite::dbConnect(RSQLite::SQLite(), db(JASPAR2024))
RSQLite::dbGetQuery(JASPARConnect, 'SELECT * FROM MATRIX LIMIT 5')
dbDisconnect(JASPARConnect)
```

db *Access database from JASPAR2024 object*

Description

The accessor function for retrieving the location of the database location slot from the JASPAR2024 object

Usage

```
db(object)

## S4 method for signature 'JASPAR2024'
db(object)
```

Arguments

object	JASPAR2024 class object

Value

Returns the location of the JASPAR2024.sqlite file

Author(s)

Damir Baranasic

Examples

```
library(JASPAR2024)
JASPAR2024 <- JASPAR2024()
db(JASPAR2024)
```

Index

∗ **classes**
JASPAR2024-class, 1
∗ **function**
db, 2

db, 2
db,JASPAR2024-method *(*db*)*, 2

JASPAR2024 *(*JASPAR2024-class*)*, 1
JASPAR2024-class, 1