

Package ‘dyebiasexamples’

May 9, 2024

Version 1.45.0

Date 2 March 2016

Title Example data for the dyebias package, which implements the GASSCO method.

Author Philip Lijnzaad and Thanasis Margaritis

Description Data for the dyebias package, consisting of 4 self-self hybridizations of self-spotted yeast slides, as well as data from Array Express accession E-MTAB-32

Maintainer Philip Lijnzaad <plijnzaad@gmail.com>

License GPL-3

Depends R (>= 1.4.1), marray, GEOquery

Suggests dyebias, convert, Biobase

URL http://www.holstegelab.nl/publications/margaritis_lijnzaad

biocViews ExperimentData, SAGEData, CGHData, MicroarrayData, TwoChannelData, ArrayExpress

git_url <https://git.bioconductor.org/packages/dyebiasexamples>

git_branch devel

git_last_commit 46652d5

git_last_commit_date 2024-04-30

Repository Bioconductor 3.20

Date/Publication 2024-05-09

Contents

data.raw	2
dyebias.geo2marray	3
dyebias.umcu.proper.estimators	4
Index	6

`data.raw`*Example data for the dyebias package*

Description

The dyebias-package, described in Margaritis et al. (2009) can be used to get rid of dye bias in two-colour microarrays. The `data.raw` and `data.norm` objects are used in its examples.

The objects represent four hybridizations of identical mRNA, with increasing Cy3 and Cy5 labeling percentages (identical per slide) and differently spiked-in external controls to judge the process of dyebias correction.

Usage

```
data(data.raw)
data(data.norm)
```

Format

The data uses the `marray`-package by Dudoit and Yang (2002). `data.raw` is a `marrayRaw` object, `data.norm` is a `marrayNorm` object derived from it by print-tip LOESS normalization. Neither is dyebias-corrected yet.

Details

The column `R.group` of `maInfo(maTargets(data.norm))` shows the details. Eg., `4%_2EC` indicates that the labeling (of both channels) was at 4%, and the external controls were spiked in at a concentration twice that of the green channel. See Margaritis et al. (2009) for details.

Note

The Tuteja data is also included in this package under the `(inst)/doc` directory, as this data is not proper `rda`, `tab` or `csv` data. For details, refer to the original publication and/or the `dyebias vignette`.

Author(s)

Philip Lijnzaad

Source

All accession numbers below refer to ArrayExpress (<http://www.ebi.ac.uk/microarray>).

This two-colour microarray data was obtained from identical mRNA extracts (protocol P-UMCU-37), spiked with external controls, dUTP-labeled with Cy3 and Cy5 (protocol P-UMCU-38). This was hybridized (protocol P-UMCU-39) onto self-spotted slides containing 70-mer oligonucleotides (2 replicates per oligo, Operon "Array-Ready", and including 2838 control features; protocol P-UMCU-34). Scanning was done with an Agilent G2565AA scanner (protocol P-UMCU-40) and images were quantified with BioDiscovery's ImaGene 7.x (protocol P-UMCU-42)

References

Margaritis, T., Lijnzaad, P., van-Leenen, D., Bouwmeester, D., Kemmeren, P., van-Hooff, S.R and Holstege, F.C.P. (2009). Adaptable gene-specific dye bias correction for two-channel DNA microarrays. *Molecular Systems Biology*, submitted

Dudoit, S. and Yang, Y.H. (2002) Bioconductor R packages for exploratory analysis and normalization of cDNA microarray data. In: Parmigiani, G., Garrett, E.S. , Irizarry, R.A., and Zeger, S.L. (eds.) *The Analysis of Gene Expression Data: Methods and Software*, New-York: Springer

Examples

```
data(data.raw)
data(data.norm)
```

dyebias.geo2marray *convenience function to convert GEO objects to marray objects*

Description

convenience function to convert GEO objects to marray objects

Arguments

<code>gse</code>	GSE data set
<code>slide.ids</code>	Return only the slides with these ids. If NULL, return all.
<code>type</code>	what to extract; must be either "norm" or "raw".
<code>gene.selector</code>	function(table) acting on Table(GPL) giving back an index with the rows considered to be genes.
<code>reporterid.name</code>	column containing the reporter.id, in Table(gpl).
<code>cy3.name</code>	The column name containing the factor value for the Cy3 (green) channel
<code>cy5.name</code>	The column name containing the factor value for the Cy5 (red) channel
<code>R.name</code>	column name for extracting the R data from Table(gsm)
<code>G.name</code>	column name for extracting the G data from Table(gsm)
<code>M.name</code>	column name for extracting the M data from Table(gsm)
<code>A.name</code>	column name for extracting the A data from Table(gsm)
<code>Rf.name</code>	column name for extracting the Rf data from Table(gsm)
<code>Gf.name</code>	column name for extracting the Gf data from Table(gsm)
<code>Rb.name</code>	column name for extracting the Rb data from Table(gsm)
<code>Gb.name</code>	column name for extracting the Gb data from Table(gsm)

Details

The XYZ.name mechanism is the same as that used in [read.marrayRaw](#); i.e. you specify the name of the column that contains the desired data.

Value

A full-fledged `marrayRaw` (if type was "raw") or `marrayNorm` (if type was "norm") is returned.

Note

At some point, this functionality should be merged into the `convert` package.

Author(s)

Philip Lijnzaad

References

Davis, S. and Meltzer, P.S (2007). GEOquery: a bridge between the Gene Expression Omnibus (GEO) and BioConductor. *Bioinformatics* 23, 1846–1847 (doi:10.1093/bioinformatics/btm254).

Dudoit, S. and Yang, Y.H. (2002) Bioconductor R packages for exploratory analysis and normalization of cDNA microarray data. In: Parmigiani, G., Garrett, E.S. , Irizarry, R.A., and Zeger, S.L. (eds.) *The Analysis of Gene Expression Data: Methods and Software*, New-York: Springer

Chen,S., de-Vries, M.A. and Bell, S.P. (2007) *Genes Dev.* 21, 2897–2907 "Orc6 is required for dynamic recruitment of Cdt1 during repeated Mcm2-7 loading" (doi:10.1101/gad.1596807)

Examples

```
## Not run:
## Running this example takes too much time; if you want that, see the
## second example in the vignette

## End(Not run)
```

dyebias.umcu.proper.estimators

Determine which spots should not be ruled out as slide bias estimators

Description

Some spots (reporters/probes) should not be used when estimating the slide bias. Typical examples are mitochondrial genes and spots known to cross-hybridize. This function finds the ones that are OK to use.

Arguments

`reporter.info` A data.frame, one row per spot, with (at least) columns `reporterId` (e.g. gene id or oligo id) and any of the following characteristics: `reporterGroup`, `chromosomeName`, `bioSeqType`, `crosshybRank` and `reporterSequence`. They are used to get rid of reporters that are not suitable when estimating the slide bias.

`verbose` Logical specifying whether to be verbose or not

Index

* **datasets**

data.raw, [2](#)

* **misc**

dyebias.geo2marray, [3](#)

dyebias.umcu.proper.estimators, [4](#)

data.norm (data.raw), [2](#)

data.raw, [2](#)

dyebias.apply.correction, [5](#)

dyebias.geo2marray, [3](#)

dyebias.umcu.proper.estimators, [4](#)

read.marrayRaw, [3](#)