

Package ‘raerdata’

July 9, 2024

Title A collection of datasets for use with raer package

Version 1.3.0

Description raerdata is an ExperimentHub package that provides a collection of files useful for demonstrating functionality in the raer package. Datasets include 10x genomics scRNA-seq, bulk RNA-seq, and paired whole-genome and RNA-seq data. Additionally databases of human and mouse RNA editing sites are provided.

License MIT + file LICENSE

Imports ExperimentHub, Rsamtools, BiocGenerics, rtracklayer, SingleCellExperiment

Suggests rmarkdown, knitr, BiocStyle, testthat (>= 3.0.0)

VignetteBuilder knitr

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Encoding UTF-8

biocViews SingleCellData, SequencingData, RNASeqData, ExperimentHub, PackageTypeData, ExpressionData

BugReports <https://github.com/rnabioco/raerdata/issues>

URL <https://github.com/rnabioco/raerdata>

Config/testthat/edition 3

git_url <https://git.bioconductor.org/packages/raerdata>

git_branch devel

git_last_commit 97aa80d

git_last_commit_date 2024-04-30

Repository Bioconductor 3.20

Date/Publication 2024-07-09

Author Kent Riemondy [aut, cre] (<<https://orcid.org/0000-0003-0750-1273>>)

Maintainer Kent Riemondy <kent.riemondy@cuanschut.z.edu>

Contents

GSE99249	2
NA12878	3
pbmc_10x	3
raerdata	4
redportal_full_mm10	5
Index	6

GSE99249	<i>RNA sequencing data from study GSE99249</i>
----------	--

Description

Study [GSE99249](#) examined RNA editing in WT, ADAR1KO, and ADAR1-p150 HEK293T cells treated with and without interferon beta.

Usage

GSE99249()

Details

GSE99249() will download BAM and BAM index files from 6 RNA-seq libraries. 3 libraries are ADAR1 knockout cells treated with interferon beta and 3 libraries are wild type cells treated with interferon beta. The BAM files contain alignments from chromosome 18.

Value

A list containing:

- bams A [BamFileList](#) object, indicating the BAM file paths and BAI indexes.
- fasta A path to a fasta file from chr18 of hg38
- snps a GRanges object containing known SNPs from the REDPortal database (hg38)

Examples

GSE99249()

`NA12878`*Whole genome and RNA sequencing data from NA12878 cell line*

Description

Whole genome and RNA sequencing data from NA12878 cell line

Usage`NA12878()`**Details**

Will download BAM and BAM index files from whole genome and RNA sequencing of the NA12878 cell line, The data is from the first megabase of chromosome 4. Additionally a fasta file and a database of known SNPs will be downloaded.

Value

A list containing:

- `bams` A [BamFileList](#) object, indicating the BAM file paths and BAI indexes.
- `fasta` A path to a fasta file containing the genome sequence of the first megabase of chr4 (hg38)
- `snps` a `GRanges` object containing SNPs from the first megabase of chr4

Examples`NA12878()`

`pbmc_10x`*single cell RNA sequencing data from human PBMCs*

Description

A 10x Genomics 3' single cell RNA-seq library from 10k PBMCs. The BAM file contains alignments from chr16. A [SingleCellExperiment](#) is also provided with pre-processed gene expression data, a UMAP projection and cell type annotations.

Usage`pbmc_10x()`

Details

`pbmc_10x()` will download a BAM, BAM index file, REDIPortal RNA editing sites, and a Single-CellExperiment object from the [ExperimentHub](#).

Value

A list containing:

- bam a [BamFile](#) object indicating the BAM and BAI file paths. Contains alignments from only chr16 (hg38).
- sites a GRanges object containing known RNA editing sites from the REDIPortal database (hg38).
- sce a [SingleCellExperiment](#) object containing gene expression data, a UMAP projection and cell type annotations.

See Also

<https://www.10xgenomics.com/resources/datasets/10k-human-pbmcs-3-v3-1-chromium-x-with-intronic-reads>

Examples

```
pbmc_10x()
```

raerdata

raerdata

Description

A collection of datasets and databases to demonstrate RNA-editing analysis approaches using the raer package.

Details

[atlases](#) a collection of RNA editing databases

[NA12878](#) Whole genome and RNA sequencing data from the NA12878 cell line

[GSE99249](#) RNA sequencing data from a study that examined RNA editing in WT, ADAR1KO, and ADAR1-p150 HEK293T cells treated with and without interferon beta.

[pbmc_10x](#) single cell RNA sequencing data from human PBMCs from 10x Genomics

rediportal_full_mm10 *Databases of known RNA editing sites*

Description

Databases of known RNA editing sites

Usage

rediportal_full_mm10()

rediportal_coords_mm10()

rediportal_full_hg38()

rediportal_coords_hg38()

gabay_sites_mm10()

gabay_sites_hg38()

Details

rediportal_full_hg38() will download the human REDiportal database for hg38 which has been converted into a GRanges object. The GRanges is supplemented with additional columns of information provided by the REDiportal database, including gene location, repeat type, dbSNP annotation, and potential for amino-acid recoding.

rediportal_coords_hg38() will download the human REDiportal database for hg38 which has been converted into a GRanges object, which only contains the coordinates of the editing site.

rediportal_full_mm10() will download the mouse REDiportal database for mm10 which has been converted into a GRanges object. The GRanges is supplemented with additional columns of information provided by the REDiportal database, including gene location, repeat type, dbSNP annotation, and potential for amino-acid recoding.

rediportal_coords_mm10() will download the mouse REDiportal database for mm10 which has been converted into a GRanges object, which only contains the coordinates of the editing site.

gabay_sites_hg38() will download high-confidence human CDS editing sites (hg38).

gabay_sites_mm10() will download high-confidence mouse CDS editing sites (lifted-over from hg38 to mm10).

Value

A GRanges object.

Examples

```
gabay_sites_hg38()
```

Index

* atlases

rediportal_full_mm10, 5

atlases, 4

BamFile, 4

BamFileList, 2, 3

ExperimentHub, 4

gabay_sites_hg38

(rediportal_full_mm10), 5

gabay_sites_mm10

(rediportal_full_mm10), 5

GSE99249, 2, 4

NA12878, 3, 4

pbmc_10x, 3, 4

raerdata, 4

rediportal_coords_hg38

(rediportal_full_mm10), 5

rediportal_coords_mm10

(rediportal_full_mm10), 5

rediportal_full_hg38

(rediportal_full_mm10), 5

rediportal_full_mm10, 5

SingleCellExperiment, 3, 4