

# Package ‘scPipe’

December 27, 2024

**Title** Pipeline for single cell multi-omic data pre-processing

**Date** 2022-10-12

**Version** 2.7.1

**Type** Package

**biocViews** ImmunoOncology, Software, Sequencing, RNASeq, GeneExpression, SingleCell, Visualization, SequenceMatching, Preprocessing, QualityControl, GenomeAnnotation, DataImport

**Description** A preprocessing pipeline for single cell RNA-seq/ATAC-seq data that starts from the fastq files and produces a feature count matrix with associated quality control information. It can process fastq data generated by CEL-seq, MARS-seq, Drop-seq, Chromium 10x and SMART-seq protocols.

**Depends** R (>= 4.2.0), SingleCellExperiment

**LinkingTo** Rcpp, Rhtslib (>= 1.13.1), testthat

**Imports** AnnotationDbi, basilisk, BiocGenerics, biomaRt, Biostrings, data.table, dplyr, DropletUtils, flexmix, GenomicRanges, GenomicAlignments, GGally, ggplot2, glue (>= 1.3.0), grDevices, graphics, hash, IRanges, magrittr, MASS, Matrix (>= 1.5.0), mclust, methods, MultiAssayExperiment, org.Hs.eg.db, org.Mm.eg.db, purrr, Rcpp (>= 0.11.3), reshape, reticulate, Rhtslib, rlang, robustbase, Rsamtools, Rsubread, rtracklayer, SummarizedExperiment, S4Vectors, scales, stats, stringr, tibble, tidyr, tools, utils, vctrs (>= 0.5.2)

**SystemRequirements** C++11, GNU make

**License** GPL (>= 2)

**Encoding** UTF-8

**RoxygenNote** 7.2.3

**NeedsCompilation** yes

**URL** <https://github.com/LuyiTian/scPipe>

**BugReports** <https://github.com/LuyiTian/scPipe>

**Suggests** BiocStyle, DT, GenomicFeatures, grid, igraph, kableExtra,  
knitr, locStra, plotly, rmarkdown, RColorBrewer, readr,  
reshape2, RANN, shiny, scater (>= 1.11.0), testthat, xml2, umap

**VignetteBuilder** knitr

**git\_url** <https://git.bioconductor.org/packages/scPipe>

**git\_branch** devel

**git\_last\_commit** 53eacce

**git\_last\_commit\_date** 2024-12-17

**Repository** Bioconductor 3.21

**Date/Publication** 2024-12-26

**Author** Luyi Tian [aut],  
Shian Su [aut, cre],  
Shalin Naik [ctb],  
Shani Amarasinghe [aut],  
Oliver Voogd [aut],  
Phil Yang [aut],  
Matthew Ritchie [ctb]

**Maintainer** Shian Su <su.s@wehi.edu.au>

## Contents

|  |    |
|--|----|
| .qq_outliers_robust . . . . .          | 4  |
| anno_import . . . . .                  | 4  |
| anno_to_saf . . . . .                  | 5  |
| calculate_QC_metrics . . . . .         | 6  |
| cell_barcode_matching . . . . .        | 7  |
| check_barcode_start_position . . . . . | 8  |
| convert_geneid . . . . .               | 9  |
| create_processed_report . . . . .      | 10 |
| create_report . . . . .                | 11 |
| create_sce_by_dir . . . . .            | 13 |
| demultiplex_info . . . . .             | 14 |
| detect_outlier . . . . .               | 15 |
| feature_info . . . . .                 | 16 |
| feature_type . . . . .                 | 17 |
| gene_id_type . . . . .                 | 18 |
| get_chromosomes . . . . .              | 19 |
| get_ercc_anno . . . . .                | 19 |
| get_genes_by_GO . . . . .              | 20 |
| get_read_str . . . . .                 | 21 |
| organism.sce . . . . .                 | 21 |
| plot_demultiplex . . . . .             | 22 |
| plot_mapping . . . . .                 | 23 |
| plot_QC_pairs . . . . .                | 24 |
| plot_UMI_dup . . . . .                 | 24 |

|  |    |
|--|----|
| QC_metrics . . . . .                               | 25 |
| read_cells . . . . .                               | 26 |
| remove_outliers . . . . .                          | 27 |
| scPipe . . . . .                                   | 27 |
| sc_aligning . . . . .                              | 28 |
| sc_atac_bam_tagging . . . . .                      | 29 |
| sc_atac_cell_calling . . . . .                     | 30 |
| sc_atac_create_cell_qc_metrics . . . . .           | 32 |
| sc_atac_create_fragments . . . . .                 | 32 |
| sc_atac_create_report . . . . .                    | 34 |
| sc_atac_create_sce . . . . .                       | 34 |
| sc_atac_emptydrops_cell_calling . . . . .          | 35 |
| sc_atac_feature_counting . . . . .                 | 36 |
| sc_atac_filter_cell_calling . . . . .              | 38 |
| sc_atac_peak_calling . . . . .                     | 39 |
| sc_atac_pipeline . . . . .                         | 40 |
| sc_atac_pipeline_quick_test . . . . .              | 43 |
| sc_atac_plot_cells_per_feature . . . . .           | 43 |
| sc_atac_plot_features_per_cell . . . . .           | 44 |
| sc_atac_plot_features_per_cell_ordered . . . . .   | 44 |
| sc_atac_plot_fragments_cells_per_feature . . . . . | 45 |
| sc_atac_plot_fragments_features_per_cell . . . . . | 45 |
| sc_atac_plot_fragments_per_cell . . . . .          | 46 |
| sc_atac_plot_fragments_per_feature . . . . .       | 46 |
| sc_atac_remove_duplicates . . . . .                | 47 |
| sc_atac_tfidf . . . . .                            | 47 |
| sc_atac_trim_barcode . . . . .                     | 48 |
| sc_correct_bam_bc . . . . .                        | 50 |
| sc_count_aligned_bam . . . . .                     | 51 |
| sc_demultiplex . . . . .                           | 53 |
| sc_demultiplex_and_count . . . . .                 | 54 |
| sc_detect_bc . . . . .                             | 56 |
| sc_exon_mapping . . . . .                          | 57 |
| sc_gene_counting . . . . .                         | 58 |
| sc_get_umap_data . . . . .                         | 59 |
| sc_integrate . . . . .                             | 60 |
| sc_interactive_umap_plot . . . . .                 | 61 |
| sc_mae_plot_umap . . . . .                         | 61 |
| sc_sample_data . . . . .                           | 62 |
| sc_sample_qc . . . . .                             | 63 |
| sc_trim_barcode . . . . .                          | 64 |
| TF.IDF.custom . . . . .                            | 65 |
| UMI_duplication . . . . .                          | 66 |
| UMI_dup_info . . . . .                             | 67 |

`.qq_outliers_robust`     *Detect outliers based on robust linear regression of QQ plot*

---

**Description**

Detect outliers based on robust linear regression of QQ plot

**Usage**

```
.qq_outliers_robust(x, df, conf)
```

**Arguments**

|                   |   |
|-------------------|---|
| <code>x</code>    | a vector of mahalanobis distance              |
| <code>df</code>   | degree of freedom for chi-square distribution |
| <code>conf</code> | confidence for linear regression              |

**Value**

cell names of outliers

---

`anno_import`     *Import gene annotation*

---

**Description**

Because of the variations in data format depending on annotation source, this function has only been tested with human annotation from ENSEMBL, RefSeq and Gencode. If it behaves unexpectedly with any annotation please submit an issue at [www.github.com/LuyiTian/scPipe](http://www.github.com/LuyiTian/scPipe) with details.

**Usage**

```
anno_import(filename)
```

**Arguments**

|                       |   |
|-----------------------|---|
| <code>filename</code> | The name of the annotation gff3 or gtf file. File can be gzipped. |
|-----------------------|---|

**Details**

Imports and GFF3 or GTF gene annotation file and transforms it into a SAF formatted data.frame. SAF described at <http://bioinf.wehi.edu.au/featureCounts/>. SAF contains positions for exons, strand and the GeneID they are associated with.

**Value**

data.frame containing exon information in SAF format

**Examples**

```
ens_chrY <- anno_import(system.file("extdata", "ensembl_hg38_chrY.gtf.gz", package = "scPipe"))
```

---

|             |  |
|-------------|--|
| anno_to_saf | <i>Convert annotation from GenomicRanges to Simple Annotation Format (SAF)</i> |
|-------------|--|

---

**Description**

This function converts a GRanges object into a data.frame of the SAF format for scPipe's consumption. The GRanges object should contain a "type" column where at least some features are annotated as "exon", in addition there should be a gene\_id column specifying the gene to which the exon belongs. In the SAF only the gene ID, chromosome, start, end and strand are recorded, this is a gene-exon centric format, with all entries containing the same gene ID treated as exons of that gene. It is possible to count alternative features by setting the gene\_id column to an arbitrary feature name and having alternative features in the SAF table, the main caveat is that the features are still treated as exons, and the mapping statistics for exon and intron will not reflect biological exons and introns but rather the annotation features.

**Usage**

```
anno_to_saf(anno)
```

**Arguments**

anno            The GRanges object containing exon information

**Details**

Convert a GRanges object containing type and gene\_id information into a SAF format data.frame. SAF described at <http://bioinf.wehi.edu.au/featureCounts/>. SAF contains positions for exons, strand and the GeneID they are associated with.

**Value**

data.frame containing exon information in SAF format

## Examples

```
## Not run:
anno <- system.file("extdata", "ensembl_hg38_chrY.gtf.gz", package = "scPipe")
saf_chrY <- anno_to_saf(rtracklayer::import(anno))

## End(Not run)
```

---

calculate\_QC\_metrics *Calculate QC metrics from gene count matrix*

---

## Description

Calculate QC metrics from gene count matrix

## Usage

```
calculate_QC_metrics(sce)
```

## Arguments

sce                    a SingleCellExperiment object containing gene counts

## Details

get QC metrics using gene count matrix. The QC statistics added are

- number\_of\_genes number of genes detected.
- total\_count\_per\_cell sum of read number after UMI deduplication.
- non\_mt\_percent 1 - percentage of mitochondrial gene counts. Mitochondrial genes are retrieved by GO term GO:0005739
- non\_ERCC\_percent ratio of exon counts to ERCC counts
- non\_ribo\_percent 1 - percentage of ribosomal gene counts ribosomal genes are retrieved by GO term GO:0005840.

## Value

an SingleCellExperiment with updated QC metrics

## Examples

```
data("sc_sample_data")
data("sc_sample_qc")
sce <- SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) <- "mmusculus_gene_ensembl"
gene_id_type(sce) <- "ensembl_gene_id"
QC_metrics(sce) <- sc_sample_qc
```

```
demultiplex_info(sce) <- cell_barcode_matching
UMI_dup_info(sce) <- UMI_duplication

# The sample qc data already run through function `calculate_QC_metrics`.
# So we delete these columns and run `calculate_QC_metrics` to get them again:
colnames(colnames(QC_metrics(sce)))
QC_metrics(sce) <- QC_metrics(sce)[,c("unaligned", "aligned_unmapped", "mapped_to_exon")]
sce = calculate_QC_metrics(sce)
colnames(QC_metrics(sce))
```

---

cell\_barcode\_matching *cell barcode demultiplex statistics for a small sample scRNA-seq dataset to demonstrate capabilities of scPipe*

---

## Description

This data.frame contains cell barcode demultiplex statistics with several rows:

- barcode\_unmatch\_ambiguous\_mapping is the number of reads that do not match any barcode, but aligned to the genome and mapped to multiple features.
- barcode\_unmatch\_mapped\_to\_intron is the number of reads that do not match any barcode, but aligned to the genome and mapped to intron.
- barcode\_match is the number of reads that match the cell barcodes
- barcode\_unmatch\_unaligned is the number of reads that do not match any barcode, and not aligned to the genome
- barcode\_unmatch\_aligned is the number of reads that do not match any barcode, but aligned to the genome and do not mapped to any feature
- barcode\_unmatch\_mapped\_to\_exon is the number of reads that do not match any barcode, but aligned to the genome and mapped to the exon

## Format

a data.frame instance, one row per cell.

## Value

NULL, but makes a data frame with cell barcode demultiplex statistics

## Author(s)

Luyi Tian

## Source

Christin Biben (WEHI). She FACS sorted cells from several immune cell types including B cells, granulocyte and some early progenitors.

**Examples**

```

data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication

demultiplex_info(sce)

```

---

check\_barcode\_start\_position

*Check Valid Barcode Start Position*

---

**Description**

Checks to see if the given barcode start position (bstart) is valid for the fastq file. If the found barcode percentage is less than the given threshold, a new barcode start position is searched for by checking every position from the start of each read to 10 bases after the bstart

**Usage**

```

check_barcode_start_position(
  fastq,
  barcode_file,
  barcode_file_realname,
  bstart,
  blength,
  search_lines,
  threshold
)

```

**Arguments**

|                       |  |
|-----------------------|--|
| fastq                 | file containing reads  |
| barcode_file          | csv file   |
| barcode_file_realname | the real name of the csv file  |
| bstart                | the start position for barcodes in the given reads                             |
| blength               | length of each barcode   |
| search_lines          | the number of fastq lines to use for the check                                 |
| threshold             | the minimum percentage of found barcodes to accept for the program to continue |



**Value**

Boolean; TRUE if program can continue execution, FALSE otherwise.

---

|                |  |
|----------------|--|
| convert_geneid | <i>convert the gene ids of a SingleCellExperiment object</i> |
|----------------|--|

---

**Description**

convert the gene ids of a SingleCellExperiment object

**Usage**

```
convert_geneid(sce, returns = "external_gene_name", all = TRUE)
```

**Arguments**

|         |  |
|---------|--|
| sce     | a SingleCellExperiment object  |
| returns | the gene id which is set as return. Default to be 'external_gene_name'. A possible list of attributes can be retrieved using the function <code>listAttributes</code> from <code>biomaRt</code> package. The commonly used id types are 'external_gene_name', 'ensembl_gene_id' or 'entrezgene'. |
| all     | logic. For genes that cannot convert to new gene id, keep them with the old id or delete them. The default is keep them.   |

**Details**

convert the gene id of all datas in the SingleCellExperiment object

**Value**

sce with converted id

**Examples**

```
# the gene id in example data are `external_gene_name`
# the following example will convert it to `external_gene_name`.
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication
head(rownames(sce))
sce = convert_geneid(sce, return="external_gene_name")
head(rownames(sce))
```

---

```
create_processed_report  
    create_processed_report
```

---

## Description

Create an HTML report summarising pro-processed data. This is an alternative to the more verbose `create_report` that requires only the processed counts and stats folders.

## Usage

```
create_processed_report(  
  outdir = ".",  
  organism,  
  gene_id_type,  
  report_name = "report"  
)
```

## Arguments

|                           |   |
|---------------------------|---|
| <code>outdir</code>       | output folder.  |
| <code>organism</code>     | the organism of the data. List of possible names can be retrieved using the function <code>'listDatasets'</code> from <code>'biomaRt'</code> package. (e.g. <code>'mmusculus_gene_ensembl'</code> or <code>'hsapiens_gene_ensembl'</code> ).  |
| <code>gene_id_type</code> | gene id type of the data A possible list of ids can be retrieved using the function <code>'listAttributes'</code> from <code>'biomaRt'</code> package. the commonly used id types are <code>'external_gene_name'</code> , <code>'ensembl_gene_id'</code> or <code>'entrezgene'</code> . |
| <code>report_name</code>  | the name of the report <code>.Rmd</code> and <code>.html</code> files.  |

## Value

file path of the created compiled document.

## Examples

```
## Not run:  
create_report(  
  outdir="output_dir_of_scPipe",  
  organism="mmusculus_gene_ensembl",  
  gene_id_type="ensembl_gene_id")  
  
## End(Not run)
```

---

|               |                      |
|---------------|----------------------|
| create_report | <i>create_report</i> |
|---------------|----------------------|

---

## Description

create an HTML report using data generated by preprocessing step.

## Usage

```
create_report(
  sample_name,
  outdir,
  r1 = "NA",
  r2 = "NA",
  outfq = "NA",
  read_structure = list(bs1 = 0, bl1 = 0, bs2 = 0, bl2 = 0, us = 0, ul = 0),
  filter_settings = list(rmlow = TRUE, rmN = TRUE, minq = 20, numbq = 2),
  align_bam = "NA",
  genome_index = "NA",
  map_bam = "NA",
  exon_anno = "NA",
  stnd = TRUE,
  fix_chr = FALSE,
  barcode_anno = "NA",
  max_mis = 1,
  UMI_cor = 1,
  gene_fl = FALSE,
  organism,
  gene_id_type
)
```

## Arguments

|                 |  |
|-----------------|--|
| sample_name     | sample name  |
| outdir          | output folder  |
| r1              | file path of read1   |
| r2              | file path of read2 default to be NULL  |
| outfq           | file path of the output of sc_trim_barcode   |
| read_structure  | a list contains read structure configuration. For more help see ‘?sc_trim_barcode’ |
| filter_settings | a list contains read filter settings for more help see ‘?sc_trim_barcode’          |
| align_bam       | the aligned bam file   |
| genome_index    | genome index used for alignment  |
| map_bam         | the mapped bam file  |

|              |   |
|--------------|---|
| exon_anno    | the gff exon annotation used. Can have multiple files   |
| stnd         | whether to perform strand specific mapping  |
| fix_chr      | add 'chr' to chromosome names, fix inconsistent names.  |
| barcode_anno | cell barcode annotation file path.  |
| max_mis      | maximum mismatch allowed in barcode. Default to be 1  |
| UMI_cor      | correct UMI sequence error: 0 means no correction, 1 means simple correction and merge UMI with distance 1.   |
| gene_fl      | whether to remove low abundant gene count. Low abundant is defined as only one copy of one UMI for this gene  |
| organism     | the organism of the data. List of possible names can be retrieved using the function 'listDatasets' from 'biomaRt' package. (i.e 'mmusculus_gene_ensembl' or 'hsapiens_gene_ensembl')                               |
| gene_id_type | gene id type of the data A possible list of ids can be retrieved using the function 'listAttributes' from 'biomaRt' package. the commonly used id types are 'external_gene_name', 'ensembl_gene_id' or 'entrezgene' |

### Value

no return

### Examples

```
## Not run:
create_report(sample_name="sample_001",
  outdir="output_dir_of_scPipe",
  r1="read1.fq",
  r2="read2.fq",
  outfq="trim.fq",
  read_structure=list(bs1=-1, b11=2, bs2=6, b12=8, us=0, ul=6),
  filter_settings=list(rmlow=TRUE, rmN=TRUE, minq=20, numq=2),
  align_bam="align.bam",
  genome_index="mouse.index",
  map_bam="aligned.mapped.bam",
  exon_anno="exon_anno.gff3",
  stnd=TRUE,
  fix_chr=FALSE,
  barcode_anno="cell_barcode.csv",
  max_mis=1,
  UMI_cor=1,
  gene_fl=FALSE,
  organism="mmusculus_gene_ensembl",
  gene_id_type="ensembl_gene_id")

## End(Not run)
```

---

|                   |  |
|-------------------|--|
| create_sce_by_dir | <i>create a SingleCellExperiment object from data folder generated by preprocessing step</i> |
|-------------------|--|

---

## Description

after we run `sc_gene_counting` and finish the preprocessing step. `create_sce_by_dir` can be used to generate the [SingleCellExperiment](#) object from the folder that contains gene count matrix and QC statistics. it can also generate the html report based on the gene count and quality control statistics

## Usage

```
create_sce_by_dir(  
  datadir,  
  organism = NULL,  
  gene_id_type = NULL,  
  pheno_data = NULL,  
  report = FALSE  
)
```

## Arguments

|                           |   |
|---------------------------|---|
| <code>datadir</code>      | the directory that contains all the data and 'stat' subfolder.  |
| <code>organism</code>     | the organism of the data. List of possible names can be retrieved using the function 'listDatasets' from 'biomaRt' package. (i.e 'mmusculus_gene_ensembl' or 'hsapiens_gene_ensembl')                               |
| <code>gene_id_type</code> | gene id type of the data A possible list of ids can be retrieved using the function 'listAttributes' from 'biomaRt' package. the commonly used id types are 'external_gene_name', 'ensembl_gene_id' or 'entrezgene' |
| <code>pheno_data</code>   | the external phenotype data that linked to each single cell. This should be an AnnotatedDataFrame object  |
| <code>report</code>       | whether to generate the html report in the data folder  |

## Details

after we run `sc_gene_counting` and finish the preprocessing step. `create_sce_by_dir` can be used to generate the `SingleCellExperiment` object from the folder that contains gene count matrix and QC statistics.

## Value

a `SingleCellExperiment` object

**Examples**

```

## Not run:
# the sce can be created from the output folder of scPipe
# please refer to the vignettes
sce = create_sce_by_dir(datadir="output_dir_of_scPipe",
  organism="mmusculus_gene_ensembl",
  gene_id_type="ensembl_gene_id")

## End(Not run)
# or directly from the gene count and quality control matrix:
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication
dim(sce)

```

---

|                  |                         |
|------------------|-------------------------|
| demultiplex_info | <i>demultiplex_info</i> |
|------------------|-------------------------|

---

**Description**

Get or set cell barcode demultiplex results in a `SingleCellExperiment` object

**Usage**

```

demultiplex_info(object)

demultiplex_info(object) <- value

demultiplex_info.sce(object)

## S4 method for signature 'SingleCellExperiment'
demultiplex_info(object)

## S4 replacement method for signature 'SingleCellExperiment'
demultiplex_info(object) <- value

```

**Arguments**

|        |   |
|--------|---|
| object | A <code>SingleCellExperiment</code> object.   |
| value  | Value to be assigned to corresponding object. |

**Value**

a dataframe of cell barcode demultiplex information

A DataFrame of cell barcode demultiplex results.

**Author(s)**

Luyi Tian

**Examples**

```
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication

demultiplex_info(sce)
```

---

detect\_outlier

*Detect outliers based on QC metrics*

---

**Description**

This algorithm will try to find comp number of components in quality control metrics using a Gaussian mixture model. Outlier detection is performed on the component with the most genes detected. The rest of the components will be considered poor quality cells. More cells will be classified low quality as you increase comp.

**Usage**

```
detect_outlier(
  sce,
  comp = 1,
  sel_col = NULL,
  type = c("low", "both", "high"),
  conf = c(0.9, 0.99),
  batch = FALSE
)
```

**Arguments**

|         |   |
|---------|---|
| sce     | a SingleCellExperiment object containing QC metrics.  |
| comp    | the number of component used in GMM. Depending on the quality of the experiment.  |
| sel_col | a vector of column names which indicate the columns to use for QC. By default it will be the statistics generated by ‘calculate_QC_metrics()’                                 |
| type    | only looking at low quality cells (‘low’) or possible doublets (‘high’) or both (‘both’)  |
| conf    | confidence interval for linear regression at lower and upper tails. Usually, this is smaller for lower tail because we hope to pick out more low quality cells than doublets. |
| batch   | whether to perform quality control separately for each batch. Default is FALSE. If set to TRUE then you should have a column called ‘batch’ in the ‘colData(sce)’.            |

**Details**

detect outlier using Mahalanobis distances

**Value**

an updated SingleCellExperiment object with an ‘outlier’ column in colData

**Examples**

```
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication
# the sample qc data already run through function `calculate_QC_metrics`
# for a new sce please run `calculate_QC_metrics` before `detect_outlier`
sce = detect_outlier(sce)
table(QC_metrics(sce)$outliers)
```

---

feature\_info

*Get or set feature\_info from a SingleCellExperiment object*


---

**Description**

Get or set feature\_info from a SingleCellExperiment object



**Usage**

```
feature_info(object)

feature_info(object) <- value

feature_info.sce(object)

## S4 method for signature 'SingleCellExperiment'
feature_info(object)

## S4 replacement method for signature 'SingleCellExperiment'
feature_info(object) <- value
```

**Arguments**

object            A [SingleCellExperiment](#) object.  
value            Value to be assigned to corresponding object.

**Value**

a dataframe of feature info for scATAC-seq data  
A DataFrame of feature information

**Author(s)**

Shani Amarasinghe

---

|              |   |
|--------------|---|
| feature_type | <i>Get or set feature_type from a SingleCellExperiment object</i> |
|--------------|---|

---

**Description**

Get or set feature\_type from a SingleCellExperiment object

**Usage**

```
feature_type(object)

feature_type(object) <- value

feature_type.sce(object)

## S4 method for signature 'SingleCellExperiment'
feature_type(object)

## S4 replacement method for signature 'SingleCellExperiment'
feature_type(object) <- value
```

**Arguments**

object            A [SingleCellExperiment](#) object.  
 value            Value to be assigned to corresponding object.

**Value**

the feature type used in feature counting for scATAC-Seq data  
 A string representing the feature type

**Author(s)**

Shani Amarasinghe

---

|              |   |
|--------------|---|
| gene_id_type | <i>Get or set gene_id_type from a SingleCellExperiment object</i> |
|--------------|---|

---

**Description**

Get or set gene\_id\_type from a SingleCellExperiment object

**Usage**

```
gene_id_type(object)

gene_id_type(object) <- value

gene_id_type.sce(object)

## S4 method for signature 'SingleCellExperiment'
gene_id_type(object)

## S4 replacement method for signature 'SingleCellExperiment'
gene_id_type(object) <- value
```

**Arguments**

object            A [SingleCellExperiment](#) object.  
 value            Value to be assigned to corresponding object.

**Value**

the gene id type used by Biomart  
 gene id type string

**Author(s)**

Luyi Tian

**Examples**

```

data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication

gene_id_type(sce)

```

---

|                 |                        |
|-----------------|------------------------|
| get_chromosomes | <i>Get Chromosomes</i> |
|-----------------|------------------------|

---

**Description**

Gets a list of NamedList of chromosomes and the reference length acquired through the bam index file.

**Usage**

```
get_chromosomes(bam, keep_contigs = "^chr")
```

**Arguments**

bam                    file path to the bam file to get data from  
keep\_contigs        regular expression used with grepl to filter reference names

**Value**

a named list where element names are chromosomes reference names and elements are integer lengths

---

|               |                                  |
|---------------|----------------------------------|
| get_ercc_anno | <i>Get ERCC annotation table</i> |
|---------------|----------------------------------|

---

**Description**

Helper function to retrieve ERCC annotation as a dataframe in SAF format

**Usage**

```
get_ercc_anno()
```

**Value**

data.frame containing ERCC annotation

**Examples**

```
ercc_anno <- get_ercc_anno()
```

---

|                              |  |
|------------------------------|--|
| <code>get_genes_by_GO</code> | <i>Get genes related to certain GO terms from biomart database</i> |
|------------------------------|--|

---

**Description**

Get genes related to certain GO terms from biomart database

**Usage**

```
get_genes_by_GO(
  returns = "ensembl_gene_id",
  dataset = "mmusculus_gene_ensembl",
  go = NULL
)
```

**Arguments**

|         |   |
|---------|---|
| returns | the gene id which is set as return. Default to be ensembl id A possible list of attributes can be retrieved using the function <code>listAttributes</code> from <code>biomaRt</code> package. The commonly used id types are ‘external_gene_name’, ‘ensembl_gene_id’ or ‘entrezgene’. |
| dataset | Dataset you want to use. List of possible datasets can be retrieved using the function <code>listDatasets</code> from <code>biomaRt</code> package.   |
| go      | a vector of GO terms  |

**Details**

Get genes related to certain GO terms from biomart database

**Value**

a vector of gene ids.

**Examples**

```
# get all genes under GO term GO:0005739 in mouse, return ensembl gene id
get_genes_by_GO(returns="ensembl_gene_id",
  dataset="mmusculus_gene_ensembl",
  go=c('GO:0005739'))
```

---

|              |   |
|--------------|---|
| get_read_str | <i>Get read structure for particular scRNA-seq protocol</i> |
|--------------|---|

---

**Description**

The supported protocols are:

- CelSeq
- CelSeq2
- DropSeq
- 10x (also called ChromiumV1)

If you know the structure of a specific protocol and would like it supported, please leave a issue post at [www.github.com/luyitian/scPipe](http://www.github.com/luyitian/scPipe).

**Usage**

```
get_read_str(protocol)
```

**Arguments**

|          |                      |
|----------|----------------------|
| protocol | name of the protocol |
|----------|----------------------|

**Value**

list of UMI and Barcode locations for use in other scPipe functions

**Examples**

```
get_read_str("celseq")
```

---

|              |   |
|--------------|---|
| organism.sce | <i>Get or set organism from a SingleCellExperiment object</i> |
|--------------|---|

---

**Description**

Get or set organism from a SingleCellExperiment object

**Usage**

```
organism.sce(object)
```

```
## S4 method for signature 'SingleCellExperiment'
organism(object)
```

```
## S4 replacement method for signature 'SingleCellExperiment'
organism(object) <- value
```

**Arguments**

object        A `SingleCellExperiment` object.  
value        Value to be assigned to corresponding object.

**Value**

organism string

**Author(s)**

Luyi Tian

**Examples**

```
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication

organism(sce)
```

---

plot\_demultiplex        *plot\_demultiplex*

---

**Description**

Plot cell barcode demultiplexing result for the `SingleCellExperiment`. The barcode demultiplexing result is shown using a barplot, with the bars indicating proportions of total reads. Barcode matches and mismatches are summarised along with whether or not the read mapped to the genome. High proportion of genome aligned reads with no barcode match may indicate barcode integration failure.

**Usage**

```
plot_demultiplex(sce)
```

**Arguments**

sce            a `SingleCellExperiment` object

**Value**

a ggplot2 bar chart

**Examples**

```

data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication

plot_demultiplex(sce)

```

---

plot\_mapping

*Plot mapping statistics for SingleCellExperiment object.*


---

**Description**

Plot mapping statistics for SingleCellExperiment object.

**Usage**

```
plot_mapping(sce, sel_col = NULL, percentage = FALSE, dataname = "")
```

**Arguments**

|            |   |
|------------|---|
| sce        | a SingleCellExperiment object   |
| sel_col    | a vector of column names, indicating the columns to use for plot. by default it will be the mapping result. |
| percentage | TRUE to convert the number of reads to percentage   |
| dataname   | the name of this dataset, used as plot title  |

**Value**

a ggplot2 object

**Examples**

```

data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication

plot_mapping(sce, percentage=TRUE, dataname="sc_sample")

```

---

|               |   |
|---------------|---|
| plot_QC_pairs | <i>Plot GGally pairs plot of QC statistics from SingleCellExperiment object</i> |
|---------------|---|

---

**Description**

Plot GGally pairs plot of QC statistics from SingleCellExperiment object

**Usage**

```
plot_QC_pairs(sce, sel_col = NULL)
```

**Arguments**

|         |   |
|---------|---|
| sce     | a SingleCellExperiment object   |
| sel_col | a vector of column names which indicate the columns to use for plot. By default it will be the statistics generated by 'calculate_QC_metrics()' |

**Value**

a ggplot2 object

**Examples**

```
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication
sce = detect_outlier(sce)

plot_QC_pairs(sce)
```

---

|              |                                       |
|--------------|---------------------------------------|
| plot_UMI_dup | <i>Plot UMI duplication frequency</i> |
|--------------|---------------------------------------|

---

**Description**

Plot the UMI duplication frequency.

**Usage**

```
plot_UMI_dup(sce, log10_x = TRUE)
```



**Arguments**

sce                    a SingleCellExperiment object  
 log10\_x                whether to use log10 scale for x axis

**Value**

a line chart of the UMI duplication frequency

**Examples**

```
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication

plot_UMI_dup(sce)
```

---

 QC\_metrics

*Get or set quality control metrics in a SingleCellExperiment object*


---

**Description**

Get or set quality control metrics in a SingleCellExperiment object

**Usage**

```
QC_metrics(object)

QC_metrics(object) <- value

QC_metrics.sce(object)

## S4 method for signature 'SingleCellExperiment'
QC_metrics(object)

## S4 replacement method for signature 'SingleCellExperiment'
QC_metrics(object) <- value
```

**Arguments**

object                A [SingleCellExperiment](#) object.  
 value                Value to be assigned to corresponding object.

**Value**

a dataframe of quality control metrics  
A DataFrame of quality control metrics.

**Author(s)**

Luyi Tian

**Examples**

```
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
QC_metrics(sce) = sc_sample_qc

head(QC_metrics(sce))
```

---

read\_cells

*Read Cell barcode file*

---

**Description**

Read Cell barcode file

**Usage**

```
read_cells(cells)
```

**Arguments**

cells            the file path to the barcode file. Assumes one barcode per line or barcode csv.  
Or, cells can be a comma delimited string of barcodes

**Value**

a character vector of the provided barcodes

---

|                 |  |
|-----------------|--|
| remove_outliers | <i>Remove outliers in SingleCellExperiment</i> |
|-----------------|--|

---

**Description**

Removes outliers flagged by `detect_outliers()`

**Usage**

```
remove_outliers(sce)
```

**Arguments**

`sce` a `SingleCellExperiment` object

**Value**

a `SingleCellExperiment` object without outliers

**Examples**

```
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication
sce = detect_outlier(sce)
dim(sce)
sce = remove_outliers(sce)
dim(sce)
```

---

|        |  |
|--------|--|
| scPipe | <i>scPipe - single cell RNA-seq pipeline</i> |
|--------|--|

---

**Description**

The `scPipe` will do cell barcode demultiplexing, UMI deduplication and quality control on fastq data generated from all protocols

**Author(s)**

Luyi Tian <tian.l@wehi.edu.au>; Shian Su <su.s@wehi.edu.au>

---

sc\_aligning

*aligning the demultiplexed FASTQ reads using the Rsubread:align()*


---

## Description

after we run the `sc_trim_barcode` or `sc_atac_trim_barcode` to demultiplex the fastq files, we are using this function to align those fastq files to a known reference.

## Usage

```
sc_aligning(
  R1,
  R2 = NULL,
  tech = "atac",
  index_path = NULL,
  ref = NULL,
  output_folder = NULL,
  output_file = NULL,
  input_format = "FASTQ",
  output_format = "BAM",
  type = "dna",
  nthreads = 1
)
```

## Arguments

|               |   |
|---------------|---|
| R1            | a mandatory character vector including names of files that include sequence reads to be aligned. For paired-end reads, this gives the list of files including first reads in each library. File format is FASTQ/FASTA by default. |
| R2            | a character vector, the second fastq file, which is required if the data is paired-end  |
| tech          | a character string giving the sequencing technology. Possible value includes "atac" or "rna"  |
| index_path    | character string specifying the path/basename of the index files, if the Rsubread genome build is available   |
| ref           | a character string specifying the path to reference genome file (.fasta, .fa format)  |
| output_folder | a character string, the name of the output folder   |
| output_file   | a character vector specifying names of output files. By default, names of output files are set as the file names provided in R1 added with an suffix string   |
| input_format  | a string indicating the input format  |
| output_format | a string indicating the output format   |
| type          | type of sequencing data ('RNA' or 'DNA')  |
| nthreads      | numeric value giving the number of threads used for mapping.  |

**Value**

the file path of the output aligned BAM file

**Examples**

```
## Not run:
sc_aligning(index_path,
            tech = 'atac',
            R1,
            R2,
            nthreads = 6)

## End(Not run)
```

---

sc\_atac\_bam\_tagging    *BAM tagging*

---

**Description**

Demultiplexes the reads

**Usage**

```
sc_atac_bam_tagging(
  inbam,
  output_folder = NULL,
  bc_length = NULL,
  bam_tags = list(bc = "CB", mb = "OX"),
  nthreads = 1
)
```

**Arguments**

|               |                                     |
|---------------|-------------------------------------|
| inbam         | The input BAM file                  |
| output_folder | The path of the output folder       |
| bc_length     | The length of the cellular barcodes |
| bam_tags      | The BAM tags                        |
| nthreads      | The number of threads               |

**Details**

```
sc_atac_bam_tagging()
```

**Value**

file path of the resultant demultiplexed BAM file.

**Examples**

```

r1 <- system.file("extdata", "small_chr21_R1.fastq.gz", package="scPipe")
r2 <- system.file("extdata", "small_chr21_R3.fastq.gz", package="scPipe")
barcode_fastq <- system.file("extdata", "small_chr21_R2.fastq.gz", package="scPipe")
out <- tempdir()

sc_atac_trim_barcode(r1=r1, r2=r2, bc_file=barcode_fastq, output_folder=out)

demux_r1 <- file.path(out, "demux_completematch_small_chr21_R1.fastq.gz")
demux_r2 <- file.path(out, "demux_completematch_small_chr21_R3.fastq.gz")
reference <- system.file("extdata", "small_chr21.fa", package="scPipe")

aligned_bam <- sc_aligning(ref=reference, R1=demux_r1, R2=demux_r2, nthreads=6, output_folder=out)

out_bam <- sc_atac_bam_tagging(
  inbam = aligned_bam,
  output_folder = out,
  nthreads = 6)

```

---

sc\_atac\_cell\_calling *identifying true vs empty cells*

---

**Description**

the methods to call true cells are of various ways. implement (i.e. filtering from scATAC-Pro as default

**Usage**

```

sc_atac_cell_calling(
  mat,
  cell_calling = "filter",
  output_folder,
  genome_size = NULL,
  cell_qc_metrics_file = NULL,
  lower = NULL,
  min_uniq_frags = 3000,
  max_uniq_frags = 50000,
  min_frac_peak = 0.3,
  min_frac_tss = 0,
  min_frac_enhancer = 0,
  min_frac_promoter = 0.1,
  max_frac_mito = 0.15
)

```

**Arguments**

|                      |   |
|----------------------|---|
| mat                  | the feature by cell matrix.   |
| cell_calling         | the cell calling approach, possible options were "emptydrops" , "cellranger" and "filter". But we opten to using "filter" as it was most robust. "emptydrops" is still an opition for data with large umber of cells. |
| output_folder        | output directory for the cell called matrix.  |
| genome_size          | genome size for the data in feature by cell matrix.   |
| cell_qc_metrics_file | quality per barcode file for the barcodes in the matrix if using the cellranger or filter options.  |
| lower                | the lower threshold for the data if using the emptydrops function for cell calling.   |
| min_uniq_frags       | The minimum number of required unique fragments required for a cell (used for filter cell calling)  |
| max_uniq_frags       | The maximum number of required unique fragments required for a cell (used for filter cell calling)  |
| min_frac_peak        | The minimum proportion of fragments in a cell to overlap with a peak (used for filter cell calling)   |
| min_frac_tss         | The minimum proportion of fragments in a cell to overlap with a tss (used for filter cell calling)  |
| min_frac_enhancer    | The minimum proportion of fragments in a cell to overlap with a enhancer sequence (used for filter cell calling)  |
| min_frac_promoter    | The minimum proportion of fragments in a cell to overlap with a promoter sequence (used for filter cell calling)  |
| max_frac_mito        | The maximum proportion of fragments in a cell that are mitochondrial (used for filter cell calling)   |

**Examples**

```
## Not run:
sc_atac_cell_calling <- function(mat,
  cell_calling,
  output_folder,
  genome_size = NULL,
  cell_qc_metrics_file = NULL,
  lower = NULL)

## End(Not run)
```

---

`sc_atac_create_cell_qc_metrics`*generating a file useful for producing the qc plots*

---

**Description**

uses the peak file and annotation files for features

**Usage**

```
sc_atac_create_cell_qc_metrics(  
    frags_file,  
    peaks_file,  
    promoters_file,  
    tss_file,  
    enhs_file,  
    output_folder  
)
```

**Arguments**

|                             |   |
|-----------------------------|---|
| <code>frags_file</code>     | The fragment file                                 |
| <code>peaks_file</code>     | The peak file                                     |
| <code>promoters_file</code> | The path of the promoter annotation file          |
| <code>tss_file</code>       | The path of the tss annotation file               |
| <code>enhs_file</code>      | The path of the enhs annotation file              |
| <code>output_folder</code>  | The path of the output folder for resultant files |

**Value**

Nothing (Invisible 'NULL')

---

`sc_atac_create_fragments`*Generating the popular fragments for scATAC-Seq data*

---

**Description**

Takes in a tagged and sorted BAM file and outputs the associated fragments in a .bed file



**Usage**

```

sc_atac_create_fragments(
    inbam,
    output_folder = "",
    min_mapq = 30,
    nproc = 1,
    cellbarcode = "CB",
    chromosomes = "^chr",
    readname_barcode = NULL,
    cells = NULL,
    max_distance = 5000,
    min_distance = 10,
    chunksize = 5e+05
)

```

**Arguments**

|                  |  |
|------------------|--|
| inbam            | The tagged, sorted and duplicate-free input BAM file   |
| output_folder    | The path of the output folder  |
| min_mapq         | : int Minimum MAPQ to retain fragment  |
| nproc            | : int, optional Number of processors to use. Default is 1.   |
| cellbarcode      | : str Tag used for cell barcode. Default is CB (used by cellranger)  |
| chromosomes      | : str, optional Regular expression used to match chromosome names to include in the output file. Default is "(?i)^chr" (starts with "chr", case-insensitive). If None, use all chromosomes in the BAM file.    |
| readname_barcode | : str, optional Regular expression used to match cell barcode stored in read name. If None (default), use read tags instead. Use "[^:]*" to match all characters before the first colon (":").                 |
| cells            | : str File containing list of cell barcodes to retain. If None (default), use all cell barcodes found in the BAM file.   |
| max_distance     | : int, optional Maximum distance between integration sites for the fragment to be retained. Allows filtering of implausible fragments that likely result from incorrect mapping positions. Default is 5000 bp. |
| min_distance     | : int, optional Minimum distance between integration sites for the fragment to be retained. Allows filtering implausible fragments that likely result from incorrect mapping positions. Default is 10 bp.      |
| chunksize        | : int Number of BAM entries to read through before collapsing and writing fragments to disk. Higher chunksize will use more memory but will be faster.   |

**Value**

returns NULL

---

sc\_atac\_create\_report *HTML report generation*

---

### Description

Generates a HTML report using the output folder produced by the pipeline

### Usage

```
sc_atac_create_report(  
  input_folder,  
  output_folder = NULL,  
  organism = NULL,  
  sample_name = NULL,  
  feature_type = NULL,  
  n_barcode_subset = 500  
)
```

### Arguments

|                  |  |
|------------------|--|
| input_folder     | The path of the folder produced by the pipeline  |
| output_folder    | The path of the output folder to store the HTML report in  |
| organism         | A string indicating the name of the organism being analysed  |
| sample_name      | A string indicating the name of the sample   |
| feature_type     | A string indicating the type of the feature ('genome_bin' or 'peak')                                 |
| n_barcode_subset | if you require only to visualise stats for a sample of barcodes to improve processing time (integer) |

### Value

the path of the output file

---

sc\_atac\_create\_sce *sc\_atac\_create\_sce()*

---

### Description

sc\_atac\_create\_sce()

**Usage**

```
sc_atac_create_sce(  
  input_folder = NULL,  
  organism = NULL,  
  sample_name = NULL,  
  feature_type = NULL,  
  pheno_data = NULL,  
  report = FALSE  
)
```

**Arguments**

|              |   |
|--------------|---|
| input_folder | The output folder produced by the pipeline      |
| organism     | The type of the organism                        |
| sample_name  | The name of the sample                          |
| feature_type | The type of the feature                         |
| pheno_data   | The pheno data                                  |
| report       | Whether or not a HTML report should be produced |

**Value**

a SingleCellExperiment object created from the scATAC-Seq data provided

**Examples**

```
## Not run:  
sc_atac_create_sce(  
  input_folder = input_folder,  
  organism = "hg38",  
  feature_type = "peak",  
  report = TRUE)  
  
## End(Not run)
```

---

sc\_atac\_emptydrops\_cell\_calling  
*empty drops cell calling*

---

**Description**

The empty drops cell calling method

**Usage**

```
sc_atac_emptydrops_cell_calling(mat, output_folder, lower = NULL)
```

**Arguments**

|               |   |
|---------------|---|
| mat           | The input matrix  |
| output_folder | The path of the output folder   |
| lower         | The lower threshold for the data if using the emptydrops function for cell calling. |

---

sc\_atac\_feature\_counting

*generating the feature by cell matrix*

---

**Description**

feature matrix is created using a given demultiplexed BAM file and a selected feature type

**Usage**

```
sc_atac_feature_counting(
  fragment_file,
  feature_input = NULL,
  bam_tags = list(bc = "CB", mb = "OX"),
  feature_type = "peak",
  organism = "hg38",
  cell_calling = "filter",
  sample_name = "",
  genome_size = NULL,
  promoters_file = NULL,
  tss_file = NULL,
  enhs_file = NULL,
  gene_anno_file = NULL,
  pheno_data = NULL,
  bin_size = NULL,
  yieldsize = 1e+06,
  n_filter_cell_counts = 200,
  n_filter_feature_counts = 10,
  exclude_regions = FALSE,
  excluded_regions_filename = NULL,
  output_folder = NULL,
  fix_chr = "none",
  lower = NULL,
  min_uniq_frags = 3000,
  max_uniq_frags = 50000,
  min_frac_peak = 0.3,
  min_frac_tss = 0,
  min_frac_enhancer = 0,
  min_frac_promoter = 0.1,
  max_frac_mito = 0.15,
```

```

    create_report = FALSE
)

```

### Arguments

|                           |   |
|---------------------------|---|
| fragment_file             | The fragment file   |
| feature_input             | The feature input data e.g. the .narrowPeak file for peaks of a bed file format                     |
| bam_tags                  | The BAM tags  |
| feature_type              | The type of feature   |
| organism                  | The organism type (contains hg19, hg38, mm10)   |
| cell_calling              | The desired cell calling method; either cellranger, emptydrops or filter.                           |
| sample_name               | The sample name to identify which is the data is analysed for.                                      |
| genome_size               | The size of the genome (used for the cellranger cell calling method)                                |
| promoters_file            | The path of the promoter annotation file (if the specified organism isn't recognised).              |
| tss_file                  | The path of the tss annotation file (if the specified organism isn't recognised).                   |
| enhs_file                 | The path of the enhs annotation file (if the specified organism isn't recognised).                  |
| gene_anno_file            | The path of the gene annotation file (gtf or gff3 format).  |
| pheno_data                | The phenotypic data as a data frame   |
| bin_size                  | The size of the bins  |
| yieldsize                 | The yield size  |
| n_filter_cell_counts      | An integer value to filter the feature matrix on the number of reads per cell (default = 200)       |
| n_filter_feature_counts   | An integer value to filter the feature matrix on the number of reads per feature (default = 10).    |
| exclude_regions           | Whether or not the regions (specified in the file) should be excluded                               |
| excluded_regions_filename | The filename of the file containing the regions to be excluded                                      |
| output_folder             | The output folder   |
| fix_chr                   | Whether chr should be fixed or not  |
| lower                     | the lower threshold for the data if using the emptydrops function for cell calling                  |
| min_uniq_frags            | The minimum number of required unique fragments required for a cell (used for filter cell calling)  |
| max_uniq_frags            | The maximum number of required unique fragments required for a cell (used for filter cell calling)  |
| min_frac_peak             | The minimum proportion of fragments in a cell to overlap with a peak (used for filter cell calling) |
| min_frac_tss              | The minimum proportion of fragments in a cell to overlap with a tss (used for filter cell calling)  |

|                   |   |
|-------------------|---|
| min_frac_enhancer | The minimum proportion of fragments in a cell to overlap with an enhancer sequence (used for filter cell calling) |
| min_frac_promoter | The minimum proportion of fragments in a cell to overlap with a promoter sequence (used for filter cell calling)  |
| max_frac_mito     | The maximum proportion of fragments in a cell that are mitochondrial (used for filter cell calling)               |
| create_report     | Logical value to say whether to create the report or not (default = TRUE).  |

**Value**

None (invisible 'NULL')

**Examples**

```
## Not run:
sc_atac_feature_counting(
  fragment_file = fragment_file,
  cell_calling = "filter",
  exclude_regions = TRUE,
  feature_input = feature_file)

## End(Not run)
```

---

sc\_atac\_filter\_cell\_calling  
*filter cell calling*

---

**Description**

specify various qc cutoffs to select the desired cells

**Usage**

```
sc_atac_filter_cell_calling(
  mtx,
  cell_qc_metrics_file,
  min_uniq_frags = 0,
  max_uniq_frags = 50000,
  min_frac_peak = 0.05,
  min_frac_tss = 0,
  min_frac_enhancer = 0,
  min_frac_promoter = 0,
  max_frac_mito = 0.2
)
```

**Arguments**

|                      |   |
|----------------------|---|
| mtx                  | The input matrix  |
| cell_qc_metrics_file | A file containing qc statistics for each cell                                     |
| min_uniq_frags       | The minimum number of required unique fragments required for a cell               |
| max_uniq_frags       | The maximum number of required unique fragments required for a cell               |
| min_frac_peak        | The minimum proportion of fragments in a cell to overlap with a peak              |
| min_frac_tss         | The minimum proportion of fragments in a cell to overlap with a tss               |
| min_frac_enhancer    | The minimum proportion of fragments in a cell to overlap with a enhancer sequence |
| min_frac_promoter    | The minimum proportion of fragments in a cell to overlap with a promoter sequence |
| max_frac_mito        | The maximum proportion of fragments in a cell that are mitochondrial              |

---

sc\_atac\_peak\_calling    *sc\_atac\_peak\_calling()*

---

**Description**

sc\_atac\_peak\_calling()

**Usage**

```
sc_atac_peak_calling(
  inbam,
  ref = NULL,
  genome_size = NULL,
  output_folder = NULL
)
```

**Arguments**

|               |   |
|---------------|---|
| inbam         | The input tagged, sorted, duplicate-free input BAM file |
| ref           | The reference genome file                               |
| genome_size   | The size of the genome                                  |
| output_folder | The path of the output folder                           |

**Value**

None (invisible 'NULL')

## Examples

```
## Not run:
sc_atac_peak_calling(
  inbam,
  reference)

## End(Not run)
```

---

sc\_atac\_pipeline      *A convenient function for running the entire pipeline*

---

## Description

A convenient function for running the entire pipeline

## Usage

```
sc_atac_pipeline(
  r1,
  r2,
  bc_file,
  valid_barcode_file = "",
  id1_st = -0,
  id1_len = 16,
  id2_st = 0,
  id2_len = 16,
  rmN = TRUE,
  rmlow = TRUE,
  organism = NULL,
  reference = NULL,
  feature_type = NULL,
  remove_duplicates = FALSE,
  samtools_path = NULL,
  genome_size = NULL,
  bin_size = NULL,
  yieldsize = 1e+06,
  exclude_regions = TRUE,
  excluded_regions_filename = NULL,
  fix_chr = "none",
  lower = NULL,
  cell_calling = "filter",
  promoters_file = NULL,
  tss_file = NULL,
  enhs_file = NULL,
  gene_anno_file = NULL,
  min_uniq_frags = 3000,
  max_uniq_frags = 50000,
```



```

    min_frac_peak = 0.3,
    min_frac_tss = 0,
    min_frac_enhancer = 0,
    min_frac_promoter = 0.1,
    max_frac_mito = 0.15,
    report = TRUE,
    nthreads = 12,
    output_folder = NULL
)

```

## Arguments

|                    |  |
|--------------------|--|
| r1                 | The first read fastq file  |
| r2                 | The second read fastq file   |
| bc_file            | the barcode information, can be either in a fastq format (e.g. from 10x-ATAC) or from a .csv file (here the barcode is expected to be on the second column). Currently, for the fastq approach, this can be a list of barcode files.   |
| valid_barcode_file | optional file path of the valid (expected) barcode sequences to be found in the bc_file (.txt, can be txt.gz). Must contain one barcode per line on the second column separated by a comma (default = ""). If given, each barcode from bc_file is matched against the barcode of best fit (allowing a hamming distance of 1). If a FASTQ bc_file is provided, barcodes with a higher mapping quality, as given by the fastq reads quality score are prioritised. |
| id1_st             | barcode start position (0-indexed) for read 1, which is an extra parameter that is needed if the bc_file is in a .csv format.  |
| id1_len            | barcode length for read 1, which is an extra parameter that is needed if the bc_file is in a .csv format.  |
| id2_st             | barcode start position (0-indexed) for read 2, which is an extra parameter that is needed if the bc_file is in a .csv format.  |
| id2_len            | barcode length for read 2, which is an extra parameter that is needed if the bc_file is in a .csv format.  |
| rmN                | logical, whether to remove reads that contains N in UMI or cell barcode.   |
| rmLow              | logical, whether to remove reads that have low quality barcode sequences.  |
| organism           | The name of the organism e.g. hg38   |
| reference          | The reference genome file  |
| feature_type       | The feature type (either 'genome_bin' or 'peak')   |
| remove_duplicates  | Whether or not to remove duplicates (samtools is required)   |
| samtools_path      | A custom path of samtools to use for duplicate removal   |
| genome_size        | The size of the genome (used for the cellranger cell calling method)   |
| bin_size           | The size of the bins for feature counting with the 'genome_bin' feature type   |
| yieldsize          | The number of reads to read in for feature counting  |

|                           |  |
|---------------------------|--|
| exclude_regions           | Whether or not the regions should be excluded  |
| excluded_regions_filename | The filename of the file containing the regions to be excluded   |
| fix_chr                   | Specify 'none', 'exclude_regions', 'feature' or 'both' to prepend the string "chr" to the start of the associated file |
| lower                     | the lower threshold for the data if using the emptydrops function for cell calling.                                    |
| cell_calling              | The desired cell calling method either cellranger, emptydrops or filter  |
| promoters_file            | The path of the promoter annotation file (if the specified organism isn't recognised)                                  |
| tss_file                  | The path of the tss annotation file (if the specified organism isn't recognised)                                       |
| enhs_file                 | The path of the enhs annotation file (if the specified organism isn't recognised)                                      |
| gene_anno_file            | The path of the gene annotation file (gtf or gff3 format)  |
| min_uniq_frags            | The minimum number of required unique fragments required for a cell (used for filter cell calling)                     |
| max_uniq_frags            | The maximum number of required unique fragments required for a cell (used for filter cell calling)                     |
| min_frac_peak             | The minimum proportion of fragments in a cell to overlap with a peak (used for filter cell calling)                    |
| min_frac_tss              | The minimum proportion of fragments in a cell to overlap with a tss (used for filter cell calling)                     |
| min_frac_enhancer         | The minimum proportion of fragments in a cell to overlap with an enhancer sequence (used for filter cell calling)      |
| min_frac_promoter         | The minimum proportion of fragments in a cell to overlap with a promoter sequence (used for filter cell calling)       |
| max_frac_mito             | The maximum proportion of fragments in a cell that are mitochondrial (used for filter cell calling)                    |
| report                    | Whether or not a HTML report should be produced  |
| nthreads                  | The number of threads to use for alignment (sc_align) and demultiplexing (sc_atac_bam_tagging)                         |
| output_folder             | The path of the output folder  |

**Value**

None (invisible 'NULL')

**Examples**

```
data.folder <- system.file("extdata", package = "scPipe", mustWork = TRUE)
r1 <- file.path(data.folder, "small_chr21_R1.fastq.gz")
r2 <- file.path(data.folder, "small_chr21_R3.fastq.gz")

# Using a barcode fastq file:
```

```
# barcodes in fastq format
barcode_fastq <- file.path(data.folder, "small_chr21_R2.fastq.gz")

## Not run:
sc_atac_pipeline(
  r1 = r1,
  r2 = r2,
  bc_file = barcode_fastq
)

## End(Not run)
```

---

sc\_atac\_pipeline\_quick\_test

*A function that tests the pipeline on a small test sample (without duplicate removal)*

---

### Description

A function that tests the pipeline on a small test sample (without duplicate removal)

### Usage

```
sc_atac_pipeline_quick_test()
```

### Value

None (invisible 'NULL')

---

sc\_atac\_plot\_cells\_per\_feature

*A histogram of the log-number of cells per feature*

---

### Description

A histogram of the log-number of cells per feature

### Usage

```
sc_atac_plot_cells_per_feature(sce)
```

### Arguments

sce            The SingleExperimentObject produced by the sc\_atac\_create\_sce function at the end of the pipeline

**Value**

returns NULL

---

sc\_atac\_plot\_features\_per\_cell

*A histogram of the log-number of features per cell*

---

**Description**

A histogram of the log-number of features per cell

**Usage**

sc\_atac\_plot\_features\_per\_cell(sce)

**Arguments**

|     |   |
|-----|---|
| sce | The SingleExperimentObject produced by the sc_atac_create_sce function at the end of the pipeline |
|-----|---|

**Value**

returns NULL

---

sc\_atac\_plot\_features\_per\_cell\_ordered

*Plot showing the number of features per cell in ascending order*

---

**Description**

Plot showing the number of features per cell in ascending order

**Usage**

sc\_atac\_plot\_features\_per\_cell\_ordered(sce)

**Arguments**

|     |   |
|-----|---|
| sce | The SingleExperimentObject produced by the sc_atac_create_sce function at the end of the pipeline |
|-----|---|

**Value**

returns NULL

---

sc\_atac\_plot\_fragments\_cells\_per\_feature

*A scatter plot of the log-number of fragments and log-number of cells per feature*

---

**Description**

A scatter plot of the log-number of fragments and log-number of cells per feature

**Usage**

```
sc_atac_plot_fragments_cells_per_feature(sce)
```

**Arguments**

|     |   |
|-----|---|
| sce | The SingleExperimentObject produced by the sc_atac_create_sce function at the end of the pipeline |
|-----|---|

**Value**

returns NULL

---

sc\_atac\_plot\_fragments\_features\_per\_cell

*A scatter plot of the log-number of fragments and log-number of features per cell*

---

**Description**

A scatter plot of the log-number of fragments and log-number of features per cell

**Usage**

```
sc_atac_plot_fragments_features_per_cell(sce)
```

**Arguments**

|     |   |
|-----|---|
| sce | The SingleExperimentObject produced by the sc_atac_create_sce function at the end of the pipeline |
|-----|---|

**Value**

returns NULL

---

sc\_atac\_plot\_fragments\_per\_cell

*A histogram of the log-number of fragments per cell*

---

**Description**

A histogram of the log-number of fragments per cell

**Usage**

```
sc_atac_plot_fragments_per_cell(sce)
```

**Arguments**

|     |   |
|-----|---|
| sce | The SingleExperimentObject produced by the sc_atac_create_sce function at the end of the pipeline |
|-----|---|

**Value**

returns NULL

---

sc\_atac\_plot\_fragments\_per\_feature

*A histogram of the log-number of fragments per feature*

---

**Description**

A histogram of the log-number of fragments per feature

**Usage**

```
sc_atac_plot_fragments_per_feature(sce)
```

**Arguments**

|     |   |
|-----|---|
| sce | The SingleExperimentObject produced by the sc_atac_create_sce function at the end of the pipeline |
|-----|---|

**Value**

returns NULL

---

 sc\_atac\_remove\_duplicates

*Removing PCR duplicates using samtools*


---

### Description

Takes in a BAM file and removes the PCR duplicates using the samtools markdup function. Requires samtools 1.10 or newer for statistics to be generated.

### Usage

```
sc_atac_remove_duplicates(inbam, samtools_path = NULL, output_folder = NULL)
```

### Arguments

|               |   |
|---------------|---|
| inbam         | The tagged, sorted and duplicate-free input BAM file                              |
| samtools_path | The path of the samtools executable (if a custom installation is to be specified) |
| output_folder | The path of the output folder   |

### Value

file path to a bam file created from samtools markdup

---

 sc\_atac\_tfidf

*generating the UMAPs for sc-ATAC-Seq preprocessed data*


---

### Description

Takes the binary matrix and generate a TF-IDF so the clustering can take place on the reduced dimensions.

### Usage

```
sc_atac_tfidf(binary.mat, output_folder = NULL)
```

### Arguments

|               |   |
|---------------|---|
| binary.mat    | The final, filtered feature matrix in binary format |
| output_folder | The path of the output folder                       |

### Value

None (invisible 'NULL')

**Examples**

```
## Not run:
sc_atac_tfidf(binary.mat = final_binary_matrix)

## End(Not run)
```

---

sc\_atac\_trim\_barcode *demultiplex raw single-cell ATAC-Seq fastq reads*

---

**Description**

single-cell data need to be demultiplexed in order to retain the information of the cell barcodes the data belong to. Here we reformat fastq files so barcode/s (and if available the UMI sequences) are moved from the sequence into the read name. Since scATAC-Seq data are mostly paired-end, both ‘r1’ and ‘r2’ are demultiplexed in this function.

**Usage**

```
sc_atac_trim_barcode(
  r1,
  r2,
  bc_file = NULL,
  valid_barcode_file = "",
  output_folder = "",
  umi_start = 0,
  umi_length = 0,
  umi_in = "both",
  rmN = FALSE,
  rmlow = FALSE,
  min_qual = 20,
  num_below_min = 2,
  id1_st = -0,
  id1_len = 16,
  id2_st = 0,
  id2_len = 16,
  no_reverse_complement = FALSE
)
```

**Arguments**

|         |  |
|---------|--|
| r1      | read one for pair-end reads.   |
| r2      | read two for pair-end reads, NULL if single read.  |
| bc_file | the barcode information, can be either in a fastq format (e.g. from 10x-ATAC) or from a .csv file (here the barcode is expected to be on the second column). Currently, for the fastq approach, this can be a list of barcode files. |



|                                    |   |
|------------------------------------|---|
| <code>valid_barcode_file</code>    | optional file path of the valid (expected) barcode sequences to be found in the <code>bc_file</code> (.txt, can be txt.gz). Must contain one barcode per line on the second column separated by a comma (default = ""). If given, each barcode from <code>bc_file</code> is matched against the barcode of best fit (allowing a hamming distance of 1). If a FASTQ <code>bc_file</code> is provided, barcodes with a higher mapping quality, as given by the fastq reads quality score are prioritised. |
| <code>output_folder</code>         | the output dir for the demultiplexed fastq file, which will contain fastq files with reformatted barcode and UMI into the read name. Files ending in .gz will be automatically compressed.  |
| <code>umi_start</code>             | if available, the start position of the molecular identifier.   |
| <code>umi_length</code>            | if available, the start position of the molecular identifier.   |
| <code>umi_in</code>                | <code>umi_in</code>   |
| <code>rmN</code>                   | logical, whether to remove reads that contains N in UMI or cell barcode.  |
| <code>rmlow</code>                 | logical, whether to remove reads that have low quality barcode sequences  |
| <code>min_qual</code>              | the minimum base pair quality that is allowed (default = 20).   |
| <code>num_below_min</code>         | the maximum number of base pairs below the quality threshold.   |
| <code>id1_st</code>                | barcode start position (0-indexed) for read 1, which is an extra parameter that is needed if the <code>bc_file</code> is in a .csv format.  |
| <code>id1_len</code>               | barcode length for read 1, which is an extra parameter that is needed if the <code>bc_file</code> is in a .csv format.  |
| <code>id2_st</code>                | barcode start position (0-indexed) for read 2, which is an extra parameter that is needed if the <code>bc_file</code> is in a .csv format.  |
| <code>id2_len</code>               | barcode length for read 2, which is an extra parameter that is needed if the <code>bc_file</code> is in a .csv format.  |
| <code>no_reverse_complement</code> | specifies if the reverse complement of the barcode sequence should be used for barcode error correction (only when barcode sequences are provided as fastq files). FALSE (default) lets the function decide whether to use reverse complement, and TRUE forces the function to use the forward barcode sequences.   |

**Value**

None (invisible 'NULL')

**Examples**

```
data.folder <- system.file("extdata", package = "scPipe", mustWork = TRUE)
r1      <- file.path(data.folder, "small_chr21_R1.fastq.gz")
r2      <- file.path(data.folder, "small_chr21_R3.fastq.gz")

# Using a barcode fastq file:

# barcodes in fastq format
barcode_fastq <- file.path(data.folder, "small_chr21_R2.fastq.gz")
```

```

sc_atac_trim_barcode (
  r1          = r1,
  r2          = r2,
  bc_file     = barcode_fastq,
  rmN         = TRUE,
  rmlow       = TRUE,
  output_folder = tempdir())

# Using a barcode csv file:

# barcodes in .csv format
barcode_1000 <- file.path(data.folder, "chr21_modified_barcode_1000.csv")

## Not run:
sc_atac_trim_barcode (
  r1          = r1,
  r2          = r2,
  bc_file     = barcode_1000,
  id1_st      = 0,
  rmN         = TRUE,
  rmlow       = TRUE,
  output_folder = tempdir())

## End(Not run)

```

---

```

sc_correct_bam_bc      sc_correct_bam_bc

```

---

## Description

update the cell barcode tag in bam file with corrected barcode output to a new bam file. the function will be useful for methods that use the cell barcode information from bam file, such as ‘Demuxlet’

## Usage

```

sc_correct_bam_bc(
  inbam,
  outbam,
  bc_anno,
  max_mis = 1,
  bam_tags = list(am = "YE", ge = "GE", bc = "BC", mb = "OX"),
  mito = "MT",
  nthreads = 1
)

```

## Arguments

inbam           input bam file. This should be the output of `sc_exon_mapping`  
outbam           output bam file with updated cell barcode

|          |  |
|----------|--|
| bc_anno  | barcode annotation, first column is cell id, second column is cell barcode sequence  |
| max_mis  | maximum mismatch allowed in barcode. (default: 1)  |
| bam_tags | list defining BAM tags where mapping information is stored. <ul style="list-style-type: none"> <li>• "am": mapping status tag</li> <li>• "ge": gene id</li> <li>• "bc": cell barcode tag</li> <li>• "mb": molecular barcode tag</li> </ul> |
| mito     | mitochondrial chromosome name. This should be consistent with the chromosome names in the bam file.  |
| nthreads | number of threads to use. (default: 1)   |

**Value**

no return

**Examples**

```

data_dir="celseq2_demo"
barcode_annotation_fn = system.file("extdata", "barcode_anno.csv",
  package = "scPipe")
## Not run:
# refer to the vignettes for the complete workflow
...
sc_correct_bam_bc(file.path(data_dir, "out.map.bam"),
  file.path(data_dir, "out.map.clean.bam"),
  barcode_annotation_fn)
...
## End(Not run)

```

---

sc\_count\_aligned\_bam    *sc\_count\_aligned\_bam*

---

**Description**

Wrapper to run [sc\\_exon\\_mapping](#), [sc\\_demultiplex](#) and [sc\\_gene\\_counting](#) with a single command

**Usage**

```

sc_count_aligned_bam(
  inbam,
  outbam,
  annofn,

```

```

bam_tags = list(am = "YE", ge = "GE", bc = "BC", mb = "OX"),
bc_len = 8,
UMI_len = 6,
stnd = TRUE,
fix_chr = FALSE,
outdir,
bc_anno,
max_mis = 1,
mito = "MT",
has_UMI = TRUE,
UMI_cor = 1,
gene_fl = FALSE,
keep_mapped_bam = TRUE,
nthreads = 1
)

```

### Arguments

|                 |  |
|-----------------|--|
| inbam           | input aligned bam file. can have multiple files as input   |
| outbam          | output bam filename  |
| annofn          | single string or vector of gff3 annotation filenames, data.frame in SAF format or GRanges object containing complete gene_id metadata column.  |
| bam_tags        | list defining BAM tags where mapping information is stored. <ul style="list-style-type: none"> <li>• "am": mapping status tag</li> <li>• "ge": gene id</li> <li>• "bc": cell barcode tag</li> <li>• "mb": molecular barcode tag</li> </ul> |
| bc_len          | total barcode length   |
| UMI_len         | UMI length   |
| stnd            | TRUE to perform strand specific mapping. (default: TRUE)   |
| fix_chr         | TRUE to add 'chr' to chromosome names, MT to chrM. (default: FALSE)  |
| outdir          | output folder  |
| bc_anno         | barcode annotation, first column is cell id, second column is cell barcode sequence  |
| max_mis         | maximum mismatch allowed in barcode. (default: 1)  |
| mito            | mitochondrial chromosome name. This should be consistent with the chromosome names in the bam file.  |
| has_UMI         | whether the protocol contains UMI (default: TRUE)  |
| UMI_cor         | correct UMI sequencing error: 0 means no correction, 1 means simple correction and merge UMI with distance 1. 2 means merge on both UMI alignment position match.  |
| gene_fl         | whether to remove low abundance genes. A gene is considered to have low abundance if only one copy of one UMI is associated with it.   |
| keep_mapped_bam | TRUE if feature mapped bam file should be retained.  |
| nthreads        | number of threads to use. (default: 1)   |

**Value**

no return

**Examples**

```
## Not run:
sc_count_aligned_bam(
  inbam = "aligned.bam",
  outbam = "mapped.bam",
  annofn = c("MusMusculus-GRCm38p4-UCSC.gff3", "ERCC92_anno.gff3"),
  outdir = "output",
  bc_anno = "barcodes.csv"
)

## End(Not run)
```

---

|                |                       |
|----------------|-----------------------|
| sc_demultiplex | <i>sc_demultiplex</i> |
|----------------|-----------------------|

---

**Description**

Process bam file by cell barcode, output to outdir/count/[cell\_id].csv. the output contains information for all reads that can be mapped to exons. including the gene id, UMI of that read and the distance to transcript end position.

**Usage**

```
sc_demultiplex(
  inbam,
  outdir,
  bc_anno,
  max_mis = 1,
  bam_tags = list(am = "YE", ge = "GE", bc = "BC", mb = "OX"),
  mito = "MT",
  has_UMI = TRUE,
  nthreads = 1
)
```

**Arguments**

|          |   |
|----------|---|
| inbam    | input bam file. This should be the output of sc_exon_mapping                        |
| outdir   | output folder   |
| bc_anno  | barcode annotation, first column is cell id, second column is cell barcode sequence |
| max_mis  | maximum mismatch allowed in barcode. (default: 1)                                   |
| bam_tags | list defining BAM tags where mapping information is stored.                         |

|          |  |
|----------|--|
|          | <ul style="list-style-type: none"> <li>• "am": mapping status tag</li> <li>• "ge": gene id</li> <li>• "bc": cell barcode tag</li> <li>• "mb": molecular barcode tag</li> </ul> |
| mito     | mitochondrial chromosome name. This should be consistent with the chromosome names in the bam file.  |
| has_UMI  | whether the protocol contains UMI (default: TRUE)  |
| nthreads | number of threads to use. (default: 1)   |

**Value**

no return

**Examples**

```
data_dir="celseq2_demo"
barcode_annotation_fn = system.file("extdata", "barcode_anno.csv",
  package = "scPipe")
## Not run:
# refer to the vignettes for the complete workflow
...
sc_demultiplex(file.path(data_dir, "out.map.bam"),
  data_dir,
  barcode_annotation_fn, has_UMI=FALSE)
...

## End(Not run)
```

---

```
sc_demultiplex_and_count
      sc_demultiplex_and_count
```

---

**Description**

Wrapper to run `sc_demultiplex` and `sc_gene_counting` with a single command

**Usage**

```
sc_demultiplex_and_count(
  inbam,
  outdir,
  bc_anno,
  max_mis = 1,
  bam_tags = list(am = "YE", ge = "GE", bc = "BC", mb = "OX"),
  mito = "MT",
  has_UMI = TRUE,
```

```

    UMI_cor = 1,
    gene_fl = FALSE,
    nthreads = 1
)

```

### Arguments

|          |  |
|----------|--|
| inbam    | input bam file. This should be the output of sc_exon_mapping   |
| outdir   | output folder  |
| bc_anno  | barcode annotation, first column is cell id, second column is cell barcode sequence  |
| max_mis  | maximum mismatch allowed in barcode. (default: 1)  |
| bam_tags | list defining BAM tags where mapping information is stored. <ul style="list-style-type: none"> <li>• "am": mapping status tag</li> <li>• "ge": gene id</li> <li>• "bc": cell barcode tag</li> <li>• "mb": molecular barcode tag</li> </ul> |
| mito     | mitochondrial chromosome name. This should be consistent with the chromosome names in the bam file.  |
| has_UMI  | whether the protocol contains UMI (default: TRUE)  |
| UMI_cor  | correct UMI sequencing error: 0 means no correction, 1 means simple correction and merge UMI with distance 1. 2 means merge on both UMI alignment position match.  |
| gene_fl  | whether to remove low abundance genes. A gene is considered to have low abundance if only one copy of one UMI is associated with it.   |
| nthreads | number of threads to use. (default: 1)   |

### Value

no return

### Examples

```

## Not run:
refer to the vignettes for the complete workflow, replace demultiplex and
count with single command:
...
sc_demultiplex_and_count(
  file.path(data_dir, "out.map.bam"),
  data_dir,
  barcode_annotation_fn,
  has_UMI = FALSE
)
...

## End(Not run)

```

---

|              |                     |
|--------------|---------------------|
| sc_detect_bc | <i>sc_detect_bc</i> |
|--------------|---------------------|

---

## Description

Detect cell barcode and generate the barcode annotation

## Usage

```
sc_detect_bc(
  infq,
  outcsv,
  prefix = "CELL_",
  bc_len,
  max_reads = 1e+06,
  min_count = 10,
  number_of_cells = 10000,
  max_mismatch = 1,
  white_list_file = NULL
)
```

## Arguments

|                              |  |
|------------------------------|--|
| <code>infq</code>            | input fastq file, should be the output file of <code>sc_trim_barcode</code>  |
| <code>outcsv</code>          | output barcode annotation  |
| <code>prefix</code>          | the prefix of cell name (default: 'CELL_')   |
| <code>bc_len</code>          | the length of cell barcode, should be consistent with <code>bl1+bl2</code> in <code>sc_trim_barcode</code>   |
| <code>max_reads</code>       | the maximum of reads processed (default: 1,000,000)  |
| <code>min_count</code>       | minimum counts to keep, barcode will be discarded if it has lower count. Default value is 10. This should be set according to <code>max_reads</code> .   |
| <code>number_of_cells</code> | number of cells kept in result. (default: 10000)   |
| <code>max_mismatch</code>    | the maximum mismatch allowed. Barcodes within this number will be considered as sequence error and merged. (default: 1)  |
| <code>white_list_file</code> | a file that list all the possible barcodes each row is a barcode sequence. the list for 10x can be found at: <a href="https://community.10xgenomics.com/t5/Data-Sharing/List-of-valid-cellular-barcodes/td-p/527">https://community.10xgenomics.com/t5/Data-Sharing/List-of-valid-cellular-barcodes/td-p/527</a> (default: NULL) |

## Value

no return



**Examples**

```
## Not run:
# `sc_detect_bc` should run before `sc_demultiplex` for
# Drop-seq or 10X protocols
sc_detect_bc("input.fastq", "output.cell_index.csv", bc_len=8)
sc_demultiplex(..., "output.cell_index.csv")

## End(Not run)
```

---

sc\_exon\_mapping

*sc\_exon\_mapping*


---

**Description**

Map aligned reads to exon annotation. The result will be written into optional fields in bam file with different tags. Following this link for more information regarding to bam file format: <http://samtools.github.io/hts-specs>

The function can accept multiple bam file as input, if multiple bam file is provided and the 'bc\_len' is zero, then the function will use the barcode in the 'barcode\_vector' to insert into the 'bc' bam tag. So the length of 'barcode\_vector' and the length of 'inbam' should be the same. If this is the case then the 'max\_mis' argument in 'sc\_demultiplex' should be zero. If 'bc\_len' is larger than zero, then the function will still seek for barcode in fastq headers with given length. In this case each bam file is not treated as from a single cell.

**Usage**

```
sc_exon_mapping(
  inbam,
  outbam,
  annofn,
  bam_tags = list(am = "YE", ge = "GE", bc = "BC", mb = "OX"),
  bc_len = 8,
  barcode_vector = "",
  UMI_len = 6,
  stnd = TRUE,
  fix_chr = FALSE,
  nthreads = 1
)
```

**Arguments**

|        |   |
|--------|---|
| inbam  | input aligned bam file. can have multiple files as input  |
| outbam | output bam filename   |
| annofn | single string or vector of gff3 annotation filenames, data.frame in SAF format or GRanges object containing complete gene_id metadata column. |

|                |  |
|----------------|--|
| bam_tags       | list defining BAM tags where mapping information is stored. <ul style="list-style-type: none"> <li>• "am": mapping status tag</li> <li>• "ge": gene id</li> <li>• "bc": cell barcode tag</li> <li>• "mb": molecular barcode tag</li> </ul> |
| bc_len         | total barcode length   |
| barcode_vector | a list of barcode if each individual bam is a single cell. (default: NULL). The barcode should be of the same length for each cell.  |
| UMI_len        | UMI length   |
| std            | TRUE to perform strand specific mapping. (default: TRUE)   |
| fix_chr        | TRUE to add 'chr' to chromosome names, MT to chrM. (default: FALSE)  |
| nthreads       | number of threads to use. (default: 1)   |

**Value**

generates a bam file with exons assigned

**Examples**

```

data_dir="celseq2_demo"
ERCCanno_fn = system.file("extdata", "ERCC92_anno.gff3",
  package = "scPipe")
## Not run:
# for the complete workflow, refer to the vignettes
...
sc_exon_mapping(file.path(data_dir, "out.aln.bam"),
  file.path(data_dir, "out.map.bam"),
  ERCCanno_fn)
...

## End(Not run)

```

---

sc\_gene\_counting      *sc\_gene\_counting*

---

**Description**

Generate gene counts matrix with UMI deduplication

**Usage**

```
sc_gene_counting(outdir, bc_anno, UMI_cor = 2, gene_fl = FALSE)
```

**Arguments**

|         |   |
|---------|---|
| outdir  | output folder containing sc_demultiplex output  |
| bc_anno | barcode annotation comma-separated-values, first column is cell id, second column is cell barcode sequence  |
| UMI_cor | correct UMI sequencing error: 0 means no correction, 1 means simple correction and merge UMI with distance 1. 2 means merge on both UMI alignment position match. |
| gene_fl | whether to remove low abundance genes. A gene is considered to have low abundance if only one copy of one UMI is associated with it.                              |

**Value**

no return

**Examples**

```

data_dir="celseq2_demo"
barcode_annotation_fn = system.file("extdata", "barcode_anno.csv",
package = "scPipe")
## Not run:
# refer to the vignettes for the complete workflow
...
sc_gene_counting(data_dir, barcode_annotation_fn)
...

## End(Not run)

```

---

sc\_get\_umap\_data

*Generates UMAP data from sce object*


---

**Description**

Produces a DataFrame containing the UMAP dimensions, as well as all the colData of the sce object for each cell

**Usage**

```
sc_get_umap_data(sce, n_neighbours = 30)
```

**Arguments**

|              |                                 |
|--------------|---------------------------------|
| sce          | The SingleCellExperiment object |
| n_neighbours | No. of neighbours for KNN       |

**Value**

A dataframe containing the UMAP dimensions, as well as all the colData of the sce object for each cell

---

|              |   |
|--------------|---|
| sc_integrate | <i>Integrate multi-omic scRNA-Seq and scATAC-Seq data into a MultiAssayExperiment</i> |
|--------------|---|

---

### Description

Generates an integrated SCE object with scRNA-Seq and scATAC-Seq data produced by the scPipe pipelines

### Usage

```
sc_integrate(
  sce_list,
  barcode_match_file = NULL,
  sce_column_to_barcode_files = NULL,
  rev_comp = NULL,
  cell_line_info = NULL,
  output_folder = NULL
)
```

### Arguments

|                             |  |
|-----------------------------|--|
| sce_list                    | A list of SCE objects, named with the corresponding technologies   |
| barcode_match_file          | A .csv file with columns corresponding to the barcodes for each tech   |
| sce_column_to_barcode_files | A list of files containing the barcodes for each tech (if not needed then give a 'NULL' entry)   |
| rev_comp                    | A named list of technologies and logical flags specifying if reverse complements should be applied for sequences (if not needed then provide a 'NULL' entry) |
| cell_line_info              | A list of files, each of which contains 2 columns corresponding to the barcode and cell line for each tech (if not needed then provide a 'NULL' entry)       |
| output_folder               | The path to the output folder  |

### Value

Returns a MultiAssayExperiment containing the scRNA-Seq and scATAC-Seq data produced by the scPipe pipelines

### Examples

```
## Not run:
sc_integrate(
  sce_list = list("RNA" = sce.rna, "ATAC" = sce.atac),
  barcode_match_file = bc_match_file,
  sce_column_to_barcode_files = list("RNA" = rna_bc_anno, "ATAC" = NULL),
```

```

rev_comp = list("RNA" = FALSE, "ATAC" = TRUE),
cell_line_info = list("RNA" = rna_cell_line_info, "ATAC" = atac_cell_line_info,)
output_folder = output_folder
)

```

```
## End(Not run)
```

---

```
sc_interactive_umap_plot
```

*Produces an interactive UMAP plot via Shiny*

---

### Description

Can colour the UMAP by any of the colData columns in the SCE object

### Usage

```
sc_interactive_umap_plot(sce)
```

### Arguments

sce                    The SingleCellExperiment object

### Value

A shiny object which represents the app. Printing the object or passing it to ‘shiny::runApp(...)’ will run the app.

---

```
sc_mae_plot_umap
```

*Generates UMAP of multiomic data*

---

### Description

Uses feature count data from multiple experiment objects to produce UMAPs for each assay and then overlay them on the same pair of axes

### Usage

```
sc_mae_plot_umap(mae, by = NULL, output_file = NULL)
```

### Arguments

mae                    The MultiAssayExperiment object  
by                      What to colour the points by. Needs to be in colData of all experiments.  
output\_file            The path of the output file

**Value**

A ggplot2 object representing the UMAP plot

---

|                |  |
|----------------|--|
| sc_sample_data | <i>a small sample scRNA-seq counts dataset to demonstrate capabilities of scPipe</i> |
|----------------|--|

---

**Description**

This data set contains counts for high variable genes for 100 cells. The cells have different cell types. The data contains raw read counts. The cells are chosen randomly from 384 cells and they did not go through quality controls. The rows names are Ensembl gene ids and the columns are cell names, which is the well position in the 384 plates.

**Format**

a matrix instance, one row per gene.

**Value**

NULL, but makes a matrix of count data

**Author(s)**

Luyi Tian

**Source**

Christin Biben (WEHI). She FACS sorted cells from several immune cell types including B cells, granulocyte and some early progenitors.

**Examples**

```
# use the example dataset to perform quality control
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication
sce = detect_outlier(sce)

plot_QC_pairs(sce)
```

---

|              |  |
|--------------|--|
| sc_sample_qc | <i>quality control information for a small sample scRNA-seq dataset to demonstrate capabilities of scPipe.</i> |
|--------------|--|

---

**Description**

This data.frame contains cell quality control information for the 100 cells. For each cell it has:

- unaligned the number of unaligned reads.
- aligned\_unmapped the number of reads that aligned to genome but fail to map to any features.
- mapped\_to\_exon is the number of reads that mapped to exon.
- mapped\_to\_intron is the number of reads that mapped to intron.
- ambiguous\_mapping is the number of reads that mapped to multiple features. They are not considered in the following analysis.
- mapped\_to\_ERCC is the number of reads that mapped to ERCC spike-in controls.
- mapped\_to\_MT is the number of reads that mapped to mitochondrial genes.
- total\_count\_per\_cell is the number of reads that mapped to exon after UMI deduplication. In contrast, 'mapped\_to\_exon' is the number of reads mapped to exon before UMI deduplication.
- number\_of\_genes is the number of genes detected for each cells
- non\_ERCC\_percent is 1 - (percentage of ERCC reads). Reads are UMI deduplicated.
- non\_mt\_percent is 1 - (percentage of mitochondrial reads). Reads are UMI deduplicated.
- non\_ribo\_percent is 1 - (percentage of ribosomal reads). Reads are UMI deduplicated.

**Format**

a data.frame instance, one row per cell.

**Value**

NULL, but makes a data frame with cell quality control data.frame

**Author(s)**

Luyi Tian

**Source**

Christin Biben (WEHI). She FACS sorted cells from several immune cell types including B cells, granulocyte and some early progenitors.

**Examples**

```

data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
head(QC_metrics(sce))
plot_mapping(sce,percentage=TRUE,dataname="sc_sample")

```

---

|                 |                        |
|-----------------|------------------------|
| sc_trim_barcode | <i>sc_trim_barcode</i> |
|-----------------|------------------------|

---

**Description**

Reformat fastq files so barcode and UMI sequences are moved from the sequence into the read name.

**Usage**

```

sc_trim_barcode(
  outfq,
  r1,
  r2 = NULL,
  read_structure = list(bs1 = -1, b11 = 0, bs2 = 6, b12 = 8, us = 0, ul = 6),
  filter_settings = list(rmlow = TRUE, rmN = TRUE, minq = 20, numbq = 2)
)

```

**Arguments**

|                 |  |
|-----------------|--|
| outfq           | the output fastq file, which reformat the barcode and UMI into the read name. Files ending in .gz will be automatically compressed.  |
| r1              | read one for pair-end reads. This read should contain the transcript.  |
| r2              | read two for pair-end reads, NULL if single read. (default: NULL)  |
| read_structure  | a list containing the read structure configuration: <ul style="list-style-type: none"> <li>• bs1: starting position of barcode in read one. -1 if no barcode in read one.</li> <li>• b11: length of barcode in read one, if there is no barcode in read one this number is used for trimming beginning of read one.</li> <li>• bs2: starting position of barcode in read two</li> <li>• b12: length of barcode in read two</li> <li>• us: starting position of UMI</li> <li>• ul: length of UMI</li> </ul> |
| filter_settings | A list contains read filter settings:  |



- rmlow whether to remove the low quality reads.
- rmN whether to remove reads that contains N in UMI or cell barcode.
- minq the minimum base pair quality that we allowed
- numbq the maximum number of base pair that have quality below numbq

### Details

Positions used in this function are 0-indexed, so they start from 0 rather than 1. The default read structure in this function represents CEL-seq paired-ended reads. This contains a transcript in the first read, a UMI in the first 6bp of the second read followed by a 8bp barcode. So the read structure will be : `list(bs1=-1, b11=0, bs2=6, b12=8, us=0, ul=6)`. `bs1=-1, b11=0` indicates negative start position and zero length for the barcode on read one, this is used to denote "no barcode" on read one. `bs2=6, b12=8` indicates there is a barcode in read two that starts at the 7th base with length 8bp. `us=0, ul=6` indicates a UMI from first base of read two and the length in 6bp.

For a typical Drop-seq experiment the read structure will be `list(bs1=-1, b11=0, bs2=0, b12=12, us=12, ul=8)`, which means the read one only contains transcript, the first 12bp in read two are cell barcode, followed by a 8bp UMI.

### Value

generates a trimmed fastq file named outfq

### Examples

```
data_dir="celseq2_demo"
## Not run:
# for the complete workflow, refer to the vignettes
...
sc_trim_barcode(file.path(data_dir, "combined.fastq"),
  file.path(data_dir, "simu_R1.fastq"),
  file.path(data_dir, "simu_R2.fastq"))
...
## End(Not run)
```

---

TF.IDF.custom

*Returns the TF-IDF normalised version of a binary matrix*

---

### Description

Returns the TF-IDF normalised version of a binary matrix

### Usage

```
TF.IDF.custom(binary.mat, verbose = TRUE)
```

**Arguments**

binary.mat      The binary matrix  
 verbose        boolean flag to print status messages

**Value**

Returns the TF-IDF normalised version of a binary matrix

---

|                 |  |
|-----------------|--|
| UMI_duplication | <i>UMI duplication statistics for a small sample scRNA-seq dataset to demonstrate capabilities of scPipe</i> |
|-----------------|--|

---

**Description**

This data.frame contains UMI duplication statistics, where the first column is the number of duplication, and the second column is the count of UMIs.

**Format**

a data.frame instance, one row per cell.

**Value**

NULL, but makes a data frame with UMI duplication statistics

**Author(s)**

Luyi Tian

**Source**

Christin Biben (WEHI). She FACS sorted cells from several immune cell types including B cells, granulocyte and some early progenitors.

**Examples**

```
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication

head(UMI_dup_info(sce))
```

---

|              |  |
|--------------|--|
| UMI_dup_info | <i>Get or set UMI duplication results in a SingleCellExperiment object</i> |
|--------------|--|

---

**Description**

Get or set UMI duplication results in a SingleCellExperiment object

**Usage**

```
UMI_dup_info(object)

UMI_dup_info(object) <- value

UMI_dup_info.sce(object)

## S4 method for signature 'SingleCellExperiment'
UMI_dup_info(object)

## S4 replacement method for signature 'SingleCellExperiment'
UMI_dup_info(object) <- value
```

**Arguments**

|        |  |
|--------|--|
| object | A <a href="#">SingleCellExperiment</a> object. |
| value  | Value to be assigned to corresponding object.  |

**Value**

a dataframe of cell UMI duplication information  
A DataFrame of UMI duplication results.

**Author(s)**

Luyi Tian

**Examples**

```
data("sc_sample_data")
data("sc_sample_qc")
sce = SingleCellExperiment(assays = list(counts = as.matrix(sc_sample_data)))
organism(sce) = "mmusculus_gene_ensembl"
gene_id_type(sce) = "ensembl_gene_id"
QC_metrics(sce) = sc_sample_qc
demultiplex_info(sce) = cell_barcode_matching
UMI_dup_info(sce) = UMI_duplication

head(UMI_dup_info(sce))
```

# Index

.qq\_outliers\_robust, 4

anno\_import, 4

anno\_to\_saf, 5

calculate\_QC\_metrics, 6

cell\_barcode\_matching, 7

check\_barcode\_start\_position, 8

convert\_geneid, 9

create\_processed\_report, 10

create\_report, 11

create\_sce\_by\_dir, 13

demultiplex\_info, 14

demultiplex\_info, SingleCellExperiment-method  
(demultiplex\_info), 14

demultiplex\_info.sce  
(demultiplex\_info), 14

demultiplex\_info<- (demultiplex\_info),  
14

demultiplex\_info<- , SingleCellExperiment-method  
(demultiplex\_info), 14

detect\_outlier, 15

feature\_info, 16

feature\_info, SingleCellExperiment-method  
(feature\_info), 16

feature\_info.sce (feature\_info), 16

feature\_info<- (feature\_info), 16

feature\_info<- , SingleCellExperiment-method  
(feature\_info), 16

feature\_type, 17

feature\_type, SingleCellExperiment-method  
(feature\_type), 17

feature\_type.sce (feature\_type), 17

feature\_type<- (feature\_type), 17

feature\_type<- , SingleCellExperiment-method  
(feature\_type), 17

gene\_id\_type, 18

gene\_id\_type, SingleCellExperiment-method  
(gene\_id\_type), 18

gene\_id\_type.sce (gene\_id\_type), 18

gene\_id\_type<- (gene\_id\_type), 18

gene\_id\_type<- , SingleCellExperiment-method  
(gene\_id\_type), 18

get\_chromosomes, 19

get\_ercc\_anno, 19

get\_genes\_by\_GO, 20

get\_read\_str, 21

organism (organism.sce), 21

organism, SingleCellExperiment-method  
(organism.sce), 21

organism.sce, 21

organism<- , SingleCellExperiment-method  
(organism.sce), 21

plot\_demultiplex, 22

plot\_mapping, 23

plot\_QC\_pairs, 24

plot\_UMI\_dup, 24

QC\_metrics, 25

QC\_metrics, SingleCellExperiment-method  
(QC\_metrics), 25

QC\_metrics.sce (QC\_metrics), 25

QC\_metrics<- (QC\_metrics), 25

QC\_metrics<- , SingleCellExperiment-method  
(QC\_metrics), 25

read\_cells, 26

remove\_outliers, 27

sc\_aligning, 28

sc\_atac\_bam\_tagging, 29

sc\_atac\_cell\_calling, 30

sc\_atac\_create\_cell\_qc\_metrics, 32

sc\_atac\_create\_fragments, 32

sc\_atac\_create\_report, 34

sc\_atac\_create\_sce, 34

sc\_atac\_emptydrops\_cell\_calling, [35](#)  
sc\_atac\_feature\_counting, [36](#)  
sc\_atac\_filter\_cell\_calling, [38](#)  
sc\_atac\_peak\_calling, [39](#)  
sc\_atac\_pipeline, [40](#)  
sc\_atac\_pipeline\_quick\_test, [43](#)  
sc\_atac\_plot\_cells\_per\_feature, [43](#)  
sc\_atac\_plot\_features\_per\_cell, [44](#)  
sc\_atac\_plot\_features\_per\_cell\_ordered,  
[44](#)  
sc\_atac\_plot\_fragments\_cells\_per\_feature,  
[45](#)  
sc\_atac\_plot\_fragments\_features\_per\_cell,  
[45](#)  
sc\_atac\_plot\_fragments\_per\_cell, [46](#)  
sc\_atac\_plot\_fragments\_per\_feature, [46](#)  
sc\_atac\_remove\_duplicates, [47](#)  
sc\_atac\_tfidf, [47](#)  
sc\_atac\_trim\_barcode, [48](#)  
sc\_correct\_bam\_bc, [50](#)  
sc\_count\_aligned\_bam, [51](#)  
sc\_demultiplex, [51](#), [53](#), [54](#)  
sc\_demultiplex\_and\_count, [54](#)  
sc\_detect\_bc, [56](#)  
sc\_exon\_mapping, [51](#), [57](#)  
sc\_gene\_counting, [51](#), [54](#), [58](#)  
sc\_get\_umap\_data, [59](#)  
sc\_integrate, [60](#)  
sc\_interactive\_umap\_plot, [61](#)  
sc\_mae\_plot\_umap, [61](#)  
sc\_sample\_data, [62](#)  
sc\_sample\_qc, [63](#)  
sc\_trim\_barcode, [64](#)  
scPipe, [27](#)  
scPipe-package (scPipe), [27](#)  
SingleCellExperiment, [13](#), [14](#), [17](#), [18](#), [22](#),  
[25](#), [67](#)  
  
TF.IDF.custom, [65](#)  
  
UMI\_dup\_info, [67](#)  
UMI\_dup\_info, SingleCellExperiment-method  
(UMI\_dup\_info), [67](#)  
UMI\_dup\_info.sce (UMI\_dup\_info), [67](#)  
UMI\_dup\_info<- (UMI\_dup\_info), [67](#)  
UMI\_dup\_info<- , SingleCellExperiment-method  
(UMI\_dup\_info), [67](#)  
UMI\_duplication, [66](#)