# BSgenome.Scerevisiae.UCSC.sacCer2

October 9, 2024

---

`BSgenome.Scerevisiae.UCSC.sacCer2`
*Saccharomyces cerevisiae (Yeast) full genome (UCSC version sacCer2)*

---

## Description

Saccharomyces cerevisiae (Yeast) full genome as provided by UCSC (sacCer2, June 2008) and stored in Biostrings objects.

## Note

This BSgenome data package was made from the following source data files:

```
chromFa.tar.gz from http://hgdownload.cse.ucsc.edu/goldenPath/sacCer2/bigZips/
```

See ?`BSgenomeForge` and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

## Author(s)

The Bioconductor Dev Team

## See Also

- BSgenome objects and the `available.genomes` function in the **BSgenome** software package.
- DNAString objects in the **Biostrings** package.
- The BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

## Examples

```
BSgenome.Scerevisiae.UCSC.sacCer2
genome <- BSgenome.Scerevisiae.UCSC.sacCer2
seqlengths(genome)
genome$chrI  # same as genome[["chrI"]]

## ---------------------------------------------------------------------
## Genome-wide motif searching
## ---------------------------------------------------------------------
## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
    vignette("GenomeSearching", package="BSgenome")
```

# Index


∗ **data**
BSgenome.Scerevisiae.UCSC.sacCer2, 1
∗ **package**
BSgenome.Scerevisiae.UCSC.sacCer2, 1

available.genomes, *1*

BSgenome, *1*
BSgenome.Scerevisiae.UCSC.sacCer2, 1
BSgenome.Scerevisiae.UCSC.sacCer2-package (BSgenome.Scerevisiae.UCSC.sacCer2), 1
BSgenomeForge, *1*

DNAString, *1*

Scerevisiae (BSgenome.Scerevisiae.UCSC.sacCer2), 1